Dupuytren's Survey ASSH

Please complete the survey below.	
Thank you!	
Demographic Questions	
In what region do you practice?	 1. New England - Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island or Vermont 2. Mid-Atlantic - Delaware, District of Columbia, Maryland, New Jersey, New York or Pennsylvania 3. Great Lakes - Illinois, Indiana, Ohio, Michigan or Wisconsin 4. Plains - Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota or South Dakota 5. Southeast - Alabama, Arkansas, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, Tennessee, Virginia or West Virginia 6. Southwest - Arizona, New Mexico, Oklahoma or Texas 7. Rocky Mountain - Colorado, Idaho, Montana, Utal or Wyoming 8. Far West - Alaska, California, Hawaii, Nevada, Oregon or Washington 9. US Territory 10. Canada 11. Military Post Elsewhere
What type of practice do you have?	○ Solo Private Practice○ Group Private Practice○ Mix of Private and Academic○ Academic○ Military
Do you work with residents and/or fellows in your practice?	 □ 1. Yes, I am part of a faculty that sponsors a residency program (Orthopaedics or Plastics) □ 2. Yes, I have plastic surgery or orthopaedic residents that occasionally rotate with me □ 3. Yes, I have general surgery residents that rotate with me □ 4. Yes, I have hand fellows that work with me □ 5. No, none of the above
What is your age?	



What is your Board Certification?	☐ Orthopaedic Surgery☐ Plastic Surgery☐ General Surgery
Was your hand fellowship an orthopaedic, plastic, or general surgery sponsored fellowship?	○ General Surgery○ Combined (Orthopaedic and Plastic)○ Orthopaedic○ Plastic Surgery
How many years have you been in practice since fellowship?	○ 0-5○ 6-10○ 11-15○ 16-20○ >20
What part of your practice is hand surgery? (wrist to fingertips, elective or otherwise)	 ○ 0 < 25% ○ 25-49% ○ 50% ○ 51-75% ○ 76-95% ○ >95%
How many Dupuytren's patients do you see per month? (on average)	

REDCap in the second seco

Needle Aponeurotomy Que	stions					
Do you perform needle aponeuro contracture?	tomy for Dupuy	rtren's				
Where have you performed needle aponeurotomy for Dupuytren's contracture? In the Palm?		yes			no O	
In the finger?		\circ			\circ	
For a webspace contracture?		\bigcirc			\circ	
Other		0			\circ	
Other (please specify)						
What size needle do you use to coneedle aponeurotomy?	ut the cord dur	ing a	25 gauge23 gauge21 gauge18 gaugeOther	e e		
Other (please specify)						
	100% - normal range of motion	75% - continue with some contracture but markedly improved	50% - contracture is improved but continued disability	25% - noticeable but minimal improvement	0% - no change	n/a
How successful do you feel that your treatment of your average patient treated with needle aponeurotomy is in the immediate post-op period?	0	0	0	0	0	0
After 2 years?	0	\circ	0	0	0	\circ
After 5 years?	\circ	\bigcirc	\bigcirc	0	\bigcirc	\bigcirc
What percentage of patients in you other treatments after needle apo		on to	○ 0-25%○ 25-50%○ 50-75%○ 75-100%)		
What complications have you encaponeurotomy?	ountered with	needle	☐ Skin tear	en's "flare"		
Other (please specify)						



Collagenase Questions						
Do you treat Dupuytren's patients injections?	with collagen	ase	○ Yes ○ No			
Where have you injected collagenase for Dupuytren's contracture? in the Palm?		yes			no O	
In the finger?		\circ			\circ	
For a webspace contracture? Other		0			0	
Other (please specify)			, , ,			
	100% - normal range of motion	75% - continue with some flexion contracture but markedly improved	(please specific forms) 50% - contracture is improved but continued disability	25% - noticeable but minimal improvement	0% - no change	n/a
How successful do you feel that your treatment of your average patient treated with collagenase is in the immediate post treatment period?	0	0	0	0	0	0
After 2 years?	\circ	\circ	\circ	\circ	\circ	\circ
After 5 years	0	\circ	0	0	0	0
What percentage of patients in you other treatments of Dupuytren's of treatment with collagenase?	our practice go contracture afto	on to er	○ 0 - 25% ○ 25 - 50% ○ 50 - 75% ○ 75 - 100% ○ other)		
Other (please specify)						
How soon do you ask patients to return for manipulation after collagenase injection?		○ Next day○ In 2 days○ In 3 days○ In about 7 days○ Other				
Other						
How many injections of collagena each digit? (on average)	se do you perfo	orm for	○ 1○ 2○ 3○ other			
Other (please specify)						



Page 5 of 8

What complications have you encountered with collagenase?	 None Delayed wound healing Dupuytren's "flare" Nerve injury CRPS Tendon rupture Other
Other (please specify)	

REDCap €

Fasiectomy Questions						
Do you perform fasiectomies for Dupuytren's contracture?			○ yes ○ no			
What type of fasciectomy do you	type of fasciectomy do you routinely perform?			lm		
Other (please specify)						
	100% - normal range of motion	75% - continue with some flexion contracture but markedly improved	50% - contracture is improved but continued disability	25% - noticeable but minimal improvement	0% - no change	n/a
How successful do you feel that your treatment of your average patient treated with fasciectomy is in the immediate post treatment period?	0	0	0	0	0	0
After 2 years?	\circ	\bigcirc	\circ	\circ	\circ	\circ
After 5 years?	\circ	\bigcirc	\circ	\bigcirc	\circ	\circ
What percentage of your patients treatment for Dupuytren's contra fasciectomy?		quent	○ 0-25%○ 25-50%○ 50-75%○ 75-100%○ other	ó		
Other (please specify)						
What complications have you end fasciectomy?	ountered with		☐ None ☐ Delayed ☐ Nerve in ☐ Hemator ☐ CRPS ☐ Other			
Other (please specify)				 		



General Questions			
What is your preferred treatment for primary Dupuytren's contracture involving only the MP joint?	 Needle aponeurotomy Collagenase injection Limited fasciectomy Radical fasciectomy with skin graft Open palm Other 		
Other (please specify)			
What is your preferred treatment for primary Dupuytren's contracture involving both the MP and PIP joints?	 Needle aponeurotomy Collagenase injection Limited fasciectomy Radical fasciectomy with skin graft Open palm Other 		
Other (please specify)			
What is your preferred treatment for secondary Dupuytren's contracture (recurrent or continued contracture) involving only the MP joint?	 Needle aponeurotomy Collagenase injection Limited fasciectomy Radical fasciectomy with skin graft Open palm Other 		
Other (please specify)			
What is your preferred treatment for secondary Dupuytren's contracture (recurrent or continued contracture) involving both the MP and PIP joints?	 Needle aponeurotomy Collagenase injection Limited fasciectomy Radical fasciectomy with skin graft Open palm Other 		
Other (please specify)			
Do you feel that there is sufficient evidence to support the treatment of Dupuytren's contracture with collagenase injections?	○ yes○ no○ other		
Other (please specify)			
Do you think that the cost of collagenase injections is worth the benefit?	○ yes ○ no		
Please comment			
Would you perform more collagenase injections if the cost was lower?	○ Yes ○ No		
In your opinion, which treatment is best for a patient with Dupuytren's contracture that is amenable to any listed?	Needle aponeurotomyCollagenase injectionFasciectomyOther		
Other (please specify)			



In your opinion, which treatment most likely offers the longest disease-free survival?	Needle aponeurotomyCollagenase injectionFasciectomyOther
Other (please specify)	
Which intervention would you typically recommend for a young, gainfully employed patient with a dominant ring finger MCP contracture of 50 degrees and PIP contracture of 20 degrees?	Needle aponeurotomyCollagenase injectionFasciectomyOther
Other (please specify)	
Which intervention would you typically recommend for an 85-year-old retired patient with a dominant ring finger MCP contracture of 50 degrees and PIP contracture of 20 degrees?	Needle aponeurotomyCollagenase injectionFasciectomyOther
Other (please specify)	

