

Strain	Genotype	Source
<i>CAI4</i>	<i>ura3Δ::imm⁴³⁴/ura3Δ::imm⁴³⁴</i>	1
<i>hog1</i>	<i>ura3Δ::imm⁴³⁴/ura3Δ::imm⁴³⁴, his1Δ::hisG/his1Δ::hisG, arg4Δ::hisG /arg4Δ::hisG, hog1Δ::ARG4/ hog1Δ::URA3</i>	2
<i>pbs2</i>	<i>ura3Δ::imm⁴³⁴/ura3Δ::imm⁴³⁴, his1Δ::hisG/his1Δ::hisG, arg4Δ::hisG /arg4Δ::hisG, pbs2Δ::ARG4/ pbs2Δ::URA3</i>	2
<i>sfl1</i>	<i>his1Δ/his1Δ, leu2Δ/ leu2Δ, arg4Δ/arg4Δ, ura3Δ/ura3Δ::imm⁴³⁴, iro1/iro1Δ::imm⁴³⁴, sfl1Δ::HIS1/sfl1Δ::LEU2</i>	3
<i>rim101</i>	<i>his1Δ/his1Δ, leu2Δ/ leu2Δ, arg4Δ/arg4Δ, ura3Δ/ura3Δ::imm434, iro1/iro1Δ::imm434, rim101Δ::HIS1/rim101Δ::LEU2</i>	3
<i>ptp2ptp3</i>	<i>his1Δ/his1Δ, leu2Δ/ leu2Δ, arg4Δ/arg4Δ, ura3Δ/ura3Δ::imm⁴³⁴, iro1/iro1Δ::imm⁴³⁴, ptp3Δ::C.dubliniensis HIS1/ptp3Δ::C.maltosa LEU2, ptp2Δ::URA3/ptp2Δ::ARG41</i>	4
<i>ptp2ptp3hog1</i>	<i>his1Δ/his1Δ, leu2Δ/ leu2Δ, arg4Δ/arg4Δ, ura3Δ/ura3Δ::imm⁴³⁴, iro1/iro1Δ::imm434, ptp3Δ::C.dubliniensis HIS1/ptp3Δ::C.maltosa LEU2, ptp2Δ::ura3Δ/ptp2Δ::ARG4, hog1Δ::URA3/ hog1Δ::FRT</i>	4
<i>CAI4 + HWP1p-GFP</i>	<i>ura3Δ::1 imm⁴³⁴/ura3Δ:1 imm⁴³⁴, HWP1p/HWP1p-GFP-SAT1</i>	this study
<i>hog1 + HWP1p-GFP</i>	<i>ura3Δ::imm⁴³⁴/ura3Δ::imm⁴³⁴, his1Δ::hisG/his1Δ::hisG, arg4Δ::hisG /arg4Δ::hisG, hog1Δ::ARG4/ hog1Δ::URA3, HWP1p/HWP1p-GFP-SAT1</i>	this study
<i>pbs2 + HWP1p-GFP</i>	<i>ura3Δ::imm⁴³⁴/ura3Δ::imm⁴³⁴, his1Δ::hisG/his1Δ::hisG, arg4Δ::hisG /arg4Δ::hisG, pbs2Δ::ARG4/ pbs2Δ::URA3, HWP1p/HWP1p-GFP-SAT1</i>	this study
<i>sfl1 + HWP1p-GFP</i>	<i>his1Δ/his1Δ, leu2Δ/ leu2Δ, arg4Δ/arg4Δ, ura3Δ/ura3Δ::imm434, iro1/iro1Δ::imm434, sfl1Δ::HIS1/sfl1Δ::LEU2, HWP1p/HWP1p-GFP-SAT1</i>	this study
<i>ptp2ptp3 + HWP1p-GFP</i>	<i>his1Δ/his1Δ, leu2Δ/ leu2Δ, arg4Δ/arg4Δ, ura3Δ/ura3Δ::imm434, iro1/iro1Δ::imm434, ptp3Δ::C.dubliniensis HIS1/ptp3Δ::C.maltosa LEU2, ptp2Δ::URA3/ptp2Δ::ARG4, HWP1p/HWP1p-GFP-SAT1</i>	this study
<i>ptp2ptp3hog+ HWP1p-GFP</i>	<i>his1Δ/his1Δ, leu2Δ/ leu2Δ, arg4Δ/arg4Δ, ura3Δ/ura3Δ::imm434, iro1/iro1Δ::imm434, ptp3Δ::C.dubliniensis HIS1/ptp3Δ::C.maltosa LEU2, ptp2Δ::ura3Δ/ptp2Δ::ARG4, hog1Δ::URA3/ hog1Δ::FRT, HWP1p/HWP1p-GFP-SAT1</i>	this study
<i>CAI4+MAL2 p-NRG1-MYC</i>	<i>ura3Δ::imm⁴³⁴/ura3Δ::imm⁴³⁴, ADE2/ade2Δ::MAL2p-NRG1-13MYC-URA3</i>	4
References		
1	Fonzi WA, Irwin MY. 1993. Isogenic strain construction and gene mapping in <i>Candida albicans</i> . <i>Genetics</i> 134 :717–28.	
2	Blankenship JR, Fanning S, Hamaker JJ, Mitchell AP. 2010. An extensive circuitry for cell wall regulation in <i>Candida albicans</i> . <i>PLoS Pathog</i> 6 :e1000752.	
3	Homann OR, Dea J, Noble SM, Johnson AD. 2009. A phenotypic profile of the <i>Candida albicans</i> regulatory network. <i>PLoS Genet</i> 5 :e1000783.	
4	Su C, Lu Y, Liu H. 2013. Reduced TOR signaling sustains hyphal development in <i>Candida albicans</i> by lowering Hog1 basal activity. <i>Mol Biol Cell</i> 24 :385–97.	
5	Lu Y, Su C, Wang A, Liu H. 2011. Hyphal development in <i>Candida albicans</i> requires two temporally linked changes in promoter chromatin for initiation and maintenance. <i>PLoS Biol</i> 9 :e1001105.	