natureresearch

Corresponding author(s):	Zhen Guo; Yanli Zhao	
Last updated by author(s):	Dec 10, 2019	

Reporting Summary

Nature Research wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Research policies, see Authors & Referees and the Editorial Policy Checklist.

C.			
St	at	ıstı	ICS

For all statistical analyses, confirm that the following items are present in the figure legend, table legend, main text, or Methods section.
n/a Confirmed
The exact sample size (n) for each experimental group/condition, given as a discrete number and unit of measurement
A statement on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly
The statistical test(s) used AND whether they are one- or two-sided Only common tests should be described solely by name; describe more complex techniques in the Methods section.
A description of all covariates tested
A description of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons
A full description of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient AND variation (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals)
For null hypothesis testing, the test statistic (e.g. <i>F</i> , <i>t</i> , <i>r</i>) with confidence intervals, effect sizes, degrees of freedom and <i>P</i> value noted Give P values as exact values whenever suitable.
For Bayesian analysis, information on the choice of priors and Markov chain Monte Carlo settings
For hierarchical and complex designs, identification of the appropriate level for tests and full reporting of outcomes
\square Estimates of effect sizes (e.g. Cohen's d , Pearson's r), indicating how they were calculated
Our web collection on <u>statistics for biologists</u> contains articles on many of the points above.
Software and code
Policy information about <u>availability of computer code</u>

Data collection ZEN blue was used for confocal microscopy to acquire fluorescence images.

InCyte software was used to acquire flowcytometry data.

Data analysis Confocal fluorescence microscopy imaging data were analyzed using ZEN 2.3 blue edition (Carl Zeiss).

Statistical calculations were performed using GraphPad Prism 6.0 (GraphPad Software Inc.).

Flow cytometry data were performed using FlowJo software package (Flowjo 7.6.1).

And also the ImageJ, OriginPro 2018, Microsoft Excel 2016.

For manuscripts utilizing custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors/reviewers. We strongly encourage code deposition in a community repository (e.g. GitHub). See the Nature Research guidelines for submitting code & software for further information.

Data

Policy information about availability of data

All manuscripts must include a data availability statement. This statement should provide the following information, where applicable:

- Accession codes, unique identifiers, or web links for publicly available datasets
- A list of figures that have associated raw data
- A description of any restrictions on data availability

The authors declare that all relevant data supporting the findings of this study are available within the article and in the Supplementary Information document, or from the corresponding author on reasonable request.

— • • • •									
Fiel	וח	-91	$\cap \cap$	∩I†	Γ	re	nc	rti	ng
	ı	ر		CII			PC	'	115

Please select the one below that is the best fit for your research. If you are not sure, read the appropriate sections before making your selection.			
∑ Life sciences	Behavioural & social sciences	Ecological, evolutionary & environmental sciences	
For a reference copy of the document with all sections, see <u>nature.com/documents/nr-reporting-summary-flat.pdf</u>			
Life sciences	s study design		

All studies must disclose on these points even when the disclosure is negative.

No effect size was predetermined, but sample sizes employed in this study are consistent with previously published work. For example, in Sample size vitro studies were repeated at least three times independently, and in vivo experiments with 5-8 mice per group were performed.

No animals and/or data were excluded. Data exclusions

All experiments were repeated and experimental findings were reproducible. Replication

Randomization The dosing groups were filled by randomly selecting from the same pool of animals for in vivo experiments.

Blinding The technician carried out the data collection and analysis without knowing the group assignment for each sample.

Behavioural & social sciences study design

All studies must disclose on these points even when the disclosure is negative.

Briefly describe the study type including whether data are quantitative, qualitative, or mixed-methods (e.g. qualitative cross-sectional, quantitative experimental, mixed-methods case study).

Research sample

Study description

State the research sample (e.g. Harvard university undergraduates, villagers in rural India) and provide relevant demographic information (e.g. age, sex) and indicate whether the sample is representative. Provide a rationale for the study sample chosen. For studies involving existing datasets, please describe the dataset and source.

Sampling strategy

Describe the sampling procedure (e.g. random, snowball, stratified, convenience). Describe the statistical methods that were used to predetermine sample size OR if no sample-size calculation was performed, describe how sample sizes were chosen and provide a rationale for why these sample sizes are sufficient. For qualitative data, please indicate whether data saturation was considered, and what criteria were used to decide that no further sampling was needed.

Data collection

Provide details about the data collection procedure, including the instruments or devices used to record the data (e.g. pen and paper, computer, eye tracker, video or audio equipment) whether anyone was present besides the participant(s) and the researcher, and whether the researcher was blind to experimental condition and/or the study hypothesis during data collection.

Timing

Indicate the start and stop dates of data collection. If there is a gap between collection periods, state the dates for each sample cohort.

Data exclusions

If no data were excluded from the analyses, state so OR if data were excluded, provide the exact number of exclusions and the rationale behind them, indicating whether exclusion criteria were pre-established.

Non-participation

State how many participants dropped out/declined participation and the reason(s) given OR provide response rate OR state that no

Randomization

If participants were not allocated into experimental groups, state so OR describe how participants were allocated to groups, and if allocation was not random, describe how covariates were controlled.

Ecological, evolutionary & environmental sciences study design

All studies must disclose on these points even when the disclosure is negative.

Study description

Briefly describe the study. For quantitative data include treatment factors and interactions, design structure (e.g., factorial, nested, hierarchical), nature and number of experimental units and replicates.

Research sample

Describe the research sample (e.g. a group of tagged Passer domesticus, all Stenocereus thurberi within Organ Pipe Cactus National Monument), and provide a rationale for the sample choice. When relevant, describe the organism taxa, source, sex, age range and any manipulations. State what population the sample is meant to represent when applicable. For studies involving existing datasets, describe the data and its source.

Campling strategy				
Sampling strategy	Note the sampling procedure. Describe the statistical methods that were used to predetermine sample size OR if no sample-size calculation was performed, describe how sample sizes were chosen and provide a rationale for why these sample sizes are sufficient.			
Data collection	Describe the data collection procedure, including who recorded the data and how.			
Timing and spatial scale	Indicate the start and stop dates of data collection, noting the frequency and periodicity of sampling and providing a rationale for these choices. If there is a gap between collection periods, state the dates for each sample cohort. Specify the spatial scale from which the data are taken			
Data exclusions	If no data were excluded from the analyses, state so OR if data were excluded, describe the exclusions and the rationale behind them, indicating whether exclusion criteria were pre-established.			
Reproducibility	Describe the measures taken to verify the reproducibility of experimental findings. For each experiment, note whether any attempts to repeat the experiment failed OR state that all attempts to repeat the experiment were successful.			
Randomization	Describe how samples/organisms/participants were allocated into groups. If allocation was not random, describe how covariates were controlled. If this is not relevant to your study, explain why.			
Blinding	Describe the extent of blinding used during data acquisition and analysis. If blinding was not possible, describe why OR explain why blinding was not relevant to your study.			
Did the study involve fiel	d work? Yes No			
ield work, collec	tion and transport			
Field work, collect	tion and transport Describe the study conditions for field work, providing relevant parameters (e.g. temperature, rainfall).			
•				
Field conditions	Describe the study conditions for field work, providing relevant parameters (e.g. temperature, rainfall). State the location of the sampling or experiment, providing relevant parameters (e.g. latitude and longitude, elevation, water depth).			

Reporting for specific materials, systems and methods

We require information from authors about some types of materials, experimental systems and methods used in many studies. Here, indicate whether each material, system or method listed is relevant to your study. If you are not sure if a list item applies to your research, read the appropriate section before selecting a response.

Materials & experimental systems		Me	Methods	
n/a	Involved in the study	n/a	Involved in the study	
	Antibodies	\boxtimes	ChIP-seq	
	Eukaryotic cell lines			
\boxtimes	Palaeontology	\boxtimes	MRI-based neuroimaging	
	Animals and other organisms			
\boxtimes	Human research participants			
\boxtimes	Clinical data			

Antibodies

Antibodies used

The following primary and secondary antibodies were used. They are listed as antigen first, followed by supplier, catalog number as applicable.

- 1). Anti-pimonidazole monoclonal antibody, Hypoxyprobe, cat. no. Hypoxyprobe-1 Plus Kit.
- 2). Anti-mouse CD31 primary antibody, BioLegend, cat. no. 102501.
- 3). Anti-HIF-1 alpha antibody, Cell Signaling Technology, cat. no. 36169T.
- 4). Anti-alpha-Tubulin antibody, Sigma-Aldrich, cat. no. T9026.
- 5). Alexa Fluor 488-conjugated goat anti-mouse secondary antibody, Jackson Inc., cat. no. 115-545-003.
- 6). Rhodamine-conjugated donkey anti-rat secondary antibody, Jackson Inc., cat. no. 712-025-150.
- 7). Fluorescein (FITC) AffiniPure Goat Anti-Rabbit IgG (H+L), Jackson Inc., cat. no. 111-095-144.
- 8). Rhodamine (TRITC)-AffiniPure Goat Anti-Mouse IgG+IgM (H+L), Jackson Inc., cat. no. 115-025-044.
- 9). Peroxidase AffiniPure Goat Anti-Rabbit IgG (H+L), Jackson Inc., cat. no. 111-035-003.
- 10). Peroxidase AffiniPure Goat Anti-mouse IgG+IgM (H+L), Jackson Inc., cat. no. 115-035-044
- 11). Isotype Control, Cell Signaling Technology, cat. no. 3900S

Eukaryotic cell lines

Policy information about cell lines

Cell line source(s)

HEK 293: ATCC 4T1: ATCC HeLa: ATCC

Authentication

The cells were not authenticated before use.

Mycoplasma contamination

The cell lines were tested negative through PCR detection.

Commonly misidentified lines (See ICLAC register)

None of these cell lines was used.

Palaeontology

Specimen provenance

Provide provenance information for specimens and describe permits that were obtained for the work (including the name of the issuing authority, the date of issue, and any identifying information).

Specimen deposition

Indicate where the specimens have been deposited to permit free access by other researchers.

Dating methods

If new dates are provided, describe how they were obtained (e.g. collection, storage, sample pretreatment and measurement), where they were obtained (i.e. lab name), the calibration program and the protocol for quality assurance OR state that no new dates are provided.

Tick this box to confirm that the raw and calibrated dates are available in the paper or in Supplementary Information.

Animals and other organisms

Policy information about studies involving animals; ARRIVE guidelines recommended for reporting animal research

Laboratory animals

Balb/c mice (female, 6 weeks) were purchased from Shanghai SLAC Laboratory animal Co., Ltd. (Shanghai, China).

Wild animals No wild animals.

Field-collected samples No field-collected samples.

Ethics oversight All the animal experiments were performed under the university laboratory animal guidelines with approval from the Animal Care Committee of University of Science and Technology of China (USTC).

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Human research participants

Policy information about studies involving human research participants

Population characteristics

Describe the covariate-relevant population characteristics of the human research participants (e.g. age, gender, genotypic information, past and current diagnosis and treatment categories). If you filled out the behavioural & social sciences study design questions and have nothing to add here, write "See above."

Recruitment

Describe how participants were recruited. Outline any potential self-selection bias or other biases that may be present and how these are likely to impact results.

Ethics oversight

Identify the organization(s) that approved the study protocol.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Clinical data

Policy information about clinical studies

All manuscripts should comply with the ICMJE guidelines for publication of clinical research and a completed CONSORT checklist must be included with all submissions.

Clinical trial registration

Provide the trial registration number from ClinicalTrials.gov or an equivalent agency.

Study protocol

Note where the full trial protocol can be accessed OR if not available, explain why.

Data collection

Describe the settings and locales of data collection, noting the time periods of recruitment and data collection.

ChIP-seq

Data deposition

Confirm that both raw and final processed data have been deposited in a public database such as GEO.

 \square Confirm that you have deposited or provided access to graph files (e.g. BED files) for the called peaks.

Data access links

May remain private before publication.

For "Initial submission" or "Revised version" documents, provide reviewer access links. For your "Final submission" document, provide a link to the deposited data.

Files in database submission

Provide a list of all files available in the database submission.

Genome browser session (e.g. UCSC)

Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to enable peer review. Write "no longer applicable" for "Final submission" documents.

Methodology

Replicates

Describe the experimental replicates, specifying number, type and replicate agreement.

Sequencing depth

Describe the sequencing depth for each experiment, providing the total number of reads, uniquely mapped reads, length of reads and whether they were paired- or single-end.

Antibodies

Describe the antibodies used for the ChIP-seq experiments; as applicable, provide supplier name, catalog number, clone name, and lot number.

Peak calling parameters

Specify the command line program and parameters used for read mapping and peak calling, including the ChIP, control and index files used.

Data quality

Software

Describe the methods used to ensure data quality in full detail, including how many peaks are at FDR 5% and above 5-fold enrichment

emcimer

Describe the software used to collect and analyze the ChIP-seq data. For custom code that has been deposited into a community repository, provide accession details.

Flow Cytometry

Plots

Confirm that:

The axis labels state the marker and fluorochrome used (e.g. CD4-FITC).

The axis scales are clearly visible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).

All plots are contour plots with outliers or pseudocolor plots.

A numerical value for number of cells or percentage (with statistics) is provided.

Methodology

Sample preparation

Singlet oxygen induced apoptosis was determined by flow cytometry. 4T1 cancer cells (purchased from ATCC) were seeded under hypoxic condition for 24 h. Subsequently, previous medium was replaced by fresh one with different formulations. After 4 h, the cells were irradiated with a 671 nm laser (100 mW cm-2, 30 s). After co-culture for another 4 h, the whole cells were harvested and quantified by apoptosis with an annexin V-FITC/PI apoptosis detection kit using flow cytometer (Guava EasyCyte 6-2L).

Instrument

Guava EasyCyte 6-2L Cytometer, Merck Millipore.

Software

InCyte software for collection and FlowJo (version 7.6.1) for analysis.

Cell population abundance

The absolute cells around 10000 were analyzed for fluorescent intensity in the defined gate.

Gating strategy

A gate was drawn around the cells. Single cells were determined with the area and height of forward scatter (FSC-A vs. FSC-H). The analysis was carried out in this gate.

Tick this box to confirm that a figure exemplifying the gating strategy is provided in the Supplementary Information.

Magnetic resonance imaging

<u> </u>)		
Experimental design			
Design type	Indicate task or resting state; event-related or block design.		
Design specifications	Specify the number of blocks, trials or experimental units per session and/or subject, and specify the length of each trial or block (if trials are blocked) and interval between trials.		
Behavioral performance measures	State number and/or type of variables recorded (e.g. correct button press, response time) and what statistics were used to establish that the subjects were performing the task as expected (e.g. mean, range, and/or standard deviation across subjects).		
Acquisition			
Imaging type(s)	Specify: functional, structural, diffusion, perfusion.		
Field strength	Specify in Tesla		
Sequence & imaging parameters	Specify the pulse sequence type (gradient echo, spin echo, etc.), imaging type (EPI, spiral, etc.), field of view, matrix size, slice thickness, orientation and TE/TR/flip angle.		
Area of acquisition	State whether a whole brain scan was used OR define the area of acquisition, describing how the region was determined.		
Diffusion MRI Used	Not used		
Preprocessing			
Preprocessing software	Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.).		
Normalization	If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization.		
Normalization template	Describe the template used for normalization/transformation, specifying subject space or group standardized space (e.g. original Talairach, MNI305, ICBM152) OR indicate that the data were not normalized.		
Noise and artifact removal	Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and physiological signals (heart rate, respiration).		
Volume censoring	Define your software and/or method and criteria for volume censoring, and state the extent of such censoring.		
Statistical modeling & inference			
Model type and settings	Specify type (mass univariate, multivariate, RSA, predictive, etc.) and describe essential details of the model at the first and second levels (e.g. fixed, random or mixed effects; drift or auto-correlation).		
Effect(s) tested	Define precise effect in terms of the task or stimulus conditions instead of psychological concepts and indicate whether ANOVA or factorial designs were used.		
Specify type of analysis: Whole	brain ROI-based Both		
Statistic type for inference (See Eklund et al. 2016)	Specify voxel-wise or cluster-wise and report all relevant parameters for cluster-wise methods.		
Correction	Describe the type of correction and how it is obtained for multiple comparisons (e.g. FWE, FDR, permutation or Monte Carlo).		
Models & analysis			
n/a Involved in the study			
Functional and/or effective connective	Report the measures of dependence used and the model details (e.g. Pearson correlation, partial correlation, mutual information).		
Graph analysis	Report the dependent variable and connectivity measure, specifying weighted graph or binarized graph, subject- or group-level, and the global and/or node summaries used (e.g. clustering coefficient, efficiency,		

etc.).

Multivariate modeling and predictive analysis

Specify independent variables, features extraction and dimension reduction, model, training and evaluation metrics.

reporting summary