

**Supplementary Table 4.** The results of antibiotic susceptibility of *Streptomyces* sp. TR1341. Means and standard deviations are presented ( $n=3$ ). Results abbreviations – S – sensitive, R - resistant

<b>Antibiotic</b>	<b>Dose</b>	<b>Group</b>	<b>S. sp. TR1341</b>		<b>result</b>
			<b>mean zone (mm)</b>	<b>±</b>	
Chloramphenicol	30 µg	amphenicol	20.3	± 2.1	S
Amikacin	30 µg	aminoglycoside	40.7	± 1.5	S
Gentamicin	10 µg	aminoglycoside	38.3	± 1.5	S
Streptomycin	10 µg	aminoglycoside	31.3	± 0.6	S
<b>Penicillin</b>	10UI	penicillin	12.7	± 0.6	<b>R</b>
Amoxicillin	25 µg	aminopenicillin	21.0	± 1.0	S
<b>Ampicillin</b>	10 µg	aminopenicillin	19.0	± 1.0	<b>R</b>
Amoxicillin + Clavulanic Acid	20 + 10 µg	aminopenicillin + β-lactamase inhibitor	30.7	± 0.6	S
Cefazolin	30 µg	cephalosporin (1st generation)	21.0	± 0.0	S
<b>Ceftriaxone</b>	30 µg	cephalosporin (3rd generation)	17.3	± 1.2	<b>R</b>
Vancomycin	30 µg	glycopeptide	25.0	± 0.0	S
<b>Ciprofloxacin</b>	5 µg	quinolone (1st generation)	16.3	± 1.5	<b>R</b>
<b>Oflloxacin</b>	5 µg	quinolone (2nd generation)	14.7	± 1.5	<b>R</b>
Erythromycin	15 µg	macrolide (1st generation)	41.3	± 1.2	S
Azithromycin	15 µg	macrolide (2nd generation)	40.3	± 0.6	S
Clarithromycin	15 µg	macrolide (2nd generation)	47.3	± 0.6	S
<b>Trimethoprim + Sulfamethoxazole</b>	1,25 µg + 23,75 µg	pyrimidine + sulfonamide	0.0	± 0.0	<b>R</b>
<b>Rifampicin</b>	5 µg	rifampicin	23.3	± 2.1	<b>R</b>
<b>Tetracycline</b>	30 µg	tetracycline (1st generation)	15.0	± 0.0	<b>R</b>
Doxycycline	30 µg	tetracycline (2nd generation)	21.0	± 1.7	S
Minocycline	30 µg	tetracycline (2nd generation)	24.3	± 0.6	S