

Corresponding author(s):	Roberto Pacifici
Last updated by author(s):	Sep 13, 2019

# **Reporting Summary**

Nature Research wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Research policies, seeAuthors & Referees and theEditorial Policy Checklist.

Statistics			
For all statistical analys	es, confirm that the following items are present in the figure legend, table legend, main text, or Methods section.		
n/a Confirmed			
The exact sam	ple size $(n)$ for each experimental group/condition, given as a discrete number and unit of measurement		
A statement of	on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly		
The statistical test(s) used AND whether they are one- or two-sided Only common tests should be described solely by name; describe more complex techniques in the Methods section.			
A description	A description of all covariates tested		
A description	A description of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons		
	ion of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient) (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals)		
	hesis testing, the test statistic (e.g. $F$ , $t$ , $r$ ) with confidence intervals, effect sizes, degrees of freedom and $P$ value noted exact values whenever suitable.		
For Bayesian a	analysis, information on the choice of priors and Markov chain Monte Carlo settings		
For hierarchic	For hierarchical and complex designs, identification of the appropriate level for tests and full reporting of outcomes		
Estimates of e	effect sizes (e.g. Cohen's $d$ , Pearson's $r$ ), indicating how they were calculated		
1	Our web collection on <u>statistics for biologists</u> contains articles on many of the points above.		
Software and c	ode		
Policy information abou	ut <u>availability of computer code</u>		
Data collection	Scanco μCT-40 scanner, LSR II		
Data analysis	Graphpad Prism, Bioquant Image Analysis System, FlowJo		
	om algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors/reviewers. deposition in a community repository (e.g. GitHub). See the Nature Research guidelines for submitting code & software for further information.		
Data			
- Accession codes, un - A list of figures that	ut <u>availability of data</u> include a <u>data availability statement</u> . This statement should provide the following information, where applicable: ique identifiers, or web links for publicly available datasets have associated raw data restrictions on data availability		
All data underlying the m	ain figures and supplementary figures are available from the corresponding author on reasonable request.		
Field-speci	fic reporting		
Please select the one b	elow that is the best fit for your research. If you are not sure, read the appropriate sections before making your selection.		
Life sciences	Behavioural & social sciences Ecological, evolutionary & environmental sciences		
For a reference copy of the do	ocument with all sections, see <u>nature.com/documents/nr-reporting-summary-flat.pdf</u>		

# Life sciences study design

All studies must disclose on these points even when the disclosure is negative.

Sample size Sample sizes were determined based on previously published works following similar procedures.

Data exclusions No data were excluded.

Study description

Timing

Data exclusions

Randomization

Research sample

Sampling strategy

Data collection

Replication Each experiment was performed once

Randomization Animals were randomly assigned to experimental groups.

Blinding Animal treatment, micro computed tomography, histomorphometry, flow cytometry, ELISA and PCR were carried out by several investigators blind to treatment groups.

# Behavioural & social sciences study design

All studies must disclose on these points even when the disclosure is negative.

i studies must disclose on these points even when the disclosure is negative.

Briefly describe the study type including whether data are quantitative, qualitative, or mixed-methods (e.g. qualitative cross-sectional, quantitative experimental, mixed-methods case study).

Research sample

State the research sample (e.g. Harvard university undergraduates, villagers in rural India) and provide relevant demographic information (e.g. age, sex) and indicate whether the sample is representative. Provide a rationale for the study sample chosen. For studies involving existing datasets, please describe the dataset and source.

Sampling strategy

Describe the sampling procedure (e.g. random, snowball, stratified, convenience). Describe the statistical methods that were used to predetermine sample size OR if no sample-size calculation was performed, describe how sample sizes were chosen and provide a rationale for why these sample sizes are sufficient. For qualitative data, please indicate whether data saturation was considered, and what criteria were used to decide that no further sampling was needed.

Data collection

Provide details about the data collection procedure, including the instruments or devices used to record the data (e.g. pen and paper, computer, eye tracker, video or audio equipment) whether anyone was present besides the participant(s) and the researcher, and whether the researcher was blind to experimental condition and/or the study hypothesis during data collection.

Indicate the start and stop dates of data collection. If there is a gap between collection periods, state the dates for each sample cohort.

If no data were excluded from the analyses, state so OR if data were excluded, provide the exact number of exclusions and the rationale behind them, indicating whether exclusion criteria were pre-established.

Non-participation State how many participants dropped out/declined participation and the reason(s) given OR provide response rate OR state that no participants dropped out/declined participation.

If participants were not allocated into experimental groups, state so OR describe how participants were allocated to groups, and if allocation was not random, describe how covariates were controlled.

# Ecological, evolutionary & environmental sciences study design

All studies must disclose on these points even when the disclosure is negative.

Study description

Briefly describe the study. For quantitative data include treatment factors and interactions, design structure (e.g. factorial, nested, hierarchical), nature and number of experimental units and replicates.

Describe the research sample (e.g. a group of tagged Passer domesticus, all Stenocereus thurberi within Organ Pipe Cactus National Monument), and provide a rationale for the sample choice. When relevant, describe the organism taxa, source, sex, age range and any manipulations. State what population the sample is meant to represent when applicable. For studies involving existing datasets, describe the data and its source.

Note the sampling procedure. Describe the statistical methods that were used to predetermine sample size OR if no sample-size calculation was performed, describe how sample sizes were chosen and provide a rationale for why these sample sizes are sufficient.

Describe the data collection procedure, including who recorded the data and how.

Timing and spatial scale Indicate the start and stop dates of data collection, noting the frequency and periodicity of sampling and providing a rationale for these choices. If there is a gap between collection periods, state the dates for each sample cohort. Specify the spatial scale from which the data are taken

)

Data exclusions	If no data were excluded from the analyses, state so OR if data were excluded, describe the exclusions and the rationale behind them, indicating whether exclusion criteria were pre-established.		
Reproducibility	Describe the measures taken to verify the reproducibility of experimental findings. For each experiment, note whether any attempts to repeat the experiment failed OR state that all attempts to repeat the experiment were successful.		
Randomization	Describe how samples/organisms/participants were allocated into groups. If allocation was not random, describe how covariates were controlled. If this is not relevant to your study, explain why.		
S	Describe the extent of blinding used during data acquisition and analysis. If blinding was not possible, describe why OR explain why blinding was not relevant to your study.		
Did the study involve field	work? Yes No		
Field work, collect	ion and transport		
Field conditions	Describe the study conditions for field work, providing relevant parameters (e.g. temperature, rainfall).		
Location	State the location of the sampling or experiment, providing relevant parameters (e.g. latitude and longitude, elevation, water depth).		
Access and import/export	Describe the efforts you have made to access habitats and to collect and import/export your samples in a responsible manner and in compliance with local, national and international laws, noting any permits that were obtained (give the name of the issuing authority, the date of issue, and any identifying information).		
Disturbance	Describe any disturbance caused by the study and how it was minimized.		
Materials & experiment  n/a Involved in the study  x Antibodies  x Eukaryotic cell lines  x Palaeontology  x Animals and other on  x Human research part  x Clinical data	n/a Involved in the study    ChIP-seq     X   Flow cytometry   MRI-based neuroimaging		
Antibodies			
Antibodies used	Anti-Mouse CD16/32 (clone 93), Biolegend, Cat# 101302; Anti-Mouse BV 510-CD45 (clone 30-F11), Biolegend, Cat# 103138; Anti-Mouse BV 421-TCRβ (clone H57-597), Biolegend, Cat# 109230; Anti-Mouse Alexa Fluor 700-CD3 (clone 17A2), Biolegend, Cat# 100216; Anti-Mouse PerCP/Cy5.5-CD4 (clone RM4-5), Biolegend, Cat# 100540; Anti-Mouse BV 711-CD8 (clone 53-6.7), Biolegend, Cat# 100747; Anti-Mouse FITC Vβ 14 T-Cell Receptor (clone 14-2), BD Biosciences, Cat# 553258; Anti-Mouse AF 488-CD3ε (clone 145-2C11), Biolegend, Cat# 100321; Anti-Mouse BV 421-TCR γ/δ (clone GL3), Biolegend, Cat# 118120; Anti-Mouse PerCP/Cy5.5-F4/80 (clone BM8), Biolegend, Cat# 123128; Anti-Mouse/Human BV 650-CD11b (clone M1/70), Biolegend, Cat# 101259; Anti-Mouse APC-Ly-6G (clone 1A8), Biolegend, Cat# 127614; Anti-Mouse PE-IL-17A (clone eBio17B7), ThermoFisher, Cat# 12-7177-81; Anti-Mouse APC-TNF (clone MP6-XT22), BD Biosciences, Cat# 554420; Anti-Mouse Alexa Fluor 488-IFN-γ (clone XMG1.2), Biolegend, Cat# 505813; Anti-Mouse PE/Dazzle 594-IL-4 (clone 11B11), Biolegend, Cat# 504132; Anti-Mouse APC-Foxp3 (clone FJK-16s), ThermoFisher, Cat# 17-5773-82; Anti-Mouse PE-TCR β (clone H57-597), Biolegend, Cat# 109207; Anti-Mouse PE-CD19 (clone 6D5), Biolegend, Cat# 115507; Rat IgG1 isotype control (clone 43414), R&D systems, Cat# MAB005; Mouse CCL20/MIP-3α antibody (clone 114908), R&D systems, Cat# MAB7601.		
Validation	All antibodies used in this study were validated by the manufacturer and supported by published citations.		
Eukaryotic cell line	es		
Policy information about <u>ce</u>	<u> </u>		
Cell line source(s)	State the source of each cell line used.		
Authentication	Describe the authentication procedures for each cell line used OR declare that none of the cell lines used were authenticated.		

Mycoplasma contamination

Confirm that all cell lines tested negative for mycoplasma contamination OR describe the results of the testing for mycoplasma contamination OR declare that the cell lines were not tested for mycoplasma contamination.

Commonly misidentified lines (See ICLAC register)

Name any commonly misidentified cell lines used in the study and provide a rationale for their use.

### Palaeontology

Specimen provenance

Provide provenance information for specimens and describe permits that were obtained for the work (including the name of the issuing authority, the date of issue, and any identifying information).

Specimen deposition

Indicate where the specimens have been deposited to permit free access by other researchers.

Dating methods

If new dates are provided, describe how they were obtained (e.g. collection, storage, sample pretreatment and measurement), where they were obtained (i.e. lab name), the calibration program and the protocol for quality assurance OR state that no new dates are provided.

Tick this box to confirm that the raw and calibrated dates are available in the paper or in Supplementary Information.

## Animals and other organisms

Policy information about studies involving animals; ARRIVE guidelines recommended for reporting animal research

Laboratory animals

All in vivo experiments were carried out in 16-week old female mice. We utilized conventionally raised C57BL/6 mice from Taconic biosciences (Rensselaer, NY) and conventionally raised C57BL/6 mice, TNF-/- mice (B6.129S6Tnf<tm1Gkl>/J), TCRbbeta-/- mice (B6.129P2-Tcrbtm1Mom/J), IL17A-eGFP knock in mice (C57BL/6-il17a<tm1Bcgen>/J) and CXCR3-/- mice (B6.129P2-Cxcr3<tm1Dgen>/J) from The Jackson Laboratory (Bar Harbor, ME).

Wild animals

Provide details on animals observed in or captured in the field; report species, sex and age where possible. Describe how animals were caught and transported and what happened to captive animals after the study (if killed, explain why and describe method; if released, say where and when) OR state that the study did not involve wild animals.

Field-collected samples

For laboratory work with field-collected samples, describe all relevant parameters such as housing, maintenance, temperature, photoperiod and end-of-experiment protocol OR state that the study did not involve samples collected from the field.

Ethics oversight

All treatments and surgical procedures were approved by the Institutional Animal Care and Use Committee (IACUC) of Emory University.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

# Human research participants

Policy information about studies involving human research participants

Population characteristics

Describe the covariate-relevant population characteristics of the human research participants (e.g. age, gender, genotypic information, past and current diagnosis and treatment categories). If you filled out the behavioural & social sciences study design questions and have nothing to add here, write "See above."

Recruitment

Describe how participants were recruited. Outline any potential self-selection bias or other biases that may be present and how these are likely to impact results.

Ethics oversight

Identify the organization(s) that approved the study protocol.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

#### Clinical data

Policy information about <u>clinical studies</u>

All manuscripts should comply with the ICMJEguidelines for publication of clinical research and a completed CONSORT checklist must be included with all submissions.

Clinical trial registration

Provide the trial registration number from ClinicalTrials.gov or an equivalent agency.

Study protocol

Note where the full trial protocol can be accessed OR if not available, explain why.

Data collection

. Describe the settings and locales of data collection, noting the time periods of recruitment and data collection.

Outcomes

Describe how you pre-defined primary and secondary outcome measures and how you assessed these measures.

### ChIP-seq

#### Data deposition

Confirm that both raw and final processed data have been deposited in a public database such as GEO.

Confirm that you have deposited or provided access to graph files (e.g. BED files) for the called peaks.

#### Data access links

May remain private before publication.

For "Initial submission" or "Revised version" documents, provide reviewer access links. For your "Final submission" document, provide a link to the deposited data.

Files in database submission

Provide a list of all files available in the database submission.

Genome browser session (e.g. <u>UCSC</u>)

Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to enable peer review. Write "no longer applicable" for "Final submission" documents.

### Methodology

Replicates

Describe the experimental replicates, specifying number, type and replicate agreement.

Sequencing depth

Describe the sequencing depth for each experiment, providing the total number of reads, uniquely mapped reads, length of reads and whether they were paired- or single-end.

Antibodies

Describe the antibodies used for the ChIP-seq experiments; as applicable, provide supplier name, catalog number, clone name, and lot number.

Peak calling parameters

Specify the command line program and parameters used for read mapping and peak calling, including the ChIP, control and linder files used

Data quality

Describe the methods used to ensure data quality in full detail, including how many peaks are at FDR 5% and above 5-fold enrichment.

Software

Describe the software used to collect and analyze the ChIP-seq data. For custom code that has been deposited into a community repository, provide accession details.

### Flow Cytometry

#### Plots

Confirm that:

- $m{x}$  The axis labels state the marker and fluorochrome used (e.g. CD4-FITC).
- The axis scales are clearly visible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).
- 🗶 All plots are contour plots with outliers or pseudocolor plots.
- A numerical value for number of cells or percentage (with statistics) is provided.

### Methodology

Sample preparation

Bone marrow cells was collected from pelvic bones by centrifugation for 2 min at 12000 rpm. Red cells were removed with red blood cell lysis buffer (Biolegend) before antibody staining. For Peyer's patches (PP) cell isolation, the small intestine was removed and flushed of fecal content. PPs were excised and collected in 1 ml cooled RPMI1640. PPs were dissociated using the plunger of a 2.5 ml syringe and gently forced through a 70  $\mu$ m cell strainer placed over a 50 ml tube. A single cell suspension was used for analysis by flow cytometry.

Instrument

LSR II system (BD Biosciences)

Software

Data were collected with LSR II and analyzed by flowjo software.

Cell population abundance

The purity of sorted eGFP Th17 cells is more than 99 %.

Gating strategy

Gating strategy is listed in supplementary Fig 4

x Tick this box to confirm that a figure exemplifying the gating strategy is provided in the Supplementary Information.

# Magnetic resonance imaging

Wagnetic resonance ima	סיייס
Experimental design	
Design type	Indicate task or resting state; event-related or block design.
Design specifications	Specify the number of blocks, trials or experimental units per session and/or subject, and specify the length of each trial or block (if trials are blocked) and interval between trials.
Behavioral performance measures	State number and/or type of variables recorded (e.g. correct button press, response time) and what statistics were used to establish that the subjects were performing the task as expected (e.g. mean, range, and/or standard deviation across subjects).
Acquisition	
Imaging type(s)	Specify: functional, structural, diffusion, perfusion.
Field strength	Specify in Tesla
Sequence & imaging parameters	Specify the pulse sequence type (gradient echo, spin echo, etc.), imaging type (EPI, spiral, etc.), field of view, matrix size, slice thickness, orientation and TE/TR/flip angle.
Area of acquisition	State whether a whole brain scan was used OR define the area of acquisition, describing how the region was determined.
Diffusion MRI Used	Not used
Preprocessing	
Preprocessing software	Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.).
Normalization	If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization.
Normalization template	Describe the template used for normalization/transformation, specifying subject space or group standardized space (e.g. original Talairach, MNI305, ICBM152) OR indicate that the data were not normalized.
Noise and artifact removal	Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and physiological signals (heart rate, respiration).
Volume censoring	Define your software and/or method and criteria for volume censoring, and state the extent of such censoring.
Statistical modeling & inference	
Model type and settings	Specify type (mass univariate, multivariate, RSA, predictive, etc.) and describe essential details of the model at the first and second levels (e.g. fixed, random or mixed effects; drift or auto-correlation).
Effect(s) tested	Define precise effect in terms of the task or stimulus conditions instead of psychological concepts and indicate whether ANOVA or factorial designs were used.
Specify type of analysis: Whole	e brain ROI-based Both
Statistic type for inference (See Eklund et al. 2016)	Specify voxel-wise or cluster-wise and report all relevant parameters for cluster-wise methods.
Correction	Describe the type of correction and how it is obtained for multiple comparisons (e.g. FWE, FDR, permutation or Monte Carlo).
Models & analysis	
n/a Involved in the study Functional and/or effective cor Graph analysis Multivariate modeling or predi	

Functional and/or effective connectivity
Graph analysis
Multivariate modeling or predictive analys

Functional and/or effective connectivity

Report the measures of dependence used and the model details (e.g. Pearson correlation, partial correlation, mutual information).

Graph analysis

Report the dependent variable and connectivity measure, specifying weighted graph or binarized graph, subject- or group-level, and the global and/or node summaries used (e.g. clustering coefficient, efficiency, etc.).

Specify independent variables, features extraction and dimension reduction, model, training and evaluation metrics.