



Fig. S1B

Phage	Size (mm) of plaques on increasing percentage (wt/v) of top TY-agar				
	0.3%	0.4%	0.5%	0.6%	0.7%
P_ort11	2.45±0.6	2.2±0.4	0.35±0.9	1.3±0.4	1.05±0.07
M_ort18	0.55±0.3	0.55±0.3	0.45±0.2	0.35±0.2	0.3±0.2
M_sf1.2	1.05±0.2	0.8±0.5	0.75±0.5	0.6±0.4	0.45±0.4
S_sf3.10C	1.95±0.07	1.4±0.1	1.05±0.07	1.15±0.07	0.8±0.2
I_sf3.10T	1.6±0.4	0.9±0.1	0.95±0.2	0.95±0.2	0.7±0.2
I_sf3.21	1.75±0.3	1.6±0.5	1.25±0.3	0.9±0.1	0.6±0.01
M_sf3.33	0.8±0.5	0.65±0.5	0.6±0.2	0.15±0.07	0.1±0.01
S_sf3.53	1±0.1	0.8±0.1	0.7±0.2	0.3±0.1	0.1±0.01

Supplementary Figure S1. Phage-plaques sizes on increasing percentages of TY-agar (%, w/v) in the top lawn overlays. Bars, 4 mm. (A) photographs of plaques (B) sizes of them in mm. Arrows indicate very small plaques.