

Corresponding author(s):	Hernán López-Schier
Last updated by author(s):	Dec 3, 2019

Reporting Summary

Nature Research wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Research policies, see Authors & Referees and the Editorial Policy Checklist.

Statistics	
	es, confirm that the following items are present in the figure legend, table legend, main text, or Methods section.
n/a Confirmed	
The exact sam	uple size (n) for each experimental group/condition, given as a discrete number and unit of measurement
	on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly
The statistical Only common to	test(s) used AND whether they are one- or two-sided ests should be described solely by name; describe more complex techniques in the Methods section.
A description	of all covariates tested
A description	of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons
	ion of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient) (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals)
For null hypot	thesis testing, the test statistic (e.g. F , t , r) with confidence intervals, effect sizes, degrees of freedom and P value noted sexact values whenever suitable.
For Bayesian a	analysis, information on the choice of priors and Markov chain Monte Carlo settings
For hierarchic	al and complex designs, identification of the appropriate level for tests and full reporting of outcomes
Estimates of e	effect sizes (e.g. Cohen's d , Pearson's r), indicating how they were calculated
	Our web collection on <u>statistics for biologists</u> contains articles on many of the points above.
Software and c	ode
Policy information abou	ut <u>availability of computer code</u>
Data collection	Fiji
Data analysis	Sigmaplot 12.0
	om algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors/reviewers. deposition in a community repository (e.g. GitHub). See the Nature Research guidelines for submitting code & software for further information.
Data	
- Accession codes, un - A list of figures that	ut <u>availability of data</u> include a <u>data availability statement</u> . This statement should provide the following information, where applicable: ique identifiers, or web links for publicly available datasets have associated raw data restrictions on data availability
figures and all raw data	
Field-speci	fic reporting
Please select the one b	elow that is the best fit for your research. If you are not sure, read the appropriate sections before making your selection.
Life sciences	Behavioural & social sciences Ecological, evolutionary & environmental sciences

For a reference copy of the document with all sections, see <u>nature.com/documents/nr-reporting-summary-flat.pdf</u>

 •				
sciences	ctud	\mathcal{M}	ΙΔΟΙ	σ n
301011003	Stuu	y U		ട്ര
 		, -		· () ·

All studies must disclose	n these points even when the disclosure is negative.	
Sample size The	The sample size is determined by the experiments, including the live imaging , immunostaining or behavior test.	
Data exclusions no d	no data exclusions	
Replication all the	all the data are replicable	
Randomization sam	s are random allocation	
Blinding All t	groups are blindly for experiments. The genotype of fishes are done after experiments.	
We require information fro	n/a Involved in the study ChIP-seq Flow cytometry MRI-based neuroimaging Drganisms	
Clinical data Antibodies Antibodies used	Sarm1 antibody , Claudin-k, 6D2, Acetylated tubulin	
Validation	All the antibodies are used for zebrafish. Sarm1 (ANASPEC 55381), Claudin-k (Munzel EJ, 2012 Glia), 6D2 (Lopez Schier H, 2005 PNAS), Acetylated tubulin (Sigma T7251)	
Eukaryotic cell l	es	
Policy information abou	ell lines	
Cell line source(s)	State the source of each cell line used.	
Authentication	Describe the authentication procedures for each cell line used OR declare that none of the cell lines used were authenticated.	
Mycoplasma contamir	Confirm that all cell lines tested negative for mycoplasma contamination OR describe the results of the testing for mycoplasma contamination OR declare that the cell lines were not tested for mycoplasma contamination.	
Commonly misidentifi (See <u>ICLAC</u> register)	lines Name any commonly misidentified cell lines used in the study and provide a rationale for their use.	
Palaeontology		
Specimen provenance	Provide provenance information for specimens and describe permits that were obtained for the work (including the name of the issuing authority, the date of issue, and any identifying information).	
Specimen deposition	Indicate where the specimens have been deposited to permit free access by other researchers.	
Dating methods	If new dates are provided, describe how they were obtained (e.g. collection, storage, sample pretreatment and measurement), where they were obtained (i.e. lab name), the calibration program and the protocol for quality assurance OR state that no new dates are provided.	
Tick this box to cor	m that the raw and calibrated dates are available in the paper or in Supplementary Information.	

Animals and other organisms

Policy information about studies involving animals; ARRIVE guidelines recommended for reporting animal research

Laboratory animals Zebrafish, strains: AB, Casper, Tg[UAS:EGFP], Tg[HGn39D], Tg[SILL:mCherry], Tg[gSAGFF202A], Tg[UAS:GCaMP7a], Tg[mbpa:tgRFP-CAAX]tum102Tg, Tg[mfap4:EGFP-CAAX], Tg[SILL:ratTRPV1-tgRFP]

Wild animals Provide details on animals observed in or captured in the field; report species, sex and age where possible. Describe how animals were caught and transported and what happened to captive animals after the study (if killed, explain why and describe method; if

released, say where and when) OR state that the study did not involve wild animals.

Field-collected samples The facility keeps 14/10 h light/dark cycle at 28.5 °C. The embryos for experiments were kept with E3 or 30% Danieau's solution

in incubator at 28.5°C.

Ethics oversight Accordance to the Ethical Committee of Animal Experimentation of the Helmholtz Zentrum München, the German Animal Welfare act Tierschutzgesetz §11, Abs. 1, Nr. 1, Haltungserlaubnis, to European Union animal welfare, and to protocols number Gz.:55.2-1-54-2532-202-2014 and Gz.:55.2-2532.Vet_02-17-187 from the "Regierung von Oberbayern", Germany.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Human research participants

Population characteristics

Policy information about studies involving human research participants

Describe the covariate-relevant population characteristics of the human research participants (e.g. age, gender, genotypic information, past and current diagnosis and treatment categories). If you filled out the behavioural & social sciences study design questions and have nothing to add here, write "See above."

Recruitment Describe how participants were recruited. Outline any potential self-selection bias or other biases that may be present and how these are likely to impact results.

Identify the organization(s) that approved the study protocol. Ethics oversight

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Clinical data

Policy information about clinical studies

All manuscripts should comply with the ICMJE guidelines for publication of clinical research and a completed CONSORT checklist must be included with all submissions.

Provide the trial registration number from ClinicalTrials.gov or an equivalent agency. Clinical trial registration

Study protocol Note where the full trial protocol can be accessed OR if not available, explain why.

Describe the settings and locales of data collection, noting the time periods of recruitment and data collection. Data collection

Outcomes Describe how you pre-defined primary and secondary outcome measures and how you assessed these measures.

ChIP-sea

Data deposition

Confirm that both raw and final processed data have been deposited in a public database such as GEO.

Confirm that you have deposited or provided access to graph files (e.g. BED files) for the called peaks.

Data access links May remain private before publication. For "Initial submission" or "Revised version" documents, provide reviewer access links. For your "Final submission" document, provide a link to the deposited data.

Files in database submission

Provide a list of all files available in the database submission.

Genome browser session (e.g. UCSC)

Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to enable peer review. Write "no longer applicable" for "Final submission" documents.

Methodology

Replicates Describe the experimental replicates, specifying number, type and replicate agreement.

Sequencing depth Describe the sequencing depth for each experiment, providing the total number of reads, uniquely mapped reads, length of reads and whether they were paired- or single-end.

Antibodies	Describe the antibodies used for the ChIP-seq experiments; as applicable, provide supplier name, catalog number, clone name, and lot number.
Peak calling parameters	Specify the command line program and parameters used for read mapping and peak calling, including the ChIP, control and index files used.
Data quality	Describe the methods used to ensure data quality in full detail, including how many peaks are at FDR 5% and above 5-fold enrichment.
Software	Describe the software used to collect and analyze the ChIP-seq data. For custom code that has been deposited into a community repository, provide accession details.

Flow Cytometry		
Plots		
Confirm that:		
	arker and fluorochrome used (e.g. CD4-FITC).	
	isible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).	
	with outliers or pseudocolor plots.	
	per of cells or percentage (with statistics) is provided.	
Methodology		
Sample preparation	Describe the sample preparation, detailing the biological source of the cells and any tissue processing steps used.	
Instrument	dentify the instrument used for data collection, specifying make and model number.	
	Describe the software used to collect and analyze the flow cytometry data. For custom code that has been deposited into a community repository, provide accession details.	
	Describe the abundance of the relevant cell populations within post-sort fractions, providing details on the purity of the samples and how it was determined.	
	Describe the gating strategy used for all relevant experiments, specifying the preliminary FSC/SSC gates of the starting cell population, indicating where boundaries between "positive" and "negative" staining cell populations are defined.	
Magnetic resonance	t a figure exemplifying the gating strategy is provided in the Supplementary Information. imaging	
Experimental design		
Design type	Indicate task or resting state; event-related or block design.	
Design specifications	Specify the number of blocks, trials or experimental units per session and/or subject, and specify the length of each trial or block (if trials are blocked) and interval between trials.	
Behavioral performance meas	State number and/or type of variables recorded (e.g. correct button press, response time) and what statistics were used to establish that the subjects were performing the task as expected (e.g. mean, range, and/or standard deviation across subjects).	
Acquisition		
Imaging type(s)	Specify: functional, structural, diffusion, perfusion.	
Field strength	Specify in Tesla	
Sequence & imaging paramete	Specify the pulse sequence type (gradient echo, spin echo, etc.), imaging type (EPI, spiral, etc.), field of view, matrix size, slice thickness, orientation and TE/TR/flip angle.	
Area of acquisition		
Area or acquisition	State whether a whole brain scan was used OR define the area of acquisition, describing how the region was determined.	

Preprocessing Preprocessing software Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.). Normalization If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization. Normalization template Describe the template used for normalization/transformation, specifying subject space or group standardized space (e.g. original Talairach, MNI305, ICBM152) OR indicate that the data were not normalized.

physiological signals (heart rate, respiration).

Noise and artifact removal

Volume censoring	Define your software and/or method and criteria for volume censoring, and state the extent of such censoring.	
Statistical modeling & inference		
Model type and settings	Specify type (mass univariate, multivariate, RSA, predictive, etc.) and describe essential details of the model at the first and second levels (e.g. fixed, random or mixed effects; drift or auto-correlation).	
Effect(s) tested	Define precise effect in terms of the task or stimulus conditions instead of psychological concepts and indicate whether ANOVA or factorial designs were used.	
Specify type of analysis: Whole	brain ROI-based Both	
Statistic type for inference (See Eklund et al. 2016)	Specify voxel-wise or cluster-wise and report all relevant parameters for cluster-wise methods.	
Correction	Describe the type of correction and how it is obtained for multiple comparisons (e.g. FWE, FDR, permutation or Monte Carlo).	
Models & analysis		
n/a Involved in the study Functional and/or effective cont Graph analysis Multivariate modeling or predict		
Functional and/or effective connective	Report the measures of dependence used and the model details (e.g. Pearson correlation, partial correlation, mutual information).	

Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and

Graph analysis

Report the dependent variable and connectivity measure, specifying weighted graph or binarized graph, subject- or group-level, and the global and/or node summaries used (e.g. clustering coefficient, efficiency, etc.).

Multivariate modeling and predictive analysis

Specify independent variables, features extraction and dimension reduction, model, training and evaluation