


Western blotting uncropped figures, lanes used in manuscript are marked with red rectangles and illustrated as follows.


Main Figure 2C

- (1) MCEC-Exo-ILK, MCEC+TNFα-Exo-ILK
- (2) MCEC-Exo-Flotilin-1, MCEC+TNFα-Exo-Flotilin-1
- (3) EPC-Exo-ILK, IL-10KO-EPC-Exo-ILK
- (4) EPC-Exo-Flotilin-1, IL-10KO-EPC-Exo-Flotilin-1











Main Figure 4A

- (1), (2), (3) Phospho-IκB panel in 3 groups (TNFα, MCEC+TNFα-Exo, MCEC-Exo)
- (4), (5), (6) IκBα panel in 3 groups (TNFα, MCEC+TNFα-Exo, MCEC-Exo)
- (7), (8), (9) beta-actin in 3 groups (TNFα, MCEC+TNFα-Exo, MCEC-Exo)




Main Figure 6A

- (1), (2), (3), (4) Phospho-IkB panel in 4 groups (TNF α , MCEC-Exo, MCEC-Exo, MCEC+TNF α -Exo, ILKKD-Exo)
- (5), (6), (7), (8) IkB α panel in 4 groups (TNF α , MCEC-Exo, MCEC-Exo, MCEC+TNF α -Exo, ILKKD-Exo)
- (9), (10), (11), (12) beta-actin in 4 groups (TNFα, MCEC-Exo, MCEC-Exo, MCEC+TNFα-Exo, ILKKD-Exo)



Online Figure VA

- (1), (2) ILK in MCEC, MCEC+TNFa group and WT-EPC, IL-10KO-EPC group
- (3), (4) beta-action in MCEC, MCEC+TNFα group and WT-EPC, IL-10KO-EPC group



Online Figure VC

- (1), (2) ILK in MCEC-Exo, MCEC+TNFα-Exo group and WT-EPC-Exo, IL-10KO-EPC-Exo group
- (3), (4) Flotilin-1 in MCEC-Exo, MCEC+TNFα-Exo group and WT-EPC-Exo, IL-10KO-EPC-Exo group

