

SUPPORTING INFORMATION FOR

Bioorganometallic derivatives of 4-hydrazino-benzenesulfonamide as carbonic anhydrase inhibitors: Synthesis, characterization and biological evaluation

Jeremie Brichet ^a, Rodrigo Arancibia ^{a,*}, Emanuela Berrino ^b, Claudiu T. Supuran ^{b,*}

^a Laboratorio de Química Inorgánica y Organometálica, Departamento de Química Analítica e Inorgánica, Facultad de Ciencias Químicas, Universidad de Concepción, Concepción, Chile.

^b Dipartimento Neurofarba, Sezione di Scienze Farmaceutiche, Università degli Studi di Firenze, Firenze, Italy.

*Corresponding authors: E-mail: rarancibia@udec.cl (Rodrigo Arancibia); E-mail: claudiu.supuran@unifi.it; Tel/Fax: +39-055-4573729 (Claudiu T. Supuran)

Supporting information contents:

1.- Supplementary Figures

Figure S1. Electron impact mass spectrum of **1a**.

Figure S2. FT-IR spectrum (KBr disk) of **3b**.

Figure S3. FT-IR spectrum (KBr disk) of **1a**.

Figure S3. [^1H - ^{13}C]-HSQC spectrum of ligand **2a** in acetone- d_6 at 298 K.

Figure S1. Electron impact mass spectrum of **1a**.




Figure S2. FT-IR spectrum (KBr disk) of **3b**.




Figure S3. FT-IR spectrum (KBr disk) of **1a**.




Figure S4. [^1H - ^{13}C]-HSQC spectrum of **2a** in acetone- d_6 at 298 K.

