


Supplementary Figure 1. Bagplot of log-transformed maximum ferritin and CRP for the study cohort, with circles points representing patients who died.



Supplementary Figure 2. Risk contingency table for mortality based on cut-points for C-reactive protein and ferritin and patients' *last* value for each biomarker.

	Ferritin $\leq 373$ ng/mL	Ferritin $> 373$ ng/mL
CRP $> 7.1$ mg/dL	<p><b><u>Intermediate Risk</u></b>  <b>Hospital Mortality:</b> 1 / 16 (6.3)  <b>90-day Mortality:</b> 1 / 16 (6.3)  <b>1-year Mortality:</b> 1 / 16 (6.3)</p>	<p><b><u>High Risk</u></b>  <b>Hospital Mortality:</b> 2 / 10 (20.0)  <b>90-day Mortality:</b> 3 / 10 (30.0)  <b>1-year Mortality:</b> 3 / 10 (30.0)</p>
CRP $\leq 7.1$ mg/dL	<p><b><u>Low Risk</u></b>  <b>Hospital Mortality:</b> 3 / 125 (2.4)  <b>90-day Mortality:</b> 3 / 125 (2.4)  <b>1-year Mortality:</b> 4 / 125 (3.2)</p>	<p><b><u>Intermediate Risk</u></b>  <b>Hospital Mortality:</b> 2 / 21 (9.5)  <b>90-day Mortality:</b> 3 / 21 (14.3)  <b>1-year Mortality:</b> 3 / 21 (14.3)</p>

Data is displayed as n / N (%) for mortality outcomes