

Supplementary Table 1

Target gene	Forward	Reverse
<i>Mrf4</i>	GTGGCCAAGTGTTTCGGATC	AAAGGCGCTGAAGACTGCTG
<i>Myf5</i>	ACAGCAGCTTTGACAGCATC	AAGCAATCCAAGCTGGACAC
<i>Myog</i>	TGAGCATTGTCCAGGCCAG	GCTTCTCCCTCAGTGTGGCT
<i>Myod1</i>	CGCTCCAAGTGTCTGATG	TAGTAGGCGGTGTCGTAGCC
<i>Nos2</i>	ACATCGACCCGTCCACAGTAT	CAGAGGGGTAGGCTTGTCTC
<i>Chi3l3</i>	TCACAGGTCTGGCAATTCTTCTG	TTTGTCCTTAGGAGGGCTTCCTC
<i>Timp-1</i>	CCTTGCAAAGTGGAGAGTGACA	AGGCAAAGTGATCGCTCTGGT
<i>Mmp12</i>	TTAACCCCAGCACATTTTCGC	ACTGAATGTTACGTATGTCATCAGCA
<i>Mmp9</i>	CCCAAAGACCTGAAAACCTCC	TTCTCTCCCATCATCTGGGC
<i>Mmp2</i>	AGGAGCTCTATGGGCCCTCC	TCCTGTTTGCAGATCTCCGG
<i>Tgfb1</i>	CAACGCCATCTATGAGAAAACC	AAGCCCTGTATTCCGTCTCC
<i>Pax3</i>	CCAACCATATCCGCCACAA	TCTTAGAGACGCAACCATGGG
<i>Ccl7</i>	AATGCATCCACATGCTGCTA	CTTTGGAGTTGGGGTTTTCA
<i>Colla2</i>	CAGAACATCACCTACCACTGC	TTCAACATCGTTGGAACCCTG

Supplementary Table 1: Primer sequences used in qRT-PCR experiments (see Materials and Methods)