TREND Statement Checklist

| Paper Section/ Topic | Item | Descriptor | Reported? | |
|----------------------------|------|---|--------------|------|
| | No | | | Pg # |
| Title and Abst | ract | | | |
| Title and | 1 | Information on how unit were allocated to interventions | N/A | |
| Abstract | | Structured abstract recommended | | 2 |
| | | Information on target population or study sample | | 2 |
| Introduction | | | | |
| Background | 2 | Scientific background and explanation of rationale | | 3 |
| | | Theories used in designing behavioral interventions | N/A | |
| Mathada | | | | |
| Methods Participants | 3 | Eligibility criteria for participants, including criteria at different levels in | | [|
| rureipunts | 5 | recruitment/sampling plan (e.g., cities, clinics, subjects) | \checkmark | 4 |
| | | Method of recruitment (e.g., referral, self-selection), including the | | |
| | | sampling method if a systematic sampling plan was implemented | | 4 |
| | | Recruitment setting | | 4 |
| | | Settings and locations where the data were collected | | 4 |
| Interventions | 4 | • Details of the interventions intended for each study condition and how | | • |
| | | and when they were actually administered, specifically including: | N/A | |
| | | Content: what was given? | | |
| | | Delivery method: how was the content given? | | |
| | | Unit of delivery: how were the subjects grouped during delivery? | | |
| | | • Deliverer: who delivered the intervention? | | |
| | | Setting: where was the intervention delivered? | | |
| | | • Exposure quantity and duration: how many sessions or episodes or | | |
| | | events were intended to be delivered? How long were they intended to last? | | |
| | | Time span: how long was it intended to take to deliver the | + | |
| | | intervention to each unit? | | |
| | | Activities to increase compliance or adherence (e.g., incentives) | | |
| Objectives | 5 | Specific objectives and hypotheses | \checkmark | 3 |
| Outcomes | 6 | Clearly defined primary and secondary outcome measures | V | 4-5 |
| | | Methods used to collect data and any methods used to enhance the | | |
| | | quality of measurements | | 4-5 |
| | | • Information on validated instruments such as psychometric and biometric | | 4-5 |
| | | properties | • | 4-5 |
| Sample Size | 7 | • How sample size was determined and, when applicable, explanation of any | N/A | |
| | | interim analyses and stopping rules | | |
| Assignment Method | 8 | Unit of assignment (the unit being assigned to study condition, e.g., individual areas assessment in) | N/A | |
| | | individual, group, community) | | |
| | | • Method used to assign units to study conditions, including details of any restriction (e.g., blocking stratification, minimization) | N/A | |
| | | restriction (e.g., blocking, stratification, minimization) Inclusion of aspects employed to help minimize potential bias induced due | | |
| | | to non-randomization (e.g., matching) | N/A | |

TREND Statement Checklist

| Blinding | 9 | • Whether or not participants, those administering the interventions, and | | |
|-------------------------|----|--|--------------|------------|
| (masking) | | those assessing the outcomes were blinded to study condition assignment; if so, statement regarding how the blinding was accomplished and how it was assessed. | N/A | |
| Unit of Analysis | 10 | Description of the smallest unit that is being analyzed to assess | N/A | |
| - | | intervention effects (e.g., individual, group, or community) | | |
| | | • If the unit of analysis differs from the unit of assignment, the analytical | | |
| | | method used to account for this (e.g., adjusting the standard error | N/A | |
| Statistical | 11 | estimates by the design effect or using multilevel analysis) Statistical methods used to compare study groups for primary methods | | |
| Methods | 11 | • Statistical methods used to compare study groups for primary methods outcome(s), including complex methods of correlated data | \checkmark | 5-6 |
| | | Statistical methods used for additional analyses, such as a subgroup | | |
| | | analyses and adjusted analysis | \mathbf{V} | 5-6 |
| | | Methods for imputing missing data, if used | N/A | |
| | | Statistical software or programs used | | 6 |
| Results | | | | |
| Participant flow | 12 | • Flow of participants through each stage of the study: enrollment, | | |
| • | | assignment, allocation, and intervention exposure, follow-up, analysis (a | \checkmark | 6 |
| | | diagram is strongly recommended) | • | |
| | | Enrollment: the numbers of participants screened for eligibility, | | |
| | | found to be eligible or not eligible, declined to be enrolled, and | \checkmark | 6 |
| | | enrolled in the study | | |
| | | Assignment: the numbers of participants assigned to a study condition | \checkmark | 6 |
| | | Allocation and intervention exposure: the number of participants | | |
| | | assigned to each study condition and the number of participants | 8-9 | according |
| | | who received each intervention | | tment inst |
| | | • Follow-up: the number of participants who completed the follow- | inte | rvention |
| | | up or did not complete the follow-up (i.e., lost to follow-up), by | \checkmark | 6 |
| | | study condition Analysis: the number of participants included in or excluded from | | |
| | | the main analysis, by study condition | \checkmark | 6 |
| | | Description of protocol deviations from study as planned, along with | | |
| | | reasons | \checkmark | 12 |
| Recruitment | 13 | Dates defining the periods of recruitment and follow-up | \checkmark | 4 |
| Baseline Data | 14 | Baseline demographic and clinical characteristics of participants in each | | 6.0 |
| | | study condition | • | 6-9 |
| | | Baseline characteristics for each study condition relevant to specific | N/A | |
| | | disease prevention research | | |
| | | Baseline comparisons of those lost to follow-up and those retained, overall and by study condition | N/A | |
| | | Comparison between study population at baseline and target population | | |
| | | of interest | \checkmark | 8 |
| Baseline | 15 | Data on study group equivalence at baseline and statistical methods used | | |
| Baseline | | | 1 | |
| Baseline equivalence | 10 | to control for baseline differences | N/A | |

TREND Statement Checklist

| NI | 4.0 | | 1 | Т |
|-------------------------|-----|--|--------------|----------------------------|
| Numbers analyzed | 16 | Number of participants (denominator) included in each analysis for each study condition, particularly when the denominators change for different outcomes; statement of the results in absolute numbers when feasible | \checkmark | 6-9 |
| | | • Indication of whether the analysis strategy was "intention to treat" or, if not, description of how non-compliers were treated in the analyses | N/A | |
| Outcomes and estimation | 17 | • For each primary and secondary outcome, a summary of results for each estimation study condition, and the estimated effect size and a confidence interval to indicate the precision | ~ | 6-10 mean/SE min-max |
| | | Inclusion of null and negative findings | \checkmark | 6-10 |
| | | Inclusion of results from testing pre-specified causal pathways through which the intervention was intended to operate, if any | N/A | |
| Ancillary analyses | 18 | Summary of other analyses performed, including subgroup or restricted analyses, indicating which are pre-specified or exploratory | \checkmark | 9-10 |
| Adverse events | 19 | Summary of all important adverse events or unintended effects in each study condition (including summary measures, effect size estimates, and confidence intervals) | N/A | |
| DISCUSSION | | | | |
| Interpretation | 20 | • Interpretation of the results, taking into account study hypotheses, sources of potential bias, imprecision of measures, multiplicative analyses, and other limitations or weaknesses of the study | \checkmark | 10-13 |
| | | Discussion of results taking into account the mechanism by which the intervention was intended to work (causal pathways) or alternative mechanisms or explanations | N/A | |
| | | • Discussion of the success of and barriers to implementing the intervention, fidelity of implementation | N/A | |
| | | Discussion of research, programmatic, or policy implications | | 10-13 |
| Generalizability | 21 | • Generalizability (external validity) of the trial findings, taking into account the study population, the characteristics of the intervention, length of follow-up, incentives, compliance rates, specific sites/settings involved in the study, and other contextual issues | ~ | 12-13 |
| Overall Evidence | 22 | General interpretation of the results in the context of current evidence and current theory | \checkmark | 10-13 |

From: Des Jarlais, D. C., Lyles, C., Crepaz, N., & the Trend Group (2004). Improving the reporting quality of nonrandomized evaluations of behavioral and public health interventions: The TREND statement. *American Journal of Public Health*, 94, 361-366. For more information, visit: <u>http://www.cdc.gov/trendstatement/</u>