

**Efficacy of a chitosan tampon in the loop electrosurgical excision procedure: A prospective randomized controlled study**

Gun Oh Chong<sup>1,2,\*,+</sup>, Yoon Hee Lee<sup>1,2+</sup>, Se Young Jeon<sup>2</sup>, Hee-Young Yang<sup>3</sup>,  
and Sang-Hyun An<sup>3</sup>

<sup>1</sup>Department of Obstetrics and Gynecology, School of Medicine, Kyungpook National University, Daegu, 41944, Republic of Korea

<sup>2</sup>Department of Obstetrics and Gynecology, Kyungpook National University Chilgok Hospital, Daegu, 41404, Republic of Korea

<sup>3</sup>Laboratory Animal Center, Daegu-Gyeongbuk Medical Innovation Foundation, Daegu, 41061, Republic of Korea

\*corresponding author gochong@knu.ac.kr

+these authors contributed equally to this work as co-first authors

Supplementary table 1. Five questionnaires for evaluating vaginal discharge, impairment of daily living, and abdominal pain using the visual analogue scale.

Questionnaires	None of the time	A little of the time	Some of the time	Most of the time	All of the time
Interfered with your physical activity?	1	2	3	4	5
Made you concerned about soiling your underwear?	1	2	3	4	5
Made you feel that it was difficult to carry out your usual activities?	1	2	3	4	5
Interfered with your social activities?	1	2	3	4	5
How much bodily pain have you had?	1	2	3	4	5