

Nelson *et al.*, Phosphoproteomics reveals conserved nodes and regulation of store-operated calcium entry by AMPK

Appendix

Table of Contents	Page
Appendix Figure S1	1
Appendix Figure S2	2
Appendix Figure S3	3
Appendix Figure S4	4
Appendix Figure S5	6
Appendix Figure S6	7
Appendix Table S1	8



Appendix Figure S1. Contraction force measurements during electrical stimulation of rat tibialis anterior muscle (100 Hz for 5 min; 1 sec on followed by 3 sec off). n=5. Data are represented as mean \pm SD. Related to Figure 1.



Appendix Figure S2. Orthologous and significantly regulated phosphosites have more frequent attributes of functional phosphosites. **A)** The percentage of phosphosites occurring within a Pfam defined domain. The groups are all identified phosphosites in the human phosphoproteome, phosphosites that fit a 5% window with the rat or mouse datasets and phosphosites with an ortholog in the rat or mouse dataset found by PhosphositePlus or PhosphOrtholog. Further filtering for significantly regulated phosphosites (q < 0.05) was also applied to each group. **B)** The percentage of phosphosites in the 10 most common domains from each group. Examples of the distribution and top domains of **C)** all phosphosites and **D)** 5% window-filtered significantly regulated phosphosites. **E)** The functional prediction score (Ochoa et al., 2019) of the separate groups. Welch's ANOVA p < 0.05. Groups with the same letter are not significantly different (p < 0.05, Games-Howell post-hoc test).

 P
 P
 P
 P


 STBD1_HUMAN
 164 KAATCFAEKLPSSNLLKNRAKEEMSLSDLNSQDRVD<u>HEEWEMY</u>PRHSSWGDVGVGGSLKAPVLNLNQGMDNGRS -237

 P
 P
 P
 P


 STBD1_RAT
 151 KVAGSVAEKLPSSSPLMDRAEAA------SLAQŠAGHEDWEVVŠRHSSWGŠVGLGGŠLEASRLŠLNQGMDESRN -218

 STBD1_MOUSE
 156 KVAGSVAAKLPSSSLLVDRAKAV------SQ-DQAGHEDWEVVŠRHSSWGŠVGLGGŠLEASRLŠLNQRMDDSTN -222


Appendix Figure S3. Human exercise-, rat contraction- or mouse running-regulated phosphosites on Genethonin 1 (starch-binding domain-containing protein 1; STBD1). Underlined is the Atg8 interacting motif (AIM). Related to Figure 2.



Appendix Figure S4. (A) Western blots for phosphorylated STIM1 (S257 or S521) in HEK-E cells not transfected, or expressing STIM1-mRuby3 WT, S257A or S521A. Cells were treated with the AMPK activator A-769662 (+) or vehicle (-) for 30 min. Total STIM1 was used to determine expression of STIM1-mRuby3 WT or mutants, and 14-3-3 was used as a loading control. Quantification of Western blots from (B) rat skeletal muscle subjected to sham or contraction, or **(C)** skeletal muscle from mice subjected to rest or treadmill running. * = p < 0.05 for exercise compared to respective control, student's t-test. **(D)** Quantification of Western blots from L6 myoblasts treated with DMSO, increasing concentrations of thapsigargin (.01, .1, 1 or 10 μ M), or .5 mM AICAR for 15 min. * = p < 0.05 compared to DMSO control, one-way ANOVA with Tukey's post-hoc test. For B-D, data are represented as mean ± SEM. Related to Figure 3.



Appendix Figure S5. L6 myoblasts were transfected with the genetic cytosolic Ca²⁺ sensor GCaMP6s. Cells were also transfected with siRNA directed at endogenous STIM1 (siSTIM) and full-length wild type (WT) or mutant (S521E) STIM1-mRuby3. **(A)** Representative images of an L6 myoblast co-expressing STIM1-mRuby3 (left) and GCaMP6s (right). **(B)** Ca²⁺ levels over time (fold of 0 mM Ca²⁺ + EGTA basal) and **(C)** quantification of store-operated Ca²⁺ entry in in L6 myoblasts incubated in buffer containing 1 or 0 mM Ca²⁺ and treated with 2 μ M thapsigargin during the indicated times. These WT data are duplicated from Figure 5 B-C to compare S521E. **(D)** STIM1-mRuby3 expression measured via fluorescence microscopy. Data are represented as mean ± SEM. Related to Figure 5.



Appendix Figure S6. (A) Western blots and **(B)** quanitification for total STIM1 in STIM wholebody knockout flies overexpressing WT or mutant (S257A or S257E human STIM1-mRuby3. β actin was used as a loading control. Related to Figure 6.

GeneNames	Human UniProt-Site	Rat UniProt-Site	Mouse UniProt- Site	Human Exercise	Rat Contraction	Mous Runnir
AKAP13	Q12802-S2563	F1M3G7-S2511	E9Q394-S2527			▲
ALPK3	Q96L96-S1390	D3ZH28-S1169	D3YUT2-S1165	•		•
ALPK3	Q96L96-S1406	D3ZH28-S1185	D3YUT2-S1181	•	•	•
ALPK3	Q96L96-T1409	D3ZH28-T1188	D3YUT2-T1184	•		•
AMPD1	P23109-S118	P10759-S85	Q3V1D3-S83			•
C18orf25	Q96B23-S147	D4A3X1-S147	Q8BH50-S147			
C18orf25	Q96B23-S67	D4A3X1-S67	Q8BH50-S67			
CAMK2G	Q13555-S311	P11730-S311	Q923T9-S311			•
CLASP2	O75122-S313	Q99JD4-S319	Q8BRT1-S319			
CLCN1	P35523-S886	P35524-S892	Q64347-S892			•
CRYAB	P02511-S59	P23928-S59	P23927-S59			
EIF4B	P23588-S497	Q5RKG9-S497	Q8BGD9-S497			
EIF4G1	Q04637-S1097	D3ZU13-S1099	Q6NZJ6-S1101	•	•	
FAM65A	Q6ZS17-S22	Q4FZU8-S22	Q68FE6-S22		•	•
FLNC	Q14315-S2624	D3ZHA0-S2625	Q8VHX6-S2625			
GPHN	Q9NQX3-S305	Q03555-S337	Q8BUV3-S338			
HNRNPA3	P51991-S116	Q6URK4-S116	Q8BG05-S116			•
HSPB1	P04792-S15	P42930-S15	P14602-S15			
HSPB1	P04792-S82	P42930-S86	P14602-S86			
LMOD2	Q6P5Q4-S392	A1A5Q0-S398	Q3UHZ5-S399			-
LMOD2	Q6P5Q4-S512	A1A5Q0-S514	Q3UHZ5-S515	•	-	· ·
LMOD2	Q6P5Q4-T384	A1A5Q0-T390	Q3UHZ5-T391	· ·		· ·
LNPEP	Q9UIQ6-S91	P97629-S91	Q8C129-S91	×		Å
MAPT	P10636-S713	P19332-S707	P10637-S688	•	•	-
MLLT4	P55196-S1182	O35889-S1189	Q9QZQ1-S1182			
MLLT4	P55196-S1275	O35889-S1282	Q9QZQ1-S1275	-		-
MTDH	Q86UE4-S298	Q9Z1W6-S297	Q80WJ7-S297			,
MTFR1L	Q9H019-S103	Q5XII9-S100	Q9CWE0-S100			
MTOR	P42345-S1261	P42346-S1261	Q9JLN9-S1261			
NDRG2	Q9UN36-S338	Q8VBU2-S338	Q9QYG0-S338	•	•	-
NDRG2	Q9UN36-T330	Q8VBU2-T330	Q9QYG0-T330	• •	, ,	Ť
NFIX	Q14938-S265	070189-S1	P70257-S265			
NFIX	Q14938-S268	070189-S1 070189-S4	P70257-S268	-	-	
OSBPL11	Q9BXB4-S181	B5DF74-S192	Q8CI95-S186	· ·	÷	÷
PCM1	Q15154-S1283	G3V7E6-S1280	Q9R0L6-S1280			
PDE4A	P27815-S346	P54748-S333	O89084-S333			-
PDHA1	P08559-S232	P26284-S232	P35486-S232	-	•	Ť
PHC3	Q8NDX5-S842	D3ZS50-S689	Q8CHP6-S840			
PHKA1	P46020-S972	Q64649-S974	P18826-S973	-	-	-
PHLDB1	Q86UU1-S489	D3ZNS1-S490	Q6PDH0-S491	, v	, ,	Ť
PLEC	Q15149-S4613	P30427-S4616	Q9QXS1-S4620	• •	, ,	÷
PLEC	Q15149-34613 Q9H307-S66	D3ZAY8-S66	O35691-S66			
					_	_
PPP1R14A	Q96A00-S26	Q99MC0-S26	Q91VC7-S26			•
PPP1R3C	Q9UQK1-S33	Q5U2R5-S33	Q7TMB3-S33	•	•	• •
PPP2R5A	Q15172-S49	D3ZDI7-S49	Q6PD03-S49			· ·
PRKAA2	P54646-S491	Q09137-S491	Q8BRK8-S491			
PRKAB2	O43741-S108	Q9QZH4-S107	Q6PAM0-S107			
RAPGEF2	Q9Y4G8-S585	F1M386-S585	Q8CHG7-S585		•	
RCSD1	Q6JBY9-S127	F1M4V3-S97	Q3UZA1-S127	▲ •	· ·	▲
RPS6KB2	Q9UBS0-S416	D4AE24-S416	Q9Z1M4-S416			
RPTOR	Q8N122-S722	D3ZDU2-S722	Q8K4Q0-S722		A	
SPEG	Q15772-S2109	Q63638-S2114	E9QQ25-S2114			▼
STIM1	Q13586-S257	P84903-S257	P70302-S257			
STIM1	Q13586-S521	P84903-S521	P70302-S521		_	
STIM1	Q13586-S575	P84903-S575	P70302-S575	•		•
SYNPO2	Q9UMS6-S820	D4A702-S818	Q91YE8-S813			
SYNPO2	Q9UMS6-S902	D4A702-S900	Q91YE8-S895	•	•	
TBC1D1	Q86TI0-S237	D4A4U9-S231	Q60949-S231			
TFEB	P19484-S109	Q4KLM8-S168	Q9R210-S108	•	•	•
TNS1	Q9HBL0-S1269	F1LN42-S1442	E9Q0S6-S1423	▼	•	•
TNS1	Q9HBL0-S1297	F1LN42-S1470	E9Q0S6-S1451	▼	•	•
VAPA	Q9P0L0-S164	Q9Z270-S164	Q9WV55-S164			•
VAPA	Q9P0L0-S219	Q9Z270-S219	Q9WV55-S219			•
VIPAS39	Q9H9C1-S121	Q5PQN6-S119	Q8BGQ1-S119			
XIRP1	Q702N8-S295	D4ABA9-S294	E9QQ93-S295			
XIRP1	Q702N8-S529	D4ABA9-S532	E9QQ93-S533			
XIRP1	Q702N8-S684	D4ABA9-S687	E9QQ93-S688			

Appendix Table S1. Conserved exercise-regulated phosphosites.