

Supplemental Table for:

Acupuncture for Chemotherapy-Induced Peripheral Neuropathy in Breast Cancer Survivors, A Randomized Controlled Pilot Trial

Weidong Lu et al.

Supplemental Table 1: Acupuncture Points and Locations for the Study of Chemotherapy-induced Peripheral Neuropathy

Name	Chinese Pinyin Name	Location	Innervations
Ex-LE12	Qiduan	At the tips of the toes; from the big toe to the small toe on the each side as 1 st Qiduan, 2 nd Qiduan, 3 rd Qiduan, 4 th Qiduan and 5 th Qiduan	The dorsal digital nerves from the superficial peroneal and deep peroneal nerves, and the proper digital plantar nerve from the tibial nerve.
Ex-LE10	Bafeng	On the dorsum of foot, in the depressions on the webs between toes, proximal to the margins of the webs, at the junction of the red and white skin; from the big toe to the small toe on the each side as 1 st Bafeng, 2 nd Bafeng, 3 rd Bafeng, and 4 th Bafeng	No innervation data at this time
Extra 27	Baxie	On the dorsum of the hand, at the junction of the white and red skin of the hand web between the fingers, from the thumb to the small finger as 1 st Baxie, 2 nd Baxie, 3 rd Baxie and 4 th Baxie	No innervation data at this time
TE5 (TW5)	Waiguan	2 cun proximal to the dorsal crease of wrist, on the line connecting Yangchi (TE4) and the tip of olecranon, between the radius and ulna.	The posterior antebrachial cutaneous nerve; deeper, the posterior interosseous nerve and the anterior interosseous nerve.
LR3	Taichong	On the dorsum of the foot, in the depression distal to the junction of the first and second metatarsal bones.	The branch of the deep peroneal nerve.
LII1	Quchi	When the elbow is flexed, the point is in the depression at the lateral end of the transverse cubital crease, midway between Chize and the lateral epicondyle of the humerus.	The posterior antebrachial cutaneous nerve; deeper, on the medial side, the radial nerve.
ST36	Zusanli	3 cun below Dubi, one finger-breadth from the anterior crest of the tibia, in m. tibialis anterior.	Superficially, the lateral auricular cutaneous nerve and the cutaneous branch of the saphenous nerve; deeper, the deep peroneal nerve.
SP9	Yinlingquan	On the lower border of the medial condyle of the tibia, in the depression on the medial border of the tibia.	Superficially, in the medial crural cutaneous nerve; deeper, the tibial nerve.
SP6	Sanyinjiao	3 cun directly above the tip of the medial malleolus, on the posterior border of the medial aspect of the tibia.	Superficially, the medial crural cutaneous nerve; deeper, in the posterior aspect, the tibial nerve.
K3	Taixi	In the depression between the medial malleolus and tendo calcaneus, at the level with the tip of the medial malleolus.	The medial crural cutaneous nerve, on the course of the tibial nerve.
Extra2	Yintang	Midway between the medial ends of the two eyebrows.	N/A

