# natureresearch

Corresponding author(s): Xiaobo WANG, Matteo RAUZI

Last updated by author(s): Feb 26, 2020

## **Reporting Summary**

Nature Research wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Research policies, seeAuthors & Referees and theEditorial Policy Checklist.

_				
c.	<b>+</b> ~	+i	ct	ioc
`			$\sim$ 1	11 \

For	all statistical analy	ses, confirm that the following items are present in the figure legend, table legend, main text, or Methods section.	
n/a	Confirmed		
	The exact sar	mple size $(n)$ for each experimental group/condition, given as a discrete number and unit of measurement	
	X A statement	on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly	
		ll test(s) used AND whether they are one- or two-sided tests should be described solely by name; describe more complex techniques in the Methods section.	
	X A description	of all covariates tested	
x	A description	of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons	
		tion of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient) in (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals)	
		thesis testing, the test statistic (e.g. $F$ , $t$ , $r$ ) with confidence intervals, effect sizes, degrees of freedom and $P$ value noted is exact values whenever suitable.	
×	For Bayesian	analysis, information on the choice of priors and Markov chain Monte Carlo settings	
×	For hierarchical and complex designs, identification of the appropriate level for tests and full reporting of outcomes		
×	Estimates of	effect sizes (e.g. Cohen's $d$ , Pearson's $r$ ), indicating how they were calculated	
	1	Our web collection on <u>statistics for biologists</u> contains articles on many of the points above.	
So	ftware and	code	
Poli	cy information abo	out <u>availability of computer code</u>	
D	ata collection	Imaging data have been collected by Zeiss Zen software (version: Zen 2007 light edition) or Leica Metamorph software (version:	

Data analysis

GraphPad Prism software (version: 8.0.1) has been used for box and whiskers plots. ImageJ software (version: 1.51j8) has been used for quantifications, the particle image velocimetry (PIV) plugin has been used for laser ablation analysis. MATLAB software (version: R2018a) has been used for photo-bleaching, correction and nuclear centers tracking.

For manuscripts utilizing custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors/reviewers. We strongly encourage code deposition in a community repository (e.g. GitHub). See the Nature Research guidelines for submitting code & software for further information.

#### Data

Policy information about availability of data

All manuscripts must include a <u>data availability statement</u>. This statement should provide the following information, where applicable:

- Accession codes, unique identifiers, or web links for publicly available datasets
- A list of figures that have associated raw data
- A description of any restrictions on data availability

The data sets generated during and/or analysed during the current study are available from the corresponding author on request. The source data underlying Figs 2c, f, g, 3b-d, h, j, k, 4c-g, 5b, e, g, i, 6e, h, 7d and f, Supplementary Figs 3d, f, g, i, j, 4a, b, 5b, c, 6c, e, 7b, d, e, g, 8b, d, e, 9c, e, g, 10d, 11 and 12c are provided as a Source Data file.

_	•				• •	•			100	•	
H	lel	$\mathbf{C}$	<b>-</b> S	ne	cif	IC.	re	nc	rt (	ın	g
•		_	_	$\sim$	$\sim$			$\sim$			

Please select the o	ne below that is the best fit for your research. If you are not sure, read the appropriate sections before making your selection.			
x Life sciences				
For a reference copy of	the document with all sections, see <a href="mailto:nature.com/documents/nr-reporting-summary-flat.pdf">nature.com/documents/nr-reporting-summary-flat.pdf</a>			
Life scier	nces study design			
All studies must dis	sclose on these points even when the disclosure is negative.			
Sample size	The experiments were performed, in general, on the 3-10 egg chambers and on the 5-30 cells. The exact number of analyzed samples is specified for each experiment in the corresponding figure and/or figure legends.			
Data exclusions	No data were excluded from the analysis.			
Replication	The experiments were replicated or performed independently at least 3 times, and the exact number of independent experiment is listed in the corresponding figure legends.			
Randomization	Sample allocation was random.			

### Behavioural & social sciences study design

We were blinded to group allocation during data collection and analysis.

All studies must disclose on these points even when the disclosure is negative.

Study description

Briefly describe the study type including whether data are quantitative, qualitative, or mixed-methods (e.g. qualitative cross-sectional, quantitative experimental, mixed-methods case study).

Research sample

State the research sample (e.g. Harvard university undergraduates, villagers in rural India) and provide relevant demographic information (e.g. age, sex) and indicate whether the sample is representative. Provide a rationale for the study sample chosen. For studies involving existing datasets, please describe the dataset and source.

Describe the sampling procedure (e.g. random, snowball, stratified, convenience). Describe the statistical methods that were used to predetermine sample size OR if no sample-size calculation was performed, describe how sample sizes were chosen and provide a rationale for why these sample sizes are sufficient. For qualitative data, please indicate whether data saturation was considered, and what criteria were used to decide that no further sampling was needed.

Provide details about the data collection procedure, including the instruments or devices used to record the data (e.g. pen and paper, computer, eye tracker, video or audio equipment) whether anyone was present besides the participant(s) and the researcher, and whether the researcher was blind to experimental condition and/or the study hypothesis during data collection.

Indicate the start and stop dates of data collection. If there is a gap between collection periods, state the dates for each sample cohort.

Data exclusions If no data were excluded from the analyses, state so OR if data were excluded, provide the exact number of exclusions and the rationale behind them, indicating whether exclusion criteria were pre-established.

Non-participation State how many participants dropped out/declined participation and the reason(s) given OR provide response rate OR state that no participants dropped out/declined participation.

If participants were not allocated into experimental groups, state so OR describe how participants were allocated to groups, and if allocation was not random, describe how covariates were controlled.

## Ecological, evolutionary & environmental sciences study design

All studies must disclose on these points even when the disclosure is negative.

Study description

Randomization

Blinding

Sampling strategy

Data collection

Timing

Briefly describe the study. For quantitative data include treatment factors and interactions, design structure (e.g. factorial, nested, hierarchical), nature and number of experimental units and replicates.

Research sample	Describe the research sample (e.g. a group of tagged Passer domesticus, all Stenocereus thurberi within Organ Pipe Cactus National Monument), and provide a rationale for the sample choice. When relevant, describe the organism taxa, source, sex, age range and any manipulations. State what population the sample is meant to represent when applicable. For studies involving existing datasets, describe the data and its source.			
Sampling strategy	Note the sampling procedure. Describe the statistical methods that were used to predetermine sample size OR if no sample-size calculation was performed, describe how sample sizes were chosen and provide a rationale for why these sample sizes are sufficient.			
Data collection	Describe the data collection procedure, including who recorded the data and how.			
Timing and spatial scale	Indicate the start and stop dates of data collection, noting the frequency and periodicity of sampling and providing a rationale for these choices. If there is a gap between collection periods, state the dates for each sample cohort. Specify the spatial scale from which the data are taken			
Data exclusions	If no data were excluded from the analyses, state so OR if data were excluded, describe the exclusions and the rationale behind them, indicating whether exclusion criteria were pre-established.			
Reproducibility	Describe the measures taken to verify the reproducibility of experimental findings. For each experiment, note whether any attempts to repeat the experiment failed OR state that all attempts to repeat the experiment were successful.			
Randomization	Describe how samples/organisms/participants were allocated into groups. If allocation was not random, describe how covariates were controlled. If this is not relevant to your study, explain why.			
Blinding	Describe the extent of blinding used during data acquisition and analysis. If blinding was not possible, describe why OR explain why blinding was not relevant to your study.			
Did the study involve field work, collec	tion and transport			
Field conditions	Describe the study conditions for field work, providing relevant parameters (e.g. temperature, rainfall).			
Location	State the location of the sampling or experiment, providing relevant parameters (e.g. latitude and longitude, elevation, water depth).			
Access and import/export  Describe the efforts you have made to access habitats and to collect and import/export your samples in a responsible not in compliance with local, national and international laws, noting any permits that were obtained (give the name of the authority, the date of issue, and any identifying information).				

### Reporting for specific materials, systems and methods

Describe any disturbance caused by the study and how it was minimized.

We require information from authors about some types of materials, experimental systems and methods used in many studies. Here, indicate whether each material, system or method listed is relevant to your study. If you are not sure if a list item applies to your research, read the appropriate section before selecting a response.

Materials & experimental systems		Methods		
n/a	Involved in the study	n/a	Involved in the study	
	<b>x</b> Antibodies	×	ChIP-seq	
	<b>x</b> Eukaryotic cell lines	x	Flow cytometry	
×	Palaeontology	x	MRI-based neuroimaging	
	🗶 Animals and other organisms			
×	Human research participants			
×	Clinical data			

#### **Antibodies**

Disturbance

Antibodies used

The anti-WASP antibody (P5E1, 1:200 dilution), anti-Ena antibody (5G2, 1:200 dilution), anti-Dlg (4F3, 1:200 dilution), and anti-Arm (N27A1, 1:50 dilution) were from the Developmental Studies Hybridoma Bank. The anti-aPKC (sc-216, 1:500 dilution) was from Santa Cruz biotechnology. Anti-Dia antibody (1:5000) was a gift from the laboratory of Steve Wasserman at University of California, San Diego. Secondary antibodies conjugated with Alexa-555 and Alexa-647 (Molecular Probes, A21244, A21235, A21428, and A21422) were used in 1:400 dilutions. Alexa-555-conjugated phalloidin (1:200 dilution; Invitrogen, A34055) was used for F-actin staining.

Validation

Validation information of each primary antibody for the species and application is available at the following manufacturer's websites or our previous publication:

Anti-WASP antibody: https://dshb.biology.uiowa.edu/P5E1-Wasp; Anti-Ena antibody: https://dshb.biology.uiowa.edu/5G2-anti-enabled;

Anti-Dlg antibody: https://dshb.biology.uiowa.edu/4F3-anti-discs-large; Anti-Arm antibody: https://dshb.biology.uiowa.edu/N2-7A1-Armadillo;

Anti-aPKC antibody: https://www.scbt.com/fr/p/pkc-zeta-antibody-c-20;

Anti-Dia antibody: from Qin et al., Nat Commun, 2018.

#### Eukaryotic cell lines

Policy information about cell lines

Cell line source(s) HEK293 cell line was from Genetica, MA, USA

Authentication This cell line was not authenticated.

This cell line has been regularly tested negative for Mycoplasma contamination. Mycoplasma contamination

Commonly misidentified lines (See ICLAC register)

No commonly misidentified cell lines were used in the study.

#### Palaeontology

Specimen provenance Provide provenance information for specimens and describe permits that were obtained for the work (including the name of the issuing authority, the date of issue, and any identifying information).

Indicate where the specimens have been deposited to permit free access by other researchers. Specimen deposition

If new dates are provided, describe how they were obtained (e.g. collection, storage, sample pretreatment and measurement), Dating methods where they were obtained (i.e. lab name), the calibration program and the protocol for quality assurance OR state that no new

Tick this box to confirm that the raw and calibrated dates are available in the paper or in Supplementary Information.

### Animals and other organisms

Policy information about studies involving animals; ARRIVE guidelines recommended for reporting animal research

Drosophila melanogaster, both male and female, 3-5 days after adult flies are born. Laboratory animals

Wild animals No wild animals were used in the study.

Field-collected samples No field collected samples were used in the study.

Ethical approval was not required for this study. Ethics oversight

Note that full information on the approval of the study protocol must also be provided in the manuscript.

### Human research participants

Population characteristics

Policy information about studies involving human research participants

Describe the covariate-relevant population characteristics of the human research participants (e.g. age, gender, genotypic information, past and current diagnosis and treatment categories). If you filled out the behavioural & social sciences study design

questions and have nothing to add here, write "See above."

Recruitment Describe how participants were recruited. Outline any potential self-selection bias or other biases that may be present and how

these are likely to impact results.

Ethics oversight Identify the organization(s) that approved the study protocol.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

#### Clinical data

Policy information about clinical studies

All manuscripts should comply with the ICMJEguidelines for publication of clinical research and a completed CONSORT checklist must be included with all submissions.

Clinical trial registration

Provide the trial registration number from ClinicalTrials.gov or an equivalent agency.

Study protocol	Note where the full trial protocol can be accessed OR if not available, explain why.				
Data collection	Describe the settings and locales of data collection, noting the time periods of recruitment and data collection.				
Outcomes	Describe how you pre-defined primary and secondary outcome measures and how you assessed these measures.				
ChIP-seq					
Oata deposition					
	d final processed data have been deposited in a public database such as <u>GEO</u> .  posited or provided access to graph files (e.g. BED files) for the called peaks.				
Data access links	For "Initial submission" or "Revised version" documents, provide reviewer access links. For your "Final submission" document,				
May remain private before publication					
Files in database submission	Provide a list of all files available in the database submission.				
Genome browser session (e.g. <u>UCSC</u> )	Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to enable peer review. Write "no longer applicable" for "Final submission" documents.				
Methodology					
Replicates	Describe the experimental replicates, specifying number, type and replicate agreement.				
Sequencing depth	Describe the sequencing depth for each experiment, providing the total number of reads, uniquely mapped reads, length of reads and whether they were paired- or single-end.				
Antibodies	Describe the antibodies used for the ChIP-seq experiments; as applicable, provide supplier name, catalog number, clone name, and lot number.				
Peak calling parameters	Specify the command line program and parameters used for read mapping and peak calling, including the ChIP, control and index files used.				
Data quality	Describe the methods used to ensure data quality in full detail, including how many peaks are at FDR 5% and above 5-fold enrichment.				
Software	Describe the software used to collect and analyze the ChIP-seq data. For custom code that has been deposited into a community repository, provide accession details.				
Flow Cytometry					
lots					
Confirm that:					
	narker and fluorochrome used (e.g. CD4-FITC).				
	visible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).				
	with outliers or pseudocolor plots.				
	ber of cells or percentage (with statistics) is provided.				
Methodology (					
Sample preparation	Describe the sample preparation, detailing the biological source of the cells and any tissue processing steps used.				
Instrument	Identify the instrument used for data collection, specifying make and model number.				
Software	Describe the software used to collect and analyze the flow cytometry data. For custom code that has been deposited into a community repository, provide accession details.				
Cell population abundance Describe the abundance of the relevant cell populations within post-sort fractions, providing details on the purity of the samples and how it was determined.					

Describe the gating strategy used for all relevant experiments, specifying the preliminary FSC/SSC gates of the starting cell population, indicating where boundaries between "positive" and "negative" staining cell populations are defined.

Tick this box to confirm that a figure exemplifying the gating strategy is provided in the Supplementary Information.

Gating strategy

Magnetic resonance ima	(SILIS				
Experimental design					
Design type	Indicate task or resting state; event-related or block design.				
Design specifications	Specify the number of blocks, trials or experimental units per session and/or subject, and specify the length of each trial or block (if trials are blocked) and interval between trials.				
Behavioral performance measures	State number and/or type of variables recorded (e.g. correct button press, response time) and what statistics were used to establish that the subjects were performing the task as expected (e.g. mean, range, and/or standard deviation across subjects).				
Acquisition					
Imaging type(s)	Specify: functional, structural, diffusion, perfusion.				
Field strength	Specify in Tesla				
Sequence & imaging parameters	Specify the pulse sequence type (gradient echo, spin echo, etc.), imaging type (EPI, spiral, etc.), field of view, matrix size, slice thickness, orientation and TE/TR/flip angle.				
Area of acquisition	State whether a whole brain scan was used OR define the area of acquisition, describing how the region was determined.				
Diffusion MRI Used	☐ Not used				
Preprocessing					
Preprocessing software	Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.).				
Normalization	If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization.				
Normalization template	Describe the template used for normalization/transformation, specifying subject space or group standardized space (e.g. original Talairach, MNI305, ICBM152) OR indicate that the data were not normalized.				
Noise and artifact removal	Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and physiological signals (heart rate, respiration).				
Volume censoring	Define your software and/or method and criteria for volume censoring, and state the extent of such censoring.				
Statistical modeling & inference	e				
Model type and settings	Specify type (mass univariate, multivariate, RSA, predictive, etc.) and describe essential details of the model at the first and second levels (e.g. fixed, random or mixed effects; drift or auto-correlation).				
Effect(s) tested	Define precise effect in terms of the task or stimulus conditions instead of psychological concepts and indicate whether ANOVA or factorial designs were used.				
Specify type of analysis: Whole	e brain ROI-based Both				
Statistic type for inference (See Eklund et al. 2016)	Specify voxel-wise or cluster-wise and report all relevant parameters for cluster-wise methods.				
Correction	Describe the type of correction and how it is obtained for multiple comparisons (e.g. FWE, FDR, permutation or Monte Carlo).				
Models & analysis					
n/a   Involved in the study   Functional and/or effective con   Graph analysis   Multivariate modeling or predictions					

Graph analysis

Graph analysis Multivariate modeling or predictive analysis	
,	Report the measures of dependence used and the model details (e.g. Pearson correlation, partial correlation, mutual information).

Report the dependent variable and connectivity measure, specifying weighted graph or binarized graph, subject- or group-level, and the global and/or node summaries used (e.g. clustering coefficient, efficiency, etc.).

Specify independent variables, features extraction and dimension reduction, model, training and evaluation metrics.