

**Supplementary Materials Table S1. Search tables**

PubMed		
Query	Search	Results
#1	((neoplasms[MeSH] OR neoplasm[tw] OR neoplasms[tw] OR cancer[tw] OR cancers[tw] OR cancerous[tw] OR tumor[tw] OR tumors[tw] OR tumour[tw] OR tumours[tw] OR leukemia[tw] OR malignant[tw] OR malignancy[tw] OR malignancies[tw] OR carcinoma[tw] OR carcinomas[tw] OR adenocarcinoma[tw] OR adenocarcinomas[tw] OR metastasis OR metastases[tw] OR metastatic[tw] OR sarcoma[tw] OR sarcomas[tw]) AND (survivors[mesh] OR survivors[tw] OR survivor[tw] OR survivorship[tw] OR patient[tw] OR patients[tw]))	1,470,149
#2	(Exercise[MeSH] OR Exercise[tw] OR Exercise Movement Techniques[MeSH] OR Exercise Movement Techniques[tw] OR Exercise Therapy[MeSH] OR Exercise Therapy[tw] OR Physical Exertion[MeSH] OR Physical Exertion[tw] OR Physical Activity[tw] OR Physical Fitness[tw] OR Physical Performance[tw] OR Physical Training[tw] OR physical endurance[mesh] OR physical endurance[tw] OR Exercise tolerance[tw] OR Sports[tw] OR Jogging[tw] OR Walking[tw] OR Running[tw] OR Swimming[tw] OR Calisthenics[tw] OR Group Exercise[tw] OR Aquatic Exercise[tw] OR Biking[tw] OR Bicycling[tw] OR Jumping[tw] OR Aerobics[tw] OR aerobic[tw] OR Anaerobic Exercises[tw] OR Strength Training[tw] OR Muscle Training[tw] OR Resistance Training[tw] OR Yoga[tw] OR Dance[tw] OR Dancing[tw] OR Stretching[tw] OR Flexibility[tw] OR Tai Chi[tw] OR Abdominal Exercises[tw] OR Plyometrics[tw] OR fitness[tw])	721,888
#3	(Social Determinants of Health[mesh] OR Determinants[tw] OR predictor[tw] OR Predictors[tw] OR predictive[tw] OR health behavior[mesh] OR behavior[tw] OR behaviors[tw] OR behaviour[tw] OR behaviours[tw] OR behavioral[tw] OR behavioural[tw] OR attitude[tw] OR attitudes[tw] OR Subjective norm[tw] OR subjective norms[tw] OR Intention[tw] OR Self efficacy[mes] OR self efficacy[tw] OR self monitoring[tw] OR self monitor[tw] OR self monitored[tw] OR self monitors[tw] OR Social Support[mesh] OR social support[tw] OR social environment[tw] OR social environments[tw] OR affective judgment[tw] OR affective response[tw] OR Intrinsic goals[tw] OR Extrinsic goals[tw] OR goal setting[tw] OR autonomy[tw] OR ((outcome[tw] OR outcomes[tw]) AND (expectation[tw] OR expectations[tw]))) OR knowledge[tw] OR barrier[tw] OR barriers[tw] OR decisional balance[tw] OR Process of change[tw])	3,130,589
#4	(Cohort studies[mesh] OR cohort[tiab] OR longitudinal[tw] OR longitudinally[tw] OR prospective[tw] OR prospectively[tw] OR follow up[tw] OR pilot study[tw]) NOT (qualitative[ti] OR protocol[ti])	2,515,776
#5	#1 AND #2 AND #3 AND #4	1,437

**Supplementary Materials Table S2.** Intercorrelation matrix of psychosocial predictors and physical activity

	2	3	4	5	6	7	8	9	10
1. Instrumental attitudes	0.55	0.87	0.40	0.21	0.21	0.45	0.48	0.130	0.15
<i>k</i>	8	1	7	3	1	8	8	2	9
<i>n</i>	1344	377	1331	890	13	1344	1344	303	1393
<i>CI (LB)</i>	0.49	0.84	0.26	0.15	-0.39	0.33	0.39	0.01	0.05
<i>CI (UB)</i>	0.74	0.89	0.52	0.27	0.68	0.57	0.56	0.25	0.26
<i>Q (p)</i>	27.83***	n/a	41.39***	2.73	n/a	45.63***	21.04**	1.16	24.27**
<i>I<sup>2</sup></i>	75%	n/a	85%	~0%	n/a	83%	69%	13%	68%
2. Affective attitudes	0.93	0.33	0.34	-0.05	0.37	0.49	0.23	0.18	
<i>k</i>	1	7	3	1	8	8	3	10	
<i>n</i>	377	1331	890	13	1344	1344	452	1542	
<i>CI (LB)</i>	0.91	0.21	0.28	-0.58	0.15	0.40	0.06	0.09	
<i>CI (UB)</i>	0.94	0.44	0.40	0.52	0.56	0.57	0.38	0.27	
<i>Q (p)</i>	n/a	33.36***	3.08	n/a	36.08***	20.97	6.68*	23.19**	
<i>I<sup>2</sup></i>	n/a	78%	~0%	n/a	93%	69%	68%	60%	
3. Overall attitudes	0.34	0.28	0.23	0.39	0.45	0.11	0.18		
<i>k</i>	10	3	2	14	12	5	19		
<i>n</i>	1503	890	1540	2626	3043	475	4158		
<i>CI (LB)</i>	0.22	0.18	0.18	0.28	0.36	-0.06	0.12		
<i>CI (UB)</i>	0.45	0.38	0.28	0.49	0.53	0.28	0.24		
<i>Q (p)</i>	53.56***	4.42	0.24	63.54***	74.32***	10.57**	40.85**		
<i>I<sup>2</sup></i>	81%	56%	0%	85%	81%	67%	65%		
4. Instrumental norms	0.43	-	0.36	0.34	0.07	0.14			
<i>k</i>	3	-	10	10	5	10			
<i>n</i>	890	-	1503	1503	475	1453			
<i>CI (LB)</i>	0.37	-	0.29	0.27	-0.02	0.07			
<i>CI (UB)</i>	0.48	-	0.43	0.41	0.16	0.21			
<i>Q (p)</i>	0.75	-	17.88*	16.46	2.18	13.15			
<i>I<sup>2</sup></i>	0%	-	47%	48%	0.70	30%			
5. Descriptive norms	0.19	0.16	0.30	-	0.07				
<i>k</i>	1	4	3	-	4				
<i>n</i>	85	978	890	-	960				
<i>CI (LB)</i>	-0.02	0.002	0.24	-	0.01				
<i>CI (UB)</i>	0.39	0.30	0.36	-	0.14				
<i>Q (p)</i>	n/a	12.93	0.82	-	2.89				
<i>I<sup>2</sup></i>	n/a	0.004	0%	-	0.02%				
6. Social support	0.02	0.13	-	0.13					
<i>k</i>	2	2	-	8					
<i>n</i>	99	1540	-	685					
<i>CI (LB)</i>	-0.18	-0.42	-	-0.01					
<i>CI (UB)</i>	0.22	0.61	-	0.27					
<i>Q (p)</i>	0.23	3.69	-	9.51*					
<i>I<sup>2</sup></i>	0%	73%	-	69%					
7. Self-efficacy	0.45	0.16	0.26						
<i>k</i>	11	5	18						
<i>n</i>	1516	475	2597						
<i>CI (LB)</i>	0.35	0.07	0.20						
<i>CI (UB)</i>	0.53	0.25	0.33						
<i>Q (p)</i>	38.84***	4.42	43.19***						
<i>I<sup>2</sup></i>	72%	0%	58%						
8. Intention	0.27	0.33							
<i>k</i>	5	12							
<i>n</i>	475	2993							
<i>CI (LB)</i>	0.13	0.25							
<i>CI (UB)</i>	0.40	0.40							
<i>Q (p)</i>	8.59	31.31**							
<i>I<sup>2</sup></i>	54%	70%							
9. Past Behavior	0.40	0.40							
<i>k</i>	8	8							
<i>n</i>	685	685							
<i>CI (LB)</i>	0.33	0.33							
<i>CI (UB)</i>	0.46	0.46							
<i>Q (p)</i>	6.07	6.07							
<i>I<sup>2</sup></i>	0%	0%							
10. Physical activity									

**Note.** *k* = number of independent tests, *N* = number of participants, *CI*, *Q* and *I<sup>2</sup>* = homogeneity statistics, \* *p* < 0.05, \*\* *p* < 0.01, \*\*\* *p* < 0.001, -- indicates the intercorrelation was not present in any studies.

**Supplementary Materials Table S3.** *Demographics of participants by study*

Author (Year)	Gender	Age	Marital status	BMI
Basen-Engquist et al. (2013)	0	57 (11)		34 (9)
Brunet et al. (2013)	0	54 (11)		26 (5)
Cadmus-Bertram et al. (2013)	0	60 (7)		30 (4)
Castonguay et al. (2017)	0	55 (11)		26 (5)
Courneyea et al. (1999)	58	61 (12)	68	26 (5)
Courneyea et al. (2001)	0	51 (7)	83	
Courneyea et al. (2004)	33	55 (8)	63	
Courneyea et al. (2004)	58	60 (10)	76	
Courneyea et al. (2004)	100		84	
Courneyea et al. (2008)	0	49 (--)	64	
Courneyea et al. (2009)	0		65	
Courneyea et al. (2012)	59	53 (--)	80	
Emery et al. (2009)	0	51 (11)	67	
Endrighi et al. (2016)	0	57 (11)		34 (9)
Fallon et al. (2018)	52	62 (11)	71	
Karvinen et al. (2009)	75	70 (11)		
Loprinzi et al. (2012)	0	72 (1)	63	28 (1)
Mack et al. (2013)	0	55 (11)	65	
Mama et al. (2017)	0	59 (9)		31(7)
Morielli et al. (2017)	71		65	
Peddle et al. (2009)	32	64 (10)	95	27 (--)
Phillips et al. (2013)	0	56 (9)	72	27 (6)
Pinto et al. (2009)	0	53 (9)	84	
Rabin et al. (2006)	0	56 (10)		
Vallance et al. (2010)	0	58 (--)	72	28 (6)

**Note.** Age = mean age of sample in years and (standard deviation); Gender = percent of sample reported as male; BMI = mean BMI of sample and (standard deviation); Marital Status = percent of sample married or cohabitating, -- indicates the characteristic was not reported in the study.

## **Supplementary Materials. References for Studies Included in the Meta-Analysis**

- Abraham, C., & Michie, S. (2008). A taxonomy of behavior change techniques used in interventions. *Health Psychol*, 27(3), 379-387. doi:10.1037/0278-6133.27.3.379
- Ajzen, I. (1991). The Theory of Planned Behavior. *Organizational Behavior and Human Decision Processes*, 50(2), 179-211. doi:[https://doi.org/10.1016/0749-5978\(91\)90020-T](https://doi.org/10.1016/0749-5978(91)90020-T)
- Ajzen, I. (2002). Perceived Behavioral Control, Self-Efficacy, Locus of Control, and the Theory of Planned Behavior. *Journal of Applied Social Psychology*, 32(4), 665-683.
- Albarracin, D., & Wyer, R. S., Jr. (2000). The cognitive impact of past behavior: influences on beliefs, attitudes, and future behavioral decisions. *J Pers Soc Psychol*, 79(1), 5-22.
- Balogh, E. P. (2018). Incorporating Weight Management and Physical Activity Throughout the Cancer Care Continuum: Proceedings of a Workshop. doi:10.17226/24925
- Bandura, A. (2004). Health promotion by social cognitive means. *Health Educ Behav*, 31(2), 143-164. doi:10.1177/1090198104263660
- Begg, C. B., & Mazumdar, M. (1994). Operating characteristics of a rank correlation test for publication bias. *Biometrics*, 50(4), 1088-1101.
- Bélanger-Gravel, A., Godin, G., & Amireault, S. (2013). A meta-analytic review of the effect of implementation intentions on physical activity. *Health Psychology Review*, 7(1), 23-54. doi:10.1080/17437199.2011.560095
- Blanchard, C. M., Courneya, K. S., & Stein, K. (2008). Cancer survivors' adherence to lifestyle behavior recommendations and associations with health-related quality of life: results from the American Cancer Society's SCS-II. *J Clin Oncol*, 26(13), 2198-2204. doi:10.1200/JCO.2007.14.6217

- Brunet, J., Burke, S. M., & Sabiston, C. M. (2013). The benefits of being self-determined in promoting physical activity and affective well-being among women recently treated for breast cancer. *Psychooncology*, 22(10), 2245-2252. doi:10.1002/pon.3287
- Cialdini, R. B., Kallgren, C. A., & Reno, R. R. (1991). A Focus Theory of Normative Conduct: A Theoretical Refinement and Reevaluation of the Role of Norms in Human Behavior. *Advances in Experimental Social Psychology*, 24, 201- 234.
- Cohen, J. (1992). A power primer. *Psychological Bulletin*, 112(1), 155-159. doi:10.1037/0033-2909.112.1.155
- Cormie, P., Zopf, E. M., Zhang, X., & Schmitz, K. H. (2017). The Impact of Exercise on Cancer Mortality, Recurrence, and Treatment-Related Adverse Effects. *Epidemiol Rev*, 39(1), 71-92. doi:10.1093/epirev/mxx007
- Courneya, K. S., Friedenreich, C. M., Sela, R. A., Quinney, H. A., Rhodes, R. E., & Jones, L. W. (2004). Exercise motivation and adherence in cancer survivors after participation in a randomized controlled trial: an attribution theory perspective. *Int J Behav Med*, 11(1), 8-17. doi:10.1207/s15327558ijbm1101\_2
- Denlinger, C. S., Carlson, R. W., Are, M., Baker, K. S., Davis, E., Edge, S. B., . . . Freedman-Cass, D. (2014). Survivorship: introduction and definition. Clinical practice guidelines in oncology. *J Natl Compr Canc Netw*, 12(1), 34-45.
- Gardner, B. (2015). A review and analysis of the use of 'habit' in understanding, predicting and influencing health-related behaviour. *Health Psychol Rev*, 9(3), 277-295. doi:10.1080/17437199.2013.876238

- Gollwitzer, P. M., & Sheeran, P. (2006). Implementation intentions and goal achievement: A meta-analysis of effects and processes. *Advances in Experimental Social Psychology*(38), 69-119. doi:[http://doi.org/10.1016/50065-2601\(06\)38002-1](http://doi.org/10.1016/50065-2601(06)38002-1)
- Hagger, M. S., Chatzisarantis, N. L. D., & Biddle, S. J. H. (2002). A meta-analytic review of the theories of reasoned action and planned behavior in physical activity: Predictive validity and the contribution of additional variables. *Journal of Sport & Exercise Psychology*, 24(1), 3-32. doi:DOI 10.1123/jsep.24.1.3
- Hagger, M. S., Polet, J., & Lintunen, T. (2018). The reasoned action approach applied to health behavior: Role of past behavior and tests of some key moderators using meta-analytic structural equation modeling. *Soc Sci Med*, 213, 85-94.  
doi:10.1016/j.socscimed.2018.07.038
- Harkin, B., Webb, T. L., Chang, B. P., Prestwich, A., Conner, M., Kellar, I., . . . Sheeran, P. (2016). Does monitoring goal progress promote goal attainment? A meta-analysis of the experimental evidence. *Psychol Bull*, 142(2), 198-229. doi:10.1037/bul0000025
- Higgins, J. P., Thompson, S. G., Deeks, J. J., & Altman, D. G. (2003). Measuring inconsistency in meta-analyses. *BMJ*, 327(7414), 557-560. doi:10.1136/bmj.327.7414.557
- Jak, S. (2015). *Meta-analytic structural equation modelling*. Dordrecht, Neth: Springer.
- Karvinen, K. H., Courneya, K. S., Plotnikoff, R. C., Spence, J. C., Venner, P. M., & North, S. (2009). A prospective study of the determinants of exercise in bladder cancer survivors using the Theory of Planned Behavior. *Support Care Cancer*, 17(2), 171-179.  
doi:10.1007/s00520-008-0471-8

- Loprinzi, P. D., & Lee, H. (2014). Rationale for promoting physical activity among cancer survivors: literature review and epidemiologic examination. *Oncol Nurs Forum*, 41(2), 117-125. doi:10.1188/14.ONF.117-125
- Mack, D. E., Meldrum, L. S., Wilson, P. M., & Sabiston, C. M. (2013). Physical activity and psychological health in breast cancer survivors: an application of basic psychological needs theory. *Appl Psychol Health Well Being*, 5(3), 369-388. doi:10.1111/aphw.12016
- Moher, D., Liberati, A., Tetzlaff, J., Altman, D. G., & Group, P. (2009). Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. *PLoS Med*, 6(7), e1000097. doi:10.1371/journal.pmed.1000097
- National Cancer Institute. (2018). Cancer Statistics. Retrieved from  
<https://www.cancer.gov/about-cancer/understanding/statistics>
- O'Neill, S. C., DeFrank, J. T., Vegella, P., Richman, A. R., Henry, L. R., Carey, L. A., & Brewer, N. T. (2013). Engaging in health behaviors to lower risk for breast cancer recurrence. *PLoS One*, 8(1), e53607. doi:10.1371/journal.pone.0053607
- Prochaska, J. O., & Velicer, W. F. (1997). The transtheoretical model of health behavior change. *Am J Health Promot*, 12(1), 38-48. doi:10.4278/0890-1171-12.1.38
- Rhodes, R., McEwan, D., & L. Rebar, A. (2018). *Theories of physical activity behaviour change: A history and synthesis of approaches*.
- Rhodes, R. E., Mark, R. S., & Temmel, C. P. (2012). Adult sedentary behavior: a systematic review. *Am J Prev Med*, 42(3), e3-28. doi:10.1016/j.amepre.2011.10.020
- Rich, A., Brandes, K., Mullan, B., & Hagger, M. S. (2015). Theory of planned behavior and adherence in chronic illness: a meta-analysis. *J Behav Med*, 38(4), 673-688. doi:10.1007/s10865-015-9644-3

- Rivis, A., & Sheeran, P. (2003). Descriptive Norms as an Additional Predictor in the Theory of Planned Behaviour: A Meta-Analysis. *Current Psychology*, 22(3), 218-233.
- Rock, C. L., Doyle, C., Demark-Wahnefried, W., Meyerhardt, J., Courneya, K. S., Schwartz, A. L., . . . Gansler, T. (2012). Nutrition and physical activity guidelines for cancer survivors. *CA Cancer J Clin*, 62(4), 243-274. doi:10.3322/caac.21142
- Ryan, R. M., & Deci, E. L. (2017). *Self-determination theory: Basic psychological needs in motivation, development, and wellness*. New York, NY, US: Guilford Press.
- Sallis, J. F., Grossman, R. M., Pinski, R. B., Patterson, T. L., & Nader, P. R. (1987). The development of scales to measure social support for diet and exercise behaviors. *Prev Med*, 16(6), 825-836.
- Sandberg, T., & Conner, M. (2007). *Anticipated regret as an additional predictor in the theory of planned behavior: A meta-analysis* (Vol. 47).
- Sheeran, P., Abraham, C., & Orbell, S. (1999). Psychosocial correlates of heterosexual condom use: A meta-analysis. *Psychological Bulletin*, 125(1), 90-132. doi:10.1037/0033-2909.125.1.90
- Sheeran, P., Klein, W. M., & Rothman, A. J. (2017). Health Behavior Change: Moving from Observation to Intervention. *Annu Rev Psychol*, 68, 573-600. doi:10.1146/annurev-psych-010416-044007
- Sheeran, P., Trafimow, D., & Armitage, C. J. (2003). Predicting behaviour from perceived behavioural control: tests of the accuracy assumption of the theory of planned behaviour. *Br J Soc Psychol*, 42(Pt 3), 393-410. doi:10.1348/014466603322438224
- Sheeran, P., & Webb, T. L. (2016). The Intention-Behavior Gap. *Social and Personality Psychology Compass*, 10(9), 503-518. doi:10.1111/spc3.12265

Tooth, L., Ware, R., Bain, C., Purdie, D. M., & Dobson, A. (2005). Quality of reporting of observational longitudinal research. *Am J Epidemiol*, 161(3), 280-288.  
doi:10.1093/aje/kwi042

Trafimow, D., & Sheeran, P. (1998). Some Tests of the Distinction between Cognitive and Affective Beliefs. *Journal of Experimental Social Psychology*, 34, 378-397.

Vallerand, J. R., Rhodes, R. E., Walker, G. J., & Courneya, K. S. (2016a). Explaining the Aerobic Exercise Intention-behavior Gap in Cancer Survivors. *Am J Health Behav*, 40(5), 675-684. doi:10.5993/AJHB.40.5.15

Vallerand, J. R., Rhodes, R. E., Walker, G. J., & Courneya, K. S. (2016b). Understanding strength exercise intentions and behavior in hematologic cancer survivors: an analysis of the intention-behavior gap. *J Cancer Surviv*, 10(6), 945-955. doi:10.1007/s11764-016-0540-9

van Leeuwen, M., Husson, O., Alberti, P., Arraras, J. I., Chinot, O. L., Costantini, A., . . . Eortc, Q. L. G. (2018). Understanding the quality of life (QOL) issues in survivors of cancer: towards the development of an EORTC QOL cancer survivorship questionnaire. *Health Qual Life Outcomes*, 16(1), 114. doi:10.1186/s12955-018-0920-0

Webb, T. L., & Sheeran, P. (2006). Does changing behavioral intentions engender behavior change? A meta-analysis of the experimental evidence. *Psychological Bulletin*, 132, 249-268.