

Article

Modulation of Entrapment Efficiency and *in Vitro* Release Properties of BSA-Loaded Chitosan Microparticles Cross-Linked with Citric Acid as a Potential Protein–Drug Delivery System

Natalia Sedyakina ¹, Andrey Kuskov ^{2,*}, Kelly Velonia ³, Nataliya Feldman ¹, Sergey Lutsenko ¹, and Grigory Avramenko ²

¹ Department of Biotechnology, I.M. Sechenov First Moscow State Medical University (Sechenov University), Moscow 119991, Russia; nsedyakina@mail.ru (N.S.); n_feldman@mail.ru (N.F.); svlutsenko57@mail.ru (S.L.)

² Department of Technology of Chemical Pharmaceutical and Cosmetic Substances, D. Mendeleev University of Chemical Technology of Russia, Moscow 125047, Russia; a_n_kuskov@mail.ru

³ Department of Materials Science and Technology, University of Crete, Heraklion 70013, Greece; velonia@materials.uoc.gr

* Correspondence: ankuskov@muctr.ru; Tel.: +7-499-972-4808

Received: 8 April 2020; Accepted: 21 April 2020; Published: 24 April 2020

Supplementary Materials:




Figure S1. X-ray diffractograms of the chitosan microparticles: MP5700 and MP5704 (a), MP5706 (b), MP5708, MP5008 and MP4008 (c).



© 2020 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).