

**Bioinformatic analysis reveals the importance of epithelial-mesenchymal
transition in the development of endometriosis**

Meihong Chen^{1,*}, Yilu Zhou^{2,3,*}, Hong Xu⁴, Charlotte Hill², Rob M. Ewing^{2,3},
Deming He¹, Xiaoling Zhang^{1,#}, Yihua Wang^{2,3,5,#}

¹Department of Gynecology, Jiangxi Maternal and Child Health Hospital, Nanchang, Jiangxi, China. ²Biological Sciences, Faculty of Environmental and Life Sciences, University of Southampton, Southampton, SO17 1BJ, UK. ³Institute for Life Sciences, University of Southampton, Southampton, SO17 1BJ, UK. ⁴Department of Medicine, Nanchang University, Nanchang, Jiangxi, China. ⁵NIHR Southampton Biomedical Research Centre, University Hospital Southampton, Southampton, SO16 6YD, UK.

*These authors contributed equally to this work.

#Correspondence should be addressed to X.Z. (e-mail: xlzzz777@126.com) or Y.W. (e-mail: yihua.wang@soton.ac.uk).

Supplementary Figure Legends

Supplementary Figure 1. Standardisation of gene expression in GSE7305 dataset.

Graphs showing the data before (left) and after (right) normalisation.


Supplementary Figure 2. Standardisation of gene expression in GSE11691 dataset.

Graphs showing the data before (left) and after (right) normalisation.


Supplementary Figure 3. Standardisation of gene expression in GSE12768 dataset.

Graphs showing the data before (left) and after (right) normalisation.

expression value




expression value




Supplementary Figure 1. Standardisation of gene expression in GSE7305 dataset.

expression value




expression value




Supplementary Figure 2. Standardisation of gene expression in GSE11691 dataset.

expression value



expression value



Supplementary Figure 3. Standardisation of gene expression in GSE12768 dataset.