

Supplementary Online Content

Gaither JR, Leventhal JM, Ryan SA, Camenga DR. National trends in hospitalizations for opioid poisonings among children and adolescents, 1997 to 2012. *JAMA Pediatr*. Published online October 31, 2016. doi:10.1001/jamapediatrics.2016.2154

eTable 1. Weighted National Estimates of Hospitalization Rates for Opioid Poisonings by Year

eTable 2. Weighted National Estimates of Hospitalization Rates for Opioid Poisonings Among Adolescents Aged 15 to 19 Years

This supplementary material has been provided by the authors to give readers additional information about their work.

eTable 1. Weighted National Estimates of Hospitalization Rates for Opioid Poisonings by Year

Characteristic	Incidence per 100 000 Population by Study Year					
	1997	2000	2003	2006	2009	2012
Age group, y ^a						
1-4	0.86	0.95	1.34	1.53	2.32	2.62
10-14	0.87	0.85	1.15	1.03	1.16	1.31
15-19	3.69	5.50	7.67	8.94	10.94	10.17

^aEstimates for the group aged 5 to 9 years do not meet the criteria for statistical reliability and are not shown.

eTable 2. Weighted National Estimates of Hospitalization Rates for Opioid Poisonings Among Adolescents Aged 15 to 19 Years

Attribution of Poisoning	Incidence per 100 000 Population by Study Year					
	1997	2000	2003	2006	2009	2012
Accidental	0.63	1.03	1.82	2.75	3.39	2.54
Suicide or self-inflicted	2.42	3.61	4.18	3.97	5.47	5.82
Heroin	0.96	1.32	1.18	1.66	1.73	2.51
Prescription opioids	3.69	5.50	7.67	8.94	10.94	10.17