

Supplemental Table 1: Relative Odds of Clavien Grade 3/4 Complication: Univariable and Multivariable Logistic Regression Models, Odds Ratios (95% CI)

	Univariable	P value	Overall P value	Multivariable	P value	Overall P value
SED (reference: Low SED)			0.416			0.657
Moderate SED	1.48 (0.70, 3.14)	0.306		1.13 (0.48, 2.72)	0.777	
High SED	0.86 (0.33, 2.11)	0.753		0.70 (0.23, 1.97)	0.511	
Age	1.00 (0.96, 1.03)	0.858		0.99 (0.94, 1.04)	0.620	
Male sex (reference: female)	0.48 (0.24, 0.93)	0.031		0.54 (0.25, 1.15)	0.111	
Race (reference: White)			0.109			0.109
Black	2.03 (0.44, 7.03)	0.300		2.76 (0.48, 12.64)	0.213	
Other / unknown	3.38 (0.87, 11.37)	0.057		3.49 (0.69, 16.02)	0.112	
Insurance (reference: private)			0.920			0.828
Government with private supplement	0.91 (0.42, 2.03)	0.822		0.80 (0.29, 2.24)	0.660	
Government	0.84 (0.35, 1.99)	0.683		0.71 (0.24, 2.14)	0.542	
Distance from Moffitt (miles)	1.00 (0.99, 1.01)	0.660		1.00 (0.99, 1.01)	0.699	
Charlson comorbidity index	1.14 (0.91, 1.42)	0.266		0.97 (0.68, 1.37)	0.872	
Diabetes mellitus (reference: no)	1.40 (0.68, 2.80)	0.348		1.12 (0.45, 2.68)	0.806	
BMI	1.00 (0.97, 1.02)	0.745		1.00 (0.97, 1.02)	0.967	
Preoperative biliary stent (reference: none)	2.25 (1.11, 4.87)	0.031		2.08 (0.80, 6.10)	0.154	
Neoadjuvant Therapy (reference: none)	0.84 (0.41, 1.68)	0.639		0.56 (0.21, 1.40)	0.226	
ASA class 3 (reference: ASA 2)	2.21 (1.09, 4.79)	0.030		3.52 (1.36, 10.05)	0.013	
Distal pancreatectomy +/- splenectomy (reference: Whipple/total pancreatectomy)	0.36 (0.11, 0.95)	0.064		0.78 (0.16, 3.59)	0.747	
Venous reconstruction (reference: none)	1.25 (0.44, 3.03)	0.649		0.94 (0.26, 3.03)	0.926	
Estimated blood loss	1.00 (1.00, 1.00)	0.035		1.00 (1.00, 1.00)	0.126	
Operative time	1.24 (1.08, 1.43)	0.002		1.18 (0.99, 1.42)	0.067	
Pathologic tumor stage (reference: CR/in situ)			0.876			0.949
T1	1.36 (0.20, 11.15)	0.752		0.69 (0.08, 7.67)	0.743	
T2	1.53 (0.40, 10.08)	0.587		1.10 (0.20, 9.67)	0.922	
T3	1.79 (0.46, 11.91)	0.459		0.97 (0.18, 8.64)	0.976	
Pathologic nodal stage (reference: N0)			0.767			0.871
N1	1.28 (0.62, 2.68)	0.506		1.14 (0.46, 2.85)	0.776	
N2	1.00 (0.36, 2.50)	0.993		0.86 (0.26, 2.67)	0.794	
R1 Margin status (reference: R0)	1.60 (0.56, 3.97)	0.339		1.27 (0.35, 4.08)	0.701	

Supplemental Figure 1. Representative image of the MCC standardized clinical pathway for PDAC

