Supplemental Digital Content 1: Worksheets for Intra- and Post-Operative Mastectomy Flap Evaluation

Intra-Operative Checklist for Evaluation of Mastectomy Flap Quality

- 1. Flap Visibly Mottled (1: Yes, 0: No)
- 2. Demis Visible on Flap Underside (1: Yes, 0: No)
- 3. Cap Refill Present (0: Yes, 1: No)
- 4. Cautery Utilized to Perform Mastectomy (1:Yes, 0: No)
- 5. Methylene Blue Infiltrated Into Flap (1:Yes, 0: No)
- 6. Bleeding from Flap Edges (0: Yes, 1: No)
- 7. "Pinch Test" Estimated Less Than 1 Centimeter (1:Yes, 0: No)
- 8. 0.5% Lidocaine 1:200,000 Epinephrine Solution Utilized (1:Yes, 0: No)


Total Score:

(Greater Scores Indicate Higher Likelihood of Mastectomy Flap Compromise)

Breast Measurements

- Sternal Notch to Nipple (cm) ______
 Nipple to Inframammary Fold (cm) ______
- 3. Breast Width (cm)
- 4. Distance from Middle of Incision to Mid-Clavicle (cm)
- 5. Distance from Middle of Incision to Inframammary Fold (cm)


Intra-Operative Diagram of Mastectomy Flap Quality



On the above diagram, please

- Mark mastectomy incision(s) and
 Shade areas with the mastectomy flap characteristics indicated from above checklist

Post-Operative Diagram of Mastectomy Flap Quality



On the above diagram, please

- Shade areas of mastectomy flap compromise and
 Indicate severity of each area of mastectomy flap compromise (epidermolysis, partialthickness mastectomy flap necrosis, full-thickness mastectomy flap necrosis, etc.)