

Mitochondrial DNA genomes revealed different patterns of high-altitude adaptation in high-altitude Tajiks compared with Tibetans and Sherpas

Yu Chen¹, Liang Gong¹, Xinyuan Liu¹, Xingshu Chen¹, Shenghong Yang^{2#}, Yongjun Luo^{1#}

(1 Department of Military Medical Geography, Army Health Service Training Base, Third Military Medical University(Army Medical University), Chongqing 40038, China; 2 Health Department of the 957th Hospital of PLA, Ali, Tibet, China 859000)

#Corresponding author:

Prof. Shenghong Yang, Health Department of the 957th Hospital of PLA, Ali, Tibet, 859000, China.

(E-mail: kevinsh0751@163.com)

Prof. Yongjun Luo, Army Health Service Training Base, Third Military Medical University(Army Medical University), Chongqing 400038, China.

(E-mail: luo.yongjun@qq.com)

Table S7 Accession number of mtDNA genome in Tibetan and Sherpa downloaded from
Genebank

| Population | Accession number |
|------------|---|
| Tibetan | FJ968772-FJ968775, GU014563-GU014569, FJ544230-FJ544241, FJ748704-FJ748705, FJ748716-FJ748718, FJ748726-FJ748756, FJ748758-FJ748759, HM030526, HM030529, HM030533-HM030534, HM030536-HM030538 |
| Sherpa | KF056243-KF056318 |