

Raw Data of Gel blots

Raw Data of figures below are shown in order. All blots were captured with high sensitivity mode of FUSION Solo S (Vilber Lourmat, Collégien, France) .

Fig 3A PANC-1, Fig 3A mPKC1, Fig 3A BxPC3

Fig 4A PANC-1, Fig 4B mPKC1

Fig 5A PANC-1, Fig 5A mPKC1

S2. Fig C PANC-1 mPKC1, S2. Fig C BxPC3

S4. Fig A PANC-1, S4. Fig A mPKC1

Fig 3A PANC-1






Fig 3A mPKC1


pSTAT3




STAT3




MYC




pERK




ERK




pAKT



AKT



ZEB1



B-actin




Fig 3A BxPC3




Fig 4A PANC-1





Fig 4B mPKC1


pSTAT3

low high
DMSO STATTC DMSO STATTC
1 2 3 1 2 3 1 2 3




STAT3

low high
DMSO STATTC DMSO STATTC
1 2 3 1 2 3 1 2 3




MYC

low high
DMSO STATTC DMSO STATTC
1 2 3 1 2 3 1 2 3



pERK

low high
DMSO STATTC DMSO STATTC
1 2 3 1 2 3 1 2 3



ERK

low high
DMSO STATTC DMSO STATTC
1 2 3 1 2 3 1 2 3



B-actin

low high
DMSO STATTC DMSO STATTC
1 2 3 1 2 3 1 2 3



Fig 5A PANC-1












Fig 5A mPKC1



S2. Fig C PANC-1 mPKC1



S2. Fig C BxPC3






S4. Fig A PANC-1

pSTAT3

pAKT




pERK




STAT3

AKT

ERK



B actin



S4. Fig A mPKC1

pSTAT3


low
DMSO MK2206
1 2 3 1 2 3



pAKT


low
DMSO MK2206
1 2 1 2 3

100 →
75 →
50 →



pERK

low
DMSO MK2206
1 2 3 1 2 3




STAT3

low
DMSO MK2206
1 2 3 1 2 3




AKT

low
DMSO MK2206
1 2 3 1 2 3



ERK

low
DMSO MK2206
1 2 3 1 2 3



B actin

low
DMSO MK2206
1 2 3 1 2 3

