

S3 Table. Descriptive values of functional measures at baseline. Mean (SD).

	Past psychotic disorder diagnosis		Baseline psychotic features	
	Present n=259	Absent n=164	Present n=223	Absent n=200
Social and Occupational Functioning Assessment Scale*	38.3 (9.9)	42.7 (11.1)	37.4 (9.7)	42.9 (10.8)
Role Functioning Scale total score†	11.5 (3.1)	12.6 (3.3)	11.2 (3.1)	12.8 (3.2)
Role Functioning Scale Work Productivity	1.7 (1.0)	2.0 (1.3)	1.7 (1.0)	2.0 (1.2)
Role Functioning Scale Independent Living / Self Care	3.2 (1.0)	3.5 (1.1)	3.2 (1.0)	3.6 (1.1)
Role Functioning Scale Immediate Social Network Relationships	3.5 (1.3)	3.8 (1.3)	3.3 (1.3)	4.0 (1.3)
Role Functioning Scale Extended Social Network Relationships	3.0 (0.9)	3.2 (0.9)	3.0 (0.9)	3.3 (0.9)

*The Social and Occupational Functioning Assessment Scale is rated 0-100 with higher scores representing better functioning.

†The Role Functioning Scale is comprised of four domains (work productivity, independent living, and immediate and extended social network relationships) each rated 1 to 7 with higher scores representing better function. Measures of function were assessed by a research assistant.