

Electronic Supplementary Material

Clinical Manifestation and Laboratory Characteristics of SARS-CoV-2 Infection in Pregnant Women

Chunchen Wu¹ • Wenzhong Yang² • Xiaoxue Wu¹ • Tianzhu Zhang¹ • Yaoyao Zhao¹ • Wei Ren³ • Jianbo Xia¹✉

1. Department of Laboratory Medicine, Maternal and Child Health Hospital of Hubei Province, Wuhan 430070, China;
2. Department of Radiology, Maternal and Child Health Hospital of Hubei Province, Wuhan 430070, China;
3. Department of Obstetrics, Maternal and Child Health Hospital of Hubei Province, Wuhan 430070, China

Supporting information to DOI: 10.1007/s12250-020-00227-0

Table S1. Laboratory characteristics of pregnant women

Patient No.	SARS-CoV-2 infection									General						
	1	2	3	4	5	6	7	8	Mean	1	2	3	4	5	Mean	
Ages	28	31	30	30	30	26	29	35	30	33	33	25	29	30	30	
CRP (mg/L)	Pre-	1.93	0.93	8.37	3.12	4.54	8.37	7.50	0.50	4.41	3.00	3.92	3.98	6.94	5.67	4.70
	Post-	245.44	89.47	73.18	49.06	23.25	44.28	18.46	92.87	79.50	30.07	34.86	41.01	46.31	61.45	42.74
CK (U/L)	Pre-	54.62	32.00	40.19	93.18	43.58	35.00	45.01	NA	49.08	43.38	47.24	80.66	26.25	137.29	66.96
	Post-	28.00	NA	105.00	NA	298.00	118.18	21.00	102.73	112.15	NA	NA	NA	NA	NA	NA
CK-MB (U/L)	Pre-	13.86	13.5	19.66	11.48	14.15	14.30	7.27	NA	13.46	9.94	10.91	16.02	12.10	16.37	13.07
	Post-	10.04	NA	28.00	NA	97.00	53.58	9.40	125.41	53.905	NA	NA	NA	NA	NA	NA
D-dimer(mg/mL)	Pre-	1.94	0.93	0.22	6.48	2.00	2.16	0.99	1.05	1.97	1.33	1.46	1.37	2.38	1.92	1.69
	Post-	1.47	2.32	0.21	4.72	10.36	6.17	0.54	13.20	4.87	1.92	1.22	1.97	0.76	3.29	1.83

Note: Eight pregnant cases, including six laboratory-confirmed severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) infection and two highly suspected SARS-CoV-2 infections, and five pregnant cases excluding SARS-CoV-2 infection are analyzed.

Abbreviations: NA, not available; CRP, C-reactive protein; CK, creatine kinase; CK-MB, creatine kinase-MB; pre -, pre-partum; post -, postpartum.