

Projection onto PC1 and PC2 0.4 -0.2 -DPB PEN 0.0 -Selected: PC1,3 -0.2 **-**0.1 0.2 0.0 0.3 -0.1PC<sub>1</sub>


Projection onto PC3 and PC4 0.4 -0.2 -DPB PEN Selected: PC1,3 -0.2 **-**-0.2 0.0 0.2 -0.4 PC3


## Projection onto PC1 and PC2 0.2 -0.0 -PIP ROS -0.2 **-**Selected: PC1,2,3,4 -0.4 **-**0.0 0.2 0.4 PC<sub>1</sub>




## Projection onto PC5 and PC6 0.50 -0.25 -PC6 PIP 0.00 -ROS Selected: PC1,2,3,4 -0.25 **-**0.00 0.50 0.25 PC5










Projection onto PC3 and PC4 0.4 -0.2 -CHN QDC 0.0 -Selected: PC1,2,3,4 -0.2 **-**-0.2 0.0 0.2 -0.4PC3



Projection onto PC1 and PC2 0.6 -0.4 -0.2 -CHN **RSC** Selected: 0.0 -PC1 -0.2 **-**-0.2 0.0 -0.4PC<sub>1</sub>

Projection onto PC3 and PC4 0.25 -0.00 -CHN **RSC** Selected: PC1 -0.25 **-**-0.50 **-**0.00 0.25 0.50 -0.25PC3

Projection onto PC1 and PC2 0.4 -0.2 -PEN **PENF** Selected: 0.0 none -0.2 **-**0.00 0.25 0.50

PC<sub>1</sub>

Projection onto PC1 and PC2 0.25 -0.00 -FRA **FRAF** Selected: none -0.25 **-**-0.50 **-**0.0 0.4 -0.2 0.2 PC<sub>1</sub>

