

Note to readers with disabilities: *EHP* strives to ensure that all journal content is accessible to all readers. However, some figures and Supplemental Material published in *EHP* articles may not conform to [508 standards](#) due to the complexity of the information being presented. If you need assistance accessing journal content, please contact ehp508@niehs.nih.gov. Our staff will work with you to assess and meet your accessibility needs within 3 working days.

Supplemental Material

Cytotoxicity Burst? Differentiating Specific from Nonspecific Effects in Tox21 *in Vitro* Reporter Gene Assays

Beate I. Escher, Luise Henneberger, Maria König, Rita Schlichting, and Fabian C. Fischer

Table of Contents

Text S1. MATLAB code 1: Processing and sorting of Tox21 concentration-response browser data.

Text S2. MATLAB code 2: Calculation of IC₁₀ and EC₁₀ from the Tox21 concentration-response data.

Table S1. Additional information on test chemicals.

Table S2. Analysis of the specific effects of the baseline toxicants in AREc32.

Table S3. Analysis of the specific effects of the baseline toxicants in ARE-BLA.

Table S4. Analysis of the specific effects of the baseline toxicants in AhR-CALUX.

Table S5. Analysis of the specific effects of the baseline toxicants in PPAR γ -BLA.

Table S6. Analysis of the specific effects of the baseline toxicants in AR-BLA.

Table S7. Analysis of the specific effects of the baseline toxicants in ER α -BLA.

Table S8. Analysis of the specific effects of the baseline toxicants in PR-BLA.

Table S9. Analysis of the specific effects of the baseline toxicants in GR-BLA.

Table S10. Analysis of the specific effects of the environmental chemicals in AREc32.

Table S11. Analysis of the specific effects of the environmental chemicals in ARE-BLA.

Table S12. Analysis of the specific effects of the environmental chemicals in AhR-CALUX.

Table S13. Analysis of the specific effects of the environmental chemicals in PPAR γ -BLA.

Table S14. Analysis of the specific effects of the environmental chemicals in AR-BLA.

Table S15. Analysis of the specific effects of the environmental chemicals in ER α -BLA.

Table S16. Analysis of the specific effects of the environmental chemicals in PR-BLA.

Table S17. Analysis of the specific effects of the environmental chemicals in GR-BLA.

Table S18. Analysis given in Table 2 split into the two subsets of neutral ($f_{\text{neutral}} > 98\%$) and (partially) charged ($f_{\text{neutral}} < 98\%$) chemicals.

Figure S1. Concentration-cytotoxicity and concentration-effect relationships of the confirmed baseline toxicants in AREc32.

Figure S2. Concentration-cytotoxicity and concentration-effect relationships of the confirmed baseline toxicants in ARE-BLA.

Figure S3. Concentration-cytotoxicity and concentration-effect relationships of the confirmed baseline toxicants in AhR-CALUX.

Figure S4. Concentration-cytotoxicity and concentration-effect relationships of the confirmed baseline toxicants in PPAR γ -BLA.

Figure S5. Concentration-cytotoxicity and concentration-effect relationships of the confirmed baseline toxicants in AR-BLA.

Figure S6. Concentration-cytotoxicity and concentration-effect relationships of the confirmed baseline toxicants in ER α -BLA.

Figure S7. Concentration-cytotoxicity and concentration-effect relationships of the confirmed baseline toxicants in PR-BLA.

Figure S8. Concentration-cytotoxicity and concentration-effect relationships of the confirmed baseline toxicants in GR-BLA.

Figure S9. Concentration-cytotoxicity and concentration-effect relationships of the environmental chemicals in AREc32.

Figure S10. Concentration-cytotoxicity and concentration-effect relationships of the environmental chemicals in ARE-BLA.

Figure S11. Concentration-cytotoxicity and concentration-effect relationships of the environmental chemicals in AhR-CALUX.

Figure S12. Concentration-cytotoxicity and concentration-effect relationships of the environmental chemicals in PPAR γ -BLA.

Figure S13. Concentration-cytotoxicity and concentration-effect relationships of the environmental chemicals in AR-BLA.

Figure S14. Concentration-cytotoxicity and concentration-effect relationships of the environmental chemicals in ER α -BLA.

Figure S15. Concentration-cytotoxicity and concentration-effect relationships of the environmental chemicals in PR-BLA.

Figure S16. Concentration-cytotoxicity and concentration-effect relationships of the environmental chemicals in GR-BLA.

Figure S17. Cytotoxicity of the additional seven chemicals in relation to the Quantitative Structure Activity Relationships (QSAR) for baseline toxicity for all cell lines.

Figure S18. Workflow for the analysis of the Tox21 data.

Figure S19. Cytotoxicity of the seven environmental chemicals (Bisphenol A, Quinoxifen, Fluoranthene, Genistein, Coumarin, 8-Gingerol, Zingerone) in relation to the QSARs for baseline toxicity for all cell lines.

Figure S20. Comparison of the toxic ratio (TR) analysis of the entire dataset (legend “all”, data from Figure 4A) in comparison to the two subsets of neutral ($f_{\text{neutral}} > 98\%$) and (partially) charged ($f_{\text{neutral}} < 98\%$) chemicals.

Figure S21. Comparison EC₁₀ derived from the results of the individual Tox21 laboratories (black dots) compared to the joint data evaluation of all data (red diamonds) of a given chemical in this study. Selected examples are depicted for ER α -BLA. They demonstrate that the joint evaluation is reasonable.

Figure S22. Comparison between the IC₁₀/EC₁₀ values measured in the present study and the corresponding chemicals/assays in Tox21.

Figure S23. Ratio between the IC₁₀ and EC₁₀ values measured in the present study and the corresponding chemicals/assays in Tox21.

References

Additional File- Excel Document