## **Supplementary Online Content**

Saunders NR, Gandhi S, Chen S, et al. Health care use and costs of children, adolescents, and young adults with somatic symptom and related disorders. *JAMA Netw Open.* 2020;3(7):e2011295. doi:10.1001/jamanetworkopen.2020.11295

eTable 1. Data Sources

**eTable 2.** International Classification of Diseases Ninth and Tenth Revision-Canada Edition Codes Used for Case Finding of a Health Administrative Record of Somatic Symptom and Related Disorders<sup>a</sup>

eTable 3. Primary Discharge Diagnoses<sup>a</sup> at Index Visit

**eTable 4.** Health System Costs in the Year Before and the Year After Initial Health Record Diagnosis of Somatic Symptom and Related Disorders by Location of Initial Diagnosis, All Ages

This supplementary material has been provided by the authors to give readers additional information about their work.

eTable 1. Data Sources				
Data source	Description	Measures		
Registered Persons Database (RPDB)	Provides basic demographic information about anyone who has ever received an Ontario health card number.	Age Sex OHIP eligibility Income quintile Rurality		
Immigration, Refugees and Citizenship Canada (IRCC)'s Permanent Resident Database	Includes immigration application records for people who initially applied to land in Ontario, since 1985. Contains permanent residents' demographic information such as country of citizenship, level of education, mother tongue, and landing date.	Immigrant category		
Ontario Health Insurance Plan (OHIP)	Contains claims data paid by OHIP for services provided by all eligible health care providers including, physicians, groups, and laboratories	Ambulatory (outpatient) visits Physician specialty Physician claims OHIP diagnosis code Healthcare costs		
Discharge Abstract Database (DAD)	This database contains information about patient separations, such as clinical data (diagnoses, procedures) and resource consumption, defined using case mixed group and resource intensity weight	Acute hospitalization admissions Discharge diagnosis Healthcare costs		
National Ambulatory Care Reporting System (NACRS)	Captures data on hospital and community based ambulatory care, notably, day surgery, outpatient clinics, and emergency departments.	Emergency department visits Discharge diagnosis Healthcare costs		
Ontario Mental Health Reporting System (OMHRS)	Collects data on patients in adult designated inpatient mental health beds in acute and psychiatric care facilities. Capture admission and discharge dates, diagnostic information, and service use.	Inpatient psychiatric admissions Discharge diagnosis Healthcare costs		
Client Agency Program Enrolment (CAPE)	Dataset indicates the enrolment of patients in a primary care model, enrolment status, and program type.	Primary care program enrolment Usual provider of primary care assignment Healthcare costs		
Corporate Provider Database (CPDB)	Contains information about all physician and other providers (such as chiropractors, physiotherapists, and optometrist). Data elements include demographic characteristics, eligibility, specialty, and practice location.	Usual provider of primary care specialty		
Ontario Drug Benefit (ODB)	Contains claims for prescription drugs covered the Ontario Drug Benefit Program.	Healthcare costs		
National Rehabilitation Reporting System (NRS)	Contains information from inpatient rehabilitation facilities, including referral, admission and discharge records; and health and functional characteristics	Healthcare costs		
Continuing Care Reporting System (CCRS)	Contains information on residents receiving facility-based continuing care services, including hospital-based continuing care, and residential care (long-term care).	Healthcare costs		
Home care database (HCD)	Includes data on services provided through the Ontario Community Care Access Centres, including assessment and intake data, services, admission and discharge records.	Healthcare costs		
Assisted Devices Program (ADP)	Contains data on Ontario residents who have long-term physical disabilities, and receive personalized assistive devices such as insulin pumps and supplies, and other equipment.	Healthcare costs		

eTable 2. International Classification of Diseases Ninth and Tenth Revision-Canada Edition Codes Used for Case Finding of a Health Administrative

DIAGNOSIS	ICD- 10-CA	ICD9	ICD-9 and 10 DESCRIPTIONs	DSM-IV DESCRIPTION		
Somatization disorder	F45	300.81	Somatization disorder	Somatization disorder		
		300.82		Somatoform disorder - undifferentiated and NOS		
		300.7	Hypochondriasis			
		306.4	Psychogenic gastrointestinal disease			
		307.89	Psychogenic pain NEC	Pain disorder associated with both psychological factors and a general medical condition		
		306.8	Psychogenic disorder NEC			
		306.9	Psychogenic disorder NOS			
Conversion disorder	F44	300.12	Psychogenic amnesia	Dissociative amnesia		
		300.13	Psychogenic fugue	Dissociative fugue		
		300.10	Hysteria NOS			
		300.11	Conversion disorder	Conversion disorder		
		300.14	Multiple personality	Dissociative identity disorder		
		300.15	Dissociative react NOS	Dissociative disorder NOS		
Psychological and behavioural factors associated with disorders or diseases classified elsewhere	F54	316	Psychic factors associated with diseases classified elsewhere			
Unspecified behavioural syndromes associated with physiological disturbances and physical factors	F59	306.9	Psychogenic disorder NOS			
Factitious disorder	F68	300.16	Factitious ill w symptom	Factitious disorder with predominantly psychological signs and symptoms		
		301.51	Chronic factitious illness with physical symptoms			
Irritable bowel syndrome	K58	564.1	Irritable colon			
Fibromyalgia	M79.7	729.1	Myalgia and myositis NOS			
Chronic intractable pain	R52.1	780.9	General symptoms NEC			
Other chronic pain	R52.2	780.9	General symptoms NEC			
Pain, unspecified	R52.9	780.9	General symptoms NEC			
Chronic fatigue syndrome	F48.0	300.5	Neurasthenia			
	R53	780.79				

NOS, Not otherwise specified; NEC, not elsewhere classifiable.

<sup>&</sup>lt;sup>a</sup> Outpatient billings use only ICD9 codes (first three digits), hospitalization and emergency departments use ICD-10-CA codes in any position (primary diagnosis or any diagnosis contributing to length of stay).

eTable 3. Primary Discharge Diagnoses<sup>a</sup> at Index Visit

Primary discharge diagnoses at index visit.				
Index visit in emergency departmen	nt	Index diagnosis during hospitalization		
All Ages				
Somatization as primary diagnosis	7,671 (57.6)	Somatization as primary diagnosis	777 (37.6) 1,292 (62.4)	
Primary diagnoses that were not SSRD	5,639 (42.4)	Primary diagnoses that were not SSRD		
Other and unspecified abdominal pain, R104	1,525 (27.0)	Other and unspecified abdominal pain, R104	67 (5.2)	
Gastroenteritis and colitis of unspecified origin, A099	231 (4.1)	Severe depressive episode without psychotic symptoms F322	36 (2.8)	
Constipation, K590	211 (3.7)	Adjustment disorders, F432	21 (1.6)	
Low back pain, M545	188 (3.3)	Constipation, K590	18 (1.4)	
Anxiety disorder, unspecified, F419	176 (3.1)	Depressive episode, unspecified, F329	17 (1.3)	
Other	3,308 (58.7)	Other	1,133 (87.7)	
4 to 12 years				
Somatization as primary diagnosis	947 (58.9)	Somatization as primary diagnosis	151 (48.9)	
Primary diagnoses that were not SSRD	661 (41.1)	Primary diagnoses that were not SSRD	158 (51.1)	
Other and unspecified abdominal pain, R104	229 (34.6)	Other and unspecified abdominal pain, R104	12 (7.6)	
Constipation, K590	50 (7.6)	Constipation, K590	7 (4.4)	
Gastroenteritis and colitis of unspecified origin, A099	22 (3.3)	Other and unspecified convulsions, R5688	6 (3.8)	
Anxiety disorder, unspecified, F419	21 (3.2)	*Collapsed due to small cell sizes	n/a	
Headache, R51	18 (2.7)	*Collapsed due to small cell sizes	n/a	
Other	321 (48.6)	Other	133 (84.2)	
Age 13 to 17 years				
Somatization as primary diagnosis	1803 (57.4)	Somatization as primary diagnosis	286 (38.4)	
Primary diagnoses that were not SSRD	1,339 (42.6)	Primary diagnoses that were not SSRD	458 (61.6)	
Other and unspecified abdominal pain, R104	409 (30.5)	Severe depressive episode without psychotic symptoms, F322	32 (7.0)	
Anxiety disorder, unspecified, F419	49 (3.7)	Adjustment disorders, F432	19 (4.1)	
Constipation, K590	47 (3.5)	Other and unspecified abdominal pain, R104	19 (4.1)	
Gastroenteritis and colitis of unspecified origin, A099	40 (3.0)	Depressive episode, unspecified, F329	14 (3.1)	
Headache, R51	26 (1.9)	Headache, R51	11 (2.4)	
Other	768 (57.4)	Other	363 (79.3)	
Age 18 to 24 years				
Somatization as primary diagnosis	4,921 (57.5)	Somatization as primary diagnosis	340 (33.5)	
Primary diagnoses that were not SSRD	3,639 (42.5)	Primary diagnoses that were not SSRD	458 (66.5)	
Other and unspecified abdominal pain, R104	887 (24.4)	Other and unspecified abdominal pain, R104	36 (5.3)	
Gastroenteritis and colitis of unspecified origin, A099	169 (4.6)	Psychotic disorder NOS, 2989	11 (1.6)	
Low back pain, M545	162 (4.5)	Epilepsy, unspecified, not stated as intractable, G4090	10 (1.5)	
Constipation, K590	114 (3.1)	Mood Disorder, F39	10 (1.5)	
Anxiety disorder, unspecified, F419	106 (2.9)	Gastroenteritis and colitis of unspecified origin, A099	9 (1.3)	
Other 2,201 (60.5)		Other	600 (88.8)	

eTable 4. Health system costs in year prior to and year following initial health record diagnosis of somatic symptom and related disorders by location of initial diagnosis, All ages.

All Ages										
	Diagnostic setting									
	First diagnosis of somatization in an outpatient setting			First diagnosis of somatization in an emergency department			First diagnosis of somatization during a hospitalization			
	N	I = 17 893		N = 13 310			N = 2069			
Health System Costs	One year prior to diagnosis	One year following diagnosis	p	One year prior to diagnosis	One year following diagnosis	p	One year prior to diagnosis	One year following diagnosis	p	
OVERALL HEA	LTH SYSTEM COSTS (	CANADIAN DOLLARS	5)							
Mean ± SD	2,367.82 ± 10,664.70	2,881.79 ± 28,243.13	0.01	4,325.58 ± 15,618.16	5,236.34 ± 14,565.59	< 0.00	31,988.77 ± 72,979.52	19,434.98 ± 43,142.99	< 0.001	
Median (IQR)	573.43 (269.33-1,434.97)	560.82 (234.65-1,518.40)		1,550.22 (799.81-3,451.59)	1,719.79 (636.55-4,455.38)		14,094.56 (9,009.61-26,654.52)	4,960.31 (1,658.48-16,373.68)		
HEALTH SYST	EM COSTS BY SECTO	R (CANADIAN DOLLA	RS)	· · · · · · · · · · · · · · · · · · ·	,		,			
Hospitalizations										
Mean ± SD	528.43 ± 4,948.25	830.91 ± 25,695.33	0.10	1,010.38 ± 10,356.85	1,273.74 ± 7,496.81	0.01	17,509.97 ± 58,896.48	7,499.04 ± 25,457.08	< 0.001	
Median (IQR)	-	-		-	-		7,219.62 (3,616.14-13,337.14)	0.00 (0.00-4,818.69)		
Emergency depa	rtment visits									
Mean ± SD	$181.02 \pm 552.16$	$168.18 \pm 599.84$	0.001	900.77 ± 1,319.99	$685.92 \pm 1,605.42$	< 0.00	1,603.74 ± 1,864.79	$1,030.13 \pm 2,026.63$	< 0.001	
Median (IQR)	0.00 (0.00-174.20)	0.00 (0.00-162.57)		553.11 (298.97-1,046.45)	254.04 (0.00-778.71)		1,171.82 (635.91-1,998.46)	411.81 (0.00-1,263.71)		
Physician billing	S									
Mean ± SD	$786.67 \pm 1,556.25$	$838.84 \pm 2{,}200.22$	0.001	$1,173.11 \pm 2,086.37$	$1,457.59 \pm 2,788.08$	< 0.00	$4,867.65 \pm 6,687.54$	$3,642.72 \pm 8,405.73$	< 0.001	
Median (IQR)	355.97 (186.25-758.62)	342.92 (159.26-788.62)		613.49 (297.92-1,301.67)	772.98 (334.09-1,644.67)		3,063.04 (1,765.80-5,381.66)	1,711.18 (725.47-3,798.28)		
Mental health ho	spitalizations									
Mean ± SD	$248.41 \pm 4,909.17$	$412.52 \pm 7{,}195.81$	< 0.00	$279.08 \pm 3,854.67$	$488.86 \pm 5{,}318.77$	< 0.00	3,810.01 ± 20,991.49	$2,146.85 \pm 15,358.38$	< 0.001	
Median (IQR)	-	-		-	-		-	-		
All other sectors										
Mean ± SD	$623.29 \pm 4{,}533.96$	$631.34 \pm 2{,}560.12$	0.80	962.23 ± 4,744.59	$1,330.23 \pm 4,990.01$	< 0.00	4,197.41 ± 14,672.20	5,116.25 ± 17,458.49	< 0.001	
Median (IQR)	100.92 (20.81-377.91)	88.46 (0.00-398.85)		147.03 (27.11-757.02)	360.35 (47.54-1,342.88)		1,177.86 (405.89-3,168.65)	1,345.27 (365.65-3,746.23)		