



Supplemental Figure 1. Week prevalence of low back pain among health professionals in Saudi Arabia




Abbreviations: CI, confidence interval; PT, physical therapists; EMS, emergency medical service.

Supplemental Figure 2. Year prevalence of low back pain among health professionals in Saudi Arabia




Abbreviations: CI, confidence interval; PT, physical therapists; EMS, emergency medical service.

Supplemental Figure 3. Career prevalence of low back pain among health professionals in Saudi Arabia




Abbreviations: CI, confidence interval; PT, physical therapists; AT, anesthesia technicians; ORT, operation room technicians.

Supplemental Figure 4. Week prevalence of low back pain among physicians in Saudi Arabia




Abbreviations: CI, confidence interval.

Supplemental Figure 5. Year prevalence of low back pain among physicians in Saudi Arabia




Abbreviations: CI, confidence interval.

Supplemental Figure 6. Lifetime prevalence of low back pain among physicians in Saudi Arabia




Abbreviations: CI, confidence interval.

Supplemental Figure 7. Year prevalence of low back pain among dentists in Saudi Arabia




Abbreviations: CI, confidence interval.

Supplemental Figure 8. Week prevalence of low back pain among nurses in Saudi Arabia



Abbreviations: CI, confidence interval.

Supplemental Figure 9. Year prevalence of low back pain among nurses in Saudi Arabia



Abbreviations: CI, confidence interval.