

Tales of 1,008 Small Molecules: Phenomic Profiling through Live-cell Imaging in a Panel of Reporter Cell Lines

Michael J. Cox^{#,1}, Steffen Jaensch^{#,1,*}, Jelle Van de Waeter¹, Laure Cougnaud², Daan Seynaeve², Soulayman Benalla¹, Seong Joo Koo¹, Ilse Van Den Wyngaert¹, Jean-Marc Neefs¹, Dmitry Malkov³, Mart Bittremieux¹, Margino Steemans¹, Pieter J. Peeters¹, Jörg Kurt Wegner¹, Hugo Ceulemans¹, Emmanuel Gustin¹, Yolanda T. Chong^{1,4}, and Hinrich W.H. Göhlmann¹

[#] Co-first authors

¹ Janssen Pharmaceutica N.V., Beerse, Belgium

² Open Analytics N.V., Antwerpen, Belgium

³ MilliporeSigma, Saint Louis, MO, USA


⁴ Present address: Recursion, Salt Lake City, UT, USA

* Corresponding author: Steffen Jaensch, Janssen Pharmaceutica N.V., Turnhoutseweg 30, 2340 Beerse, Belgium, SJAENSCH@its.jnj.com


Supplementary Figure S6

t-SNE maps for each of the 15 cell lines, analogously to Fig. 3 in the main manuscript. This figure was created in R version 3.6.1 (<https://www.R-project.org/>) using the ggplot2 package version 3.2.1 (<https://ggplot2.tidyverse.org/>).


A549-ACTB-RAB5A




A549-CANX-COX411




A549-GM130-SQSTM1




A549-TP53BP1-CLTA




A549-TUBA1B-RELA




HepG2-ACTB-RAB5A




HepG2-CANX-COX4I1




HepG2-GM130-SQSTM1




HepG2-TP53BP1-CLTA




HepG2-TUBA1B-RELA




WPMY1-ACTB-RAB5A




WPMY1-CANX-COX4I1



WPMY1-GM130-SQSTM1



WPMY1-TP53BP1-CLTA



WPMY1-TUBA1B-RELA

