

		Spain	The Netherlands	Taiwan	Total
Primary diagnoses					
Heart Failure n (%)	Do CHANGE (intervention condition)	7 (18.4)	9 (23.7)	4 (9.1)	20 (16.7)
	Care-as-usual (control condition)	9 (24.3)	8 (21.6)	2 (4.5)	19 (16.1)
	Total	16 (21.3)	17 (22.7)	6 (6.8)	39 (16.4)
Hypertension n (%)	Do CHANGE (intervention condition)	24 (63.2)	11 (28.9)	27 (61.4)	62 (51.7)
	Care-as-usual (control condition)	22 (59.5)	10 (27.0)	31 (70.5)	63 (53.4)
	Total	46 (61.3)	21 (28.0)	58 (65.9)	125 (52.5)
Cardiovascular Artery Disease n (%)	Do CHANGE (intervention condition)	7 (18.4)	18 (47.4)	13 (29.5)	38 (31.7)
	Care-as-usual (control condition)	6 (16.2)	19 (51.4)	11 (25.0)	36 (30.5)
	Total	13 (17.3)	37 (49.3)	24 (27.3)	74 (31.1)
Other clinical characteristics					
Diabetes Mellitus n (%)	Do CHANGE (intervention condition)	9 (23.7)	9 (23.7)	4 (9.1)	22 (18.3)
	Care-as-usual (control condition)	6 (16.2)	9 (24.3)	1 (2.3)	16 (13.6)
	Total	15 (20.0)	18 (24.0)	5 (5.7)	38 (16.0)
SBP (mmHg) mean (SD)	Do CHANGE (intervention condition)	133.24 (18.92)	143.50 (27.44)	128.68 (18.68)	134.88 (22.57)
	Care-as-usual (control condition)	135.78 (13.92)	143.81 (22.13)	133.27 (12.84)	137.36 (17.06)
	Total	134.49 (16.58)	143.65 (24.80)	131.07 (16.09)	136.11 (20.03)
DBP (mmHg) mean (SD)	Do CHANGE (intervention condition)	77.87 (11.35)	83.63 (15.58)	76.82 (13.76)	79.31 (13.89)
	Care-as-usual (control condition)	77.78 (9.67)	81.14 (12.23)	82.57 (9.61)	80.62 (10.62)
	Total	77.83 (10.49)	82.40 (13.00)	79.69 (12.15)	79.96 (12.37)

Heart Rate (rest; beats/min) <i>mean (SD)</i>	Do CHANGE (intervention condition)	72.03 (10.17)	68.34 (14.33)	68.48 (12.65)	69.56 (12.52)
	Care-as-usual (control condition)	71.08 (10.05)	67.14 (12.71)	71.77 (11.00)	70.10 (11.38)
	Total	71.56 (10.05)	67.75 (13.48)	70.13 (11.90)	69.83 (11.94)
CCI score <i>mean (SD)</i>	Do CHANGE (intervention condition)	0.79 (0.88)	1.32 (0.99)	0.66 (1.10)	0.91 (1.03)
	Care-as-usual (control condition)	1.03 (0.99)	1.41 (0.83)	0.32 (0.52)	0.88 (0.91)
	Total	0.91 (0.93))	1.36 (0.91)	0.49 (0.87)	0.89 (0.97)
BMI (kg/m ²) <i>mean (SD)</i>	Do CHANGE (intervention condition)	29.0 (5.4)	29.3 (4.3)	25.4 (4.2)	27.8 (5.0)
	Care-as-usual (control condition)	29.4 (6.0)	29.1 (5.0)	26.1 (2.7)	28.1 (4.9)
	Total	29.2 (5.7)	29.2 (4.6)	25.8 (3.6)	27.9 (4.9)
Medication <i>n (%)</i>					
Antiplatelet	Do CHANGE (intervention condition)	11 (28.9)	34 (89.5)	15 (34.1)	60 (50.0)
	Care-as-usual (control condition)	17 (45.9)	25 (67.6)	11 (25.0)	53 (44.9)
	Total	28 (37.3)	59 (78.7)	26 (29.5)	113 (47.5)
Statins	Do CHANGE (intervention condition)	19 (50.0)	28 (73.7)	28 (63.6)	75 (62.5)
	Care-as-usual (control condition)	22 (59.5)	24 (64.9)	21 (47.7)	67 (56.8)
	Total	41 (54.7)	52 (69.3)	49 (55.7)	142 (59.7)
Beta-blockers	Do CHANGE (intervention condition)	15 (39.5)	28 (73.7)	23 (52.3)	66 (55.0)
	Care-as-usual (control condition)	18 (48.6)	23 (62.2)	14 (31.8)	55 (46.6)
	Total	33 (44.0)	51 (68.0)	37 (42.0)	121 (50.8)
ACE-inhibitors	Do CHANGE (intervention condition)	14 (36.8)	19 (50.0)	11 (25.0)	44 (36.7)
	Care-as-usual (control condition)	8 (21.6)	13 (35.1)	19 (43.2)	40 (33.9)
	Total	22 (29.3)	32 (42.7)	30 (34.1)	84 (35.3)

ARB	Do CHANGE (intervention condition)	12 (31.3)	11 (28.9)	12 (27.3)	35 (29.2)
	Care-as-usual (control condition)	17 (45.9)	10 (27.0)	12 (27.3)	39 (33.1)
	Total	29 (38.7)	21 (28.0)	24 (27.3)	74 (31.1)
Calcium antagonist	Do CHANGE (intervention condition)	6 (15.8)	9 (23.7)	15 (34.1)	30 (25.0)
	Care-as-usual (control condition)	11 (29.7)	8 (21.6)	15 (34.1)	34 (28.8)
	Total	17 (22.7)	17 (22.7)	30 (34.1)	64 (26.9)
Psychotropic medication	Do CHANGE (intervention condition)	8 (21.1)	4 (10.5)	7 (15.9)	19 (15.8)
	Care-as-usual (control condition)	17 (45.9)	6 (16.2)	7 (15.9)	30 (25.4)
	Total	25 (33.3)	10 (13.3)	14 (15.0)	49 (20.6)
Psychological symptoms					
PHQ-9 mean (SD)	Do CHANGE (intervention condition)	3.9 (3.0)	3.8 (4.3)	5.6 (5.1)	4.5 (4.3)
	Care-as-usual (control condition)	4.4 (3.2)	4.0 (3.7)	2.9 (2.6)	3.7 (3.2)
	Total	4.2 (3.1)	3.9 (4.0)	4.3 (4.3)	4.1 (3.8)
GAD-7 mean (SD)	Do CHANGE (intervention condition)	4.3 (3.3)	2.8 (3.5)	3.7 (4.0)	3.6 (3.6)
	Care-as-usual (control condition)	4.3 (2.8)	3.1 (4.0)	3.6 (4.1)	6.7 (3.7)
	Total	4.3 (3.0)	3.0 (3.7)	3.6 (4.0)	3.6 (3.7)
Type D personality <i>n</i> (%)	Do CHANGE (intervention condition)	4 (10.5)	6 (15.8)	10 (22.7)	20 (16.7)
	Care-as-usual (control condition)	3 (8.1)	8 (21.6)	7 (15.9)	18 (15.3)
	Total	7 (9.3)	14 (18.7)	17 (19.3)	38 (16.0)
HPLP II mean (SD)	Do CHANGE (intervention condition)	136.2 (27.2)	128.0 (19.7)	142.1 (23.6)	135.7 (24.2)
	Care-as-usual (control condition)	143.5 (19.6)	128.7 (18.4)	141.5 (20.7)	138.1 (20.5)

	Total	139.8 (23.9)	128.3 (18.9)	141.8 (22.1)	136.9 (22.4)
QoL <i>mean (SD)</i>	Do CHANGE (<i>intervention condition</i>)	101.1 (9.9)	99.3 (15.9)	93.5 (11.7)	97.7 (13.0)
	Care-as-usual (<i>control condition</i>)	96.8 (12.7)	99.7 (13.3)	92.8 (9.4)	96.2 (12.1)
	Total	99.0 (11.5)	99.5 (14.6)	93.1 (10.6)	97.0 (12.5)

ACE: Angiotensin-Converting-Enzyme; **ARB:** Angiotensin II Receptor Blocker; **BMI:** Body Mass Index; **CAD:** Coronary Artery Disease; **CCI:** Charlson Comorbidity Index; **DBP:** Diastolic Blood Pressure; **GAD-7:** General Anxiety Disorder-7; **HCU:** healthcare utilization; **HF:** Heart failure; **HPLP II:** Health Promoting Lifestyle Profile II questionnaire; **HT:** Hypertension; **PHQ-9:** Patient Health Questionnaire - 9; **SBP:** Systolic Blood Pressure; **SD:** Standard Deviation; **QoL:** Quality of Life.