

Supplementary table 1: COVID-19 Patients characteristics by availability of discharge information

		No./total No. (%)		
		With discharge information n=8075	Without discharge information n=2332	<i>p</i> value
Demographic characteristics				
<i>Age, years</i>				
	16-30	134/8071 (1.7)	53/2311 (2.3)	
	31-44	547/8071 (6.8)	118/2311 (5.1)	
	45-64	2351/8071 (29.1)	619/2311 (26.8)	
	65-79	2410/8071 (29.9)	772/2311 (33.4)	0.0715 [‡]
	>80	2629/8071 (32.6)	749/2311 (32.4)	
	<i>Median (IQR)</i>	72 (69-83)	72 (60-82)	
<i>Male sex</i>		4317/7986 (54.1)	1276/2331 (54.7)	0.5602 [‡]
Pre-existing conditions				
<i>Cardiovascular disease</i>		2836 (35.1)	803 (34.4)	0.5401 [‡]
<i>Arterial hypertension</i>		3270 (40.5)	969 (41.6)	0.3602 [‡]
<i>Diabetes</i>		1794 (22.2)	544 (23.3)	0.2575 [‡]
<i>Chronic renal disease</i>		1093 (13.5)	283 (12.1)	0.0787 [‡]
<i>Chronic liver disease</i>		221 (2.7)	59 (2.5)	0.5866 [‡]
<i>Chronic lung disease</i>		1215 (15.0)	337 (14.5)	0.4771 [‡]
<i>Neurological disorders</i>		780 (9.7)	203 (8.7)	0.1651 [‡]
<i>Cognitive disorders¹</i>		913/7526 (12.1)	243/2150 (11.3)	0.2960 [‡]
<i>Immunosuppressive conditions</i>		237 (2.9)	58 (2.5)	0.2510 [‡]
<i>Malignancy</i>				
	<i>Solid</i>	659 (8.2)	206 (8.8)	0.3000 [‡]
	<i>Hematological</i>	160 (2.0)	44 (1.9)	0.7715 [‡]
<i>Obesity¹</i>		483/4927 (9.8)	136/1334 (10.2)	0.6706 [‡]
<i>Current smoker</i>		379/4306 (8.8)	152/1258 (12.1)	0.0005 [‡]

among patients with admission data

All the pre-existing conditions and COVID-19 features were reported as assessed by the clinician

¹Missingness is due to later onset of data collection

* Wilcoxon test

[‡]Chi-Square test