Supplementary Material

Table S1. Baseline characteristics of urban and rural dwellers commencing a biologic therapy

S1	seline characteristics of urban and rural dwellers commencing a biologic therapy					
		Urban Dwellers		Rural Dwellers		Difference (rural vs. urban)
Demographic	characteristics					
		N.	mean (SD)	N.	mean (SD)	mean diff (95% CI)
Age*	years	309	45.5 (13.3)	110	51.1 (13.2)	-5.6 (-8.5, -2.7)
Deprivation*	1(most) – 5(least)	310	3.0 (1.5)	111	3.7 (1.1)	-0.6 (-0.9, -0.3)
		N.	%	N.	%	mean % diff (95% CI)
Gender	Male	213	68.7	74	66.7	-2.0 (-19.6, 15.6)
Smoking Stat	us Never	128	41.6	47	43.1	1.5 (-12.6, 15.6)
	Ex	102	33.1	42	38.5	5.4 (-7.7, 18.5)
	Current	78	25.3	20	18.4	-6.9 (-16.5, 2.7)
Alcohol	Never	29	9.4	7	6.4	-3.0 (-8.4, 2.4)
	Ex	54	17.5	22	20.2	2.7 (-6.7, 12.1)
	Current	225	73.1	80	73.4	0.3 (-18.3, 18.9)
Employed	Yes	195	63.5	68	61.3	2.2 (-19.2, 14.7)
Job type*	Mainly desk/sedentary	103	54.8	22	33.3	-21.5 (-38.8, -4.2)
	Mainly physical/labour intense	e 85	45.2	44	66.7	21.5 (-0.2, 43.2)
Clinical chara	cteristics	•	•	ı		
HLA B27 state	us* Tested	219	70.6	85	76.6	6.0 (-12.7, 24.6)
NSAID	Prescribed (last 6m)	229	74.4	87	78.4	4.0 (-15.0, 23.0)
DMARD	Prescribed (last 6m)	33	15.3	14	18.2	2.9 (-7.7, 13.5)
ESM (history)	Uveitis present	82	26.6	22	19.8	-6.8 (-16.6, 3.0)
	Psoriasis present	38	12.3	10	9.0	-3.3 (-9.8, 3.2)
	IBD present	40	13.0	11	9.9	-3.1 (-9.9, 3.7)
	Dactylitis present	16	5.2	8	7.2	2.0 (-3.2, 7.2)
	Enthesitis present	41	13.3	13	11.7	-1.6 (-8.8, 5.6)
	PJD present	74	24.0	24	21.6	-2.4 (-12.4, 7.6)
Patient repor	ted characteristics	•	•	•		
		N.	mean (SD)	N.	mean (SD)	mean diff (95% CI)
Referral dela	y* Years†	302	7.1 (9.3)	108	9.7 (11.0)	-2.6 (-4.7, -0.4)
Disease Activ	ity BASDAI: 0 (best) – 10 (worst)	307	6.4 (2.0)	109	6.4 (2.0)	0.05 (-0.4, 0.5)
Physical Fund	tion BASFI: 0 (best) – 10 (worst)	309	6.2 (2.4)	111	6.3 (2.5)	-0.03 (-0.5, 0.5)
Spinal Mobili	BASMI: 0 (best) – 10 (worst)	235	4.3 (1.8)	87	4.5 (1.8)	-0.2 (-0.6, 0.3)

Global Health	BASG: 0 (best) – 10 (worst)	306	7.1 (1.8)	110	7.1 (1.7)	0.04 (-0.3, 0.4)
Spinal Pain	VAS: 0 (best) – 10 (worst)	308	6.3 (2.4)	110	6.3 (2.5)	0.03 (-0.5, 0.6)
SF12 MCS	Scored: 0 (worst) – 100 (best)	297	42.6 (11.5)	110	44.2 (11.4)	-1.6 (-4.1, 0.9)
SF12 PCS	Scored: 0 (worst) – 100 (best)	297	33.0 (10.4)	110	31.8 (10.1)	1.3 (-1.0, 3.5)
Quality of Life	ASQoL: 0 (best) – 18 (worst)	305	11.9 (4.6)	110	11.8 (4.4)	0.1 (-0.9, 1.1)
Anxiety*	HADS: 0 (best) – 21 (worst)	307	9.3 (4.5)	109	8.2 (4.0)	1.1 (0.1, 2.1)
Depression	HADS: 0 (best) – 21 (worst)	307	7.5 (4.0)	109	7.4 (4.2)	0.7 (-0.8, 1.0)
Sleep Disturbance	Jenkins: 0 (best) – 20 (worst)	308	12.9 (5.7)	111	12.8 (6.1)	0.1 (-1.3, 1.3)
Fatigue	CFS: 0 (best) – 11 (worst)	310	5.6 (3.5)	111	5.5 (3.9)	0.2 (-0.6, 0.9)
Work absenteeism	%	174	10.1 (24.5)	64	13.7 (26.8)	-3.6 (10.8, 3.7)
Work presenteeism	%	169	44.6 (25.7)	63	44.6 (25.8)	-0.05 (-7.5, 7.4)
Overall Work impair.	%	165	45.8 (26.0)	61	47.7 (27.5)	-1.8 (-9.6, 6.0)
Activity impairment	%	303	60.0 (24.7)	110	58.8 (25.0)	1.2 (-4.2, 6.6)

^{*} indicate significant difference between urban and rural dwellers (p<0.05)

ACR – American college of rheumatology; ASQoL – Ankylosing Spondylitis Quality of Life Index; BASDAI – Bath Ankylosing Spondylitis Disease Activity Index; BASFI – Bath Ankylosing Spondylitis Functional Index; BAS-G - Bath Ankylosing Spondylitis Patient Global Score: BASMI - Bath Ankylosing Spondylitis Metrology Index; CFS – Chalder Fatigue Scale; ESM – extra spinal manifestations; HADS – Hospital Anxiety and Depression Scale; IBD – inflammatory bowel disease; PJD – peripheral joint disease; SF-12 MCS – Short Form 12 Mental Component Score; SF-12 PCS – Short Form 12 Physical Component Score; VAS – visual analogue scale.

[†] delay from symptom onset to first referral to specialist clinic

Table S2. Interview participant characteristics

S2 Interview	2 Interview participant characteristics				
Characteristic		Number of participants			
Age					
18 – 44		10			
45 – 64		13			
≥ 65		7			
Gender					
Female		6			
Male		24			
Location					
Rural		18			
Urban		12			
Time since diagnosis					
0 to 4 years		2			
5 to 10 years		7			
11 plus		18			
Not specified		3			
ONS Standard Occupational Classification (SOC)					
Administrative and secretarial		6			
Associate professional and technical		2			
Caring, leisure and other service occupations		2			
Elementary e.g. agricultural, construction occupations		4			
Managers, directors and senior officials		4			
Process, plant and machine operatives		1			
Professional occupations		5			
Sales and customer	services	2			
Skilled trades		4			

Supplementary Text: Interview topic guide

Opening question: "Can you talk me through your experiences of living with ankylosing spondylitis?"

IMPACT OF ANKYLOSING SPONDYLITIS

- 1. Impact of disease on function and quality of life
 - 1.1 How long have you had Ankylosing Spondylitis?
 - 1.2 How does Ankylosing Spondylitis affect you?
 - 1.3 What are the main problems you have as a result of it? **Probe**: Pain, stiffness, fatigue, sleep, reduced mobility, difficulty performing daily activities, and self-confidence.

2. Treatment

- 2.1 What treatment are you currently receiving to manage your Ankylosing Spondylitis?
- 2.2 Is the treatment working for you at the moment?
- 2.3 How easy is it for you to access healthcare services?

WORK & WORK ENVIRONMENT

- 3. Can you talk me through your work/employment history?
- 4. Current/past work (questions in past tense if not working/unemployed)
 - 4.1 Are you currently working (e.g part-time/full time)?

<FOLLOW- If yes>

- 4.2 What job do you do?
- 4.3 What does your job entail?
- 4.4 Can you describe to me a typical day at work?
- 4.5 Do you need to drive as part of your job? If so how often e.g. how many hours per week?

5. Work setting/work environment

5.1 How would you describe your work environment?

Probe: large scale/small scale/ established organisational structure vs. small scale setting

- 5.2 Roughly, how many people work for your employer/company (if not self-employed)?
- 5.3 What kind of occupational health support does your company provide?

6. Commuting to work

- 6.1 How would you describe your commute to work every day? How long does it normally take? **Follow on** Do you drive? Can you park when you get there?
- 6.2 Overall, how are you managing with your daily commute?

WORK DISABILITY

7. Impact of disease on work performance

- 7.1 Does Ankylosing Spondylitis affect you at work?
- <FOLLOW- If yes> Are there any particular aspects of the job/task that you find difficult?

What do you struggle the most with at work? Probe: pain/fatigue/cognitive symptoms

- 7.2 Have you taken any days off work (sick leave) due to Ankylosing Spondylitis? If yes, how frequent? How many days over the past month?
- 7.3 Have you ever attended work when you have been unwell?
- <FOLLOW- If yes> Ask for examples Not just unwell but have got a flare up of AS?
 - 7.4 How much flexibility do you think you have at work?

8. Relationship with employer

- 8.1 Have you discussed your diagnosis with your employer?
- < FOLLOW- If yes> If yes; what was their reaction to this? Was this helpful, if not why not?
- 8.2 Does your employer monitor absence?
- 8.3 Have you had any problems with your employer because of issues related to your Ankylosing Spondylitis e.g. time off work, being unable to do specific jobs/tasks?

9. Adaptations to work

- 9.1 Have you changed your job since your diagnosis?
- **<FOLLOW- If yes>** *Why?* **Probe:** To avoid certain strenuous tasks, working long hours or jobs that are not flexible and cannot be adjusted to their needs.
- 9.2 Have you had to make any changes/adaptations to your work routine and tasks due to the condition?
- <**FOLLOW-** If yes> What changes have you made? **Probe**: reduced hours, full-time to part-time, and change in job roles/duties due to health condition.
- 9.3 Do you think Ankylosing Spondylitis has affected your career progression/opportunities? **Probe**: early retirement, passed on promotional opportunity, accepting less demanding roles, and avoid strenuous tasks

10. Coping strategies

10.1 How else do you manage your condition at work?

<FOLLOW> Can you give examples of the strategies you use?

10.2 What are the most effective strategies you use?

<**FOLLOW>** How do they help?

SUPPORT

11. Provision of support by clinical team

11.1 Have you talked to a healthcare professional about work worries?

<FOLLOW- If no> Why not?

- 11.2 Do you find it difficult to get to appointments about your AS or for blood tests?
- 11.3 Do you have to take annual leave for your appointments or can you go in paid work time? Could we make your appointments more convenient in any way?
- 11.4 Have you been offered any support in terms of work issues e.g. occupational advice? Been referred to an OT?
- 11.5 Is there occupational health at your workplace? Have they been involved?
- <**FOLLOW>** Do you feel that you were supported adequately by the clinical team?

12. Areas for improvement

- 12.1 What kind of support would be useful to help you at work?
- <FOLLOW- If yes> Who do you feel is best placed to provide this support?
- 12.2 Is there anything that you would specifically like more information/support with?
- 12.2 How would you like to receive support e.g. face to face meeting with person, via telephone, website, written information leaflets?

13. Communications with work colleagues

13.1 Are your work colleagues aware of your diagnosis of Ankylosing Spondylitis?

< FOLLOW- If yes> If yes; what was their reaction to this? Was it helpful for them to know? If not, why not? Probe: Fear of being stigmatised, perceptions of vulnerability.

- 13.2 Do you feel your colleagues understand you condition?
- 13.3 Has Ankylosing Spondylitis affected your relationship with your colleagues?

IMPACT ON LIFE

14. Impact of work disability on social, family, and financial security

14.1 Is it important for you to work?

14.2 How have work problems (e.g. time off work due to ill-health, unemployment) affected other aspects of your life?

Probe: family life, social life, finances?

15. Fears and concerns relating to work

15.1 Do you have concerns about your ability to work, now and in the future?

Probe: concerns - financial security, job security, employability, reduced opportunities, and unpredictability of condition.

<FOLLOW- If yes> Has this affected your mood, for example resulted in anxiety or depression?

Closing questions:

Is there anything else you would like to tell me?

Are there any questions you thought we would ask that we haven't asked?