Supplemental Tables

Supplemental Table 1.

		N=24
Gender	Women	10 (41%)
Age	M ± SD	55,5 ± 14,4
	Min-Max	from 32 to 79
Marital status	Couple	17 (81%)
	Single	4 (19%)
Children	Without	2 (9%)
	With	21 (91%)
Educational level	Low (<12 years)	8 (38%)
	High (>= 12 years)	13 (62%)
Professional status	Working	11 (46%)
	Non-working	13 (54%)

M ± SD: mean ± standard deviation
Min-Max: minimum-maximum
Med [IQR]: median [interquartile range]

Supplemental Table 2.

		Patients attending visit 3 N=12	Patients lost to follow-up at visit 3 N=9	p-value
		N M ± SD Med [IQR]	N M ± SD Med [IQR]	
Gender	Women	5	5	0.670
Age		45.6 ± 11.7	66.1 ± 8.6	0.001
Marital status	Couple Single	1 11	3 6	0.272
Children	Without With	1 10	1 8	1.00
Educational level	Low (<12 years) High (>= 12 years)	4 8	4 5	0.673
Professional status	Working Non-working	9 3	1 8	0.008
Anxiety (Spielberger)	Trait (20-80)* State (20-80)*	33.0 [25.3-40.5] 42.5 [31.9-47.0]	42.0 [32.6-62.9] 47.4 [34.6-54.0]	0.129 0.345
Mood disorders (BDI)	Total score (0-39)** No Mild-moderate	4.5 [1.3-6.0] 5 7	2.0 [0-8.5] 5 4	0.886 0.670
Quality of life (SF-36)	Mental score*** Physical score***	43.6 [30.8-52.9] 47.8 [38.6-51.9]	36.0 [33.5-56.2] 53.0 [43.2-56.8]	0.967 0.167
Psychological consequences of testing (PCQ)	Total score (0-10)****	4.6 [3.6-5.4]	5.5 [2.7-7.1]	0.602

Supplemental Table 3.

		Visit 3														Ps
		Anxiety		Mood disorder	QoL											
Visit 1		Trait	State	BDI	PF	SF	RP	RE	MH	Vi	BP	GH	MCS	PCS	PCQ
Anxiety	Trait	0.57	.639*	0.299	-0.156	-.774**	0.053	-0.138	-.689*	-.586*	-0.191	-.616*	-.616*	0.07	0.351
	State	0.481	.898**	0.446	0.092	-.735**	0.066	-0.053	-.770**	-.583*	-0.322	-0.547	-.683*	0.123	0.422
Mood disorder	BDI	0.491	.700*	0.47	-0.219	-.754**	-0.45	-0.463	-.670*	-.641*	-0.481	-.746**	-.722**	-0.414	0.417
QoL	PF	-0.523	-0.415	-.615*	.804**	0.384	.710**	.822**	0.533	.717**	0.021	0.553	.658*	0.556	-.647*
	SF	-0.179	-0.351	-0.078	0.082	0.337	0.142	0.276	0.29	0.444	0.159	0.517	0.343	0.102	0.106
	RP	-0.516	-0.148	-0.378	.579*	0.369	.647*	.721**	0.252	0.465	0.069	.591*	0.462	0.567	-0.346
	RE	-0.261	-0.357	-0.205	0.241	0.475	0.529	0.523	0.413	0.425	0.238	.593*	0.507	0.457	-0.134
	MH	-0.253	-.600*	-0.445	0.082	0.333	-0.002	0.159	.647*	0.405	-0.071	0.189	0.555	-0.194	-0.239
	Vi	-0.433	-0.534	-0.538	.680*	.631*	0.55	.724**	.660*	.894**	0.312	.784**	.780**	0.511	-0.416
	BP	-.629*	-0.531	-0.537	0.335	.678*	0.3	0.318	.577*	.591*	0.222	.656*	.607*	0.277	-.678*
	GH	-0.562	-0.288	-0.099	0.285	.668*	0.134	0.299	0.359	0.511	0.191	.754**	0.442	0.228	-0.183
	MCS	-0.326	-.620*	-0.343	0.113	0.49	0.124	0.296	.635*	0.527	0.071	0.477	.615*	-0.007	-0.144
	PCS	-.669*	-0.203	-0.445	0.546	0.472	0.504	0.56	0.323	0.478	0.004	.640*	0.49	0.483	-0.558
Psychological consequences	PCQ	0.32	.712**	0.443	-0.374	-0.555	-0.389	-.578*	-.687*	-.785**	-0.321	-.647*	-.740**	-0.298	0.222