

SUPPLEMENTARY MATERIALS

Core-shell Magnetic Nanoparticles for highly sensitive Magnetoelastic Immunosensor

Raffaele Campanile ^{1,2}, Emanuela Scardapane ^{1,2}, Antonio Forente ¹, Carmine Granata ³, Roberto Germano ², Rocco Di Girolamo ⁴, Antonio Minopoli ¹, Raffaele Velotta ^{1,3}, Bartolomeo Della Ventura ^{1,3}, Vincenzo Iannotti ^{1,5,*}

¹ Department of Physics “E. Pancini”, University of Naples Federico II, Via Cintia 26, I-80126 Napoli, Italy; raffaele.campanile@unina.it (R.C); emanuela.scardapane@unina.it (E.S); a.forente@studenti.unina.it (A.F); antonio.minopoli2@unina.it (A.M); rvelotta@unina.it (R.V); Bartolomeo.dellaventura@unina.it (B.D.V).

² PROMETE Srl, CNR Spin off, Piazzale Tecchio, 45 80125 Napoli (NA), Italy germano@promete.it (R.G.).

³ Institute of Applied Sciences and Intelligent Systems of the National Research Council (CNR-ISASI), Via Campi Flegrei 34, I-80078 Pozzuoli (NA), Italy; c.granata@isasi.cnr.it (C.G.).

⁴ Department of Chemistry, University of Naples “Federico II”, Via Cintia 26, I-80126 Napoli, Italy; rocco.digirolamo@unina.it (R.D.G.).

⁵ Institute for Superconducting, Oxides and other Innovative Materials and Devices of the National Research Council (CNR-SPIN), Piazzale V. Tecchio 80, I-80125 Napoli, Italy

* Correspondence: viannotti@unina.it ; Tel.: 081 7682419 (V.I.)

Hysteresis loop of Fe₃O₄ NPs




Figure S1. Room-temperature M-H curve of the magnetite samples [supplied by the nanoparticles manufacturer (Ocean Nano Tech, LLC)] measured by cycling the external magnetic field between -14000 Oe and 14000 Oe. This magnetization curve shows a very small hysteresis behavior for the samples and exhibits small values of coercive field and remnant magnetization. This indicates that the nanoparticles can safely be considered as superparamagnetic.