Electronic Supplementary Material

Gestational weight gain by maternal pre-pregnancy BMI and childhood problem behaviours in school-age years: a pooled analysis of two European birth cohorts

Maternal and Child Health Journal

Population characteristics by category of problem behaviour scales Problem behaviour scales were categorised into normal development (score lower than 63) and clinical range (score over or equal to 63).

Table 4A: Population's characteristics subdivided by category of total problems

	MEFAB			Rhea			
	Normal development (n=310)	Clinical development (n=68)	p-value	Normal development (n=368)	Clinical development (n=46)	p-value	
Maternal characteristics							
Age at delivery (years)	29.91 (3.91)	27.96 (3.88)	< 0.001	30.14 (4.64)	29.11 (4.93)	0.161	
Ancestry/Nationality (% Caucasian/Greek) _b	305 (98.71%)	68 (100%)	0.346	350 (95.11%)	43 (93.48%)	0.635	
Pre-pregnancy BMI (kg/m2)a	23.51 (3.49)	24.31 (4.59)	0.105	24.88 (5.16)	25.32 (4.79)	0.577	
Smoking during pregnancy (% ever smokers)	66 (21.43%)	28 (41.18%)	0.001	57 (17.38%)	8 (18.60%)	0.842	
Alcohol during pregnancy (% ever drinkers)	11 (3.57%)	2 (2.94%)	0.797	88 (27.33%)	13 (33.33%)	0.430	
Parity			0.165			0.583	
No children	225 (72.58%)	56 (82.35%)		163 (45.03%)	22 (47.83%)		
One child	67 (21.61%)	11 (16.18%)		138 (38.12%)	19 (41.30%)		
Two or more children	18 (5.81%)	1 (1.47%)		61 (16.85%)	5 (10.87%)		
Level of education			0.024			0.038	
Low	48 (22.12%)	19 (41.30%)		27 (7.34%)	6 (13.04%)		
Middle	89 (41.01%)	15 (32.61%)		184 (50.00%)	29 (63.04%)		
High	80 (36.87%)	12 (26.09%)		157 (42.66%)	11 (23.91%)		
Weight in pregnancy (kg)							
First trimester	64.98 (10.33)	68.01 (13.16)	0.039	66.99 (13.36)	71.74 (14.90)	0.047	
Second trimester	68.94 (10.23)	71.86 (12.86)	0.044	-	-	-	
Third trimester	73.23 (10.36)	75.69 (12.51)	0.092	77.22 (13.63)	80.39 (14.12)	0.064	
At delivery	76.29 (10.70)	79.61 (13.35)	0.028	77.75 (12.76)	82.95 (14.25)	0.018	
Caesarean section (% yes)	24 (7.79%)	6 (8.82%)	0.776	181 (49.32%)	24 (52.17%)	0.715	
Gestational diabetes mellitus (% yes)	4 (1.29%)	0 (0.00%)	0.346	4 (1.10%)	4 (8.89%)	< 0.001	

Table 4A (continued)

	MEFAB			Rhea			
	Normal development (n=310)	Clinical development (n=68)	p-value	Normal development (n=368)	Clinical development (n=46)	p-value	
Children's characteristics							
Gestational age (weeks)	39.84 (1.61)	39.89 (1.63)	0.823	38.17 (1.54)	38.02 (1.99)	0.539	
Birth weight (g)	3308.17 (518.62)	3285.52 (535.07)	0.746	3223.83 (448.63)	3129.13 (486.10)	0.182	
Sex (% male)	165 (53.23%)	40 (58.82%)	0.401	200 (54.35%)	32 (69.57%)	0.050	
Breastfeeding (% ever breastfed)	103 (46.82%)	22 (45.83%)	0.901	308 (86.03%)	36 (83.72%)	0.682	
Day-care attendance (% yes)	187 (83.48%)	34 (73.91%)	0.125	71 (19.29%)	13 (28.89%)	0.131	
Age at survey (years)	7.28 (0.25)	7.28 (0.30)	0.947	6.56 (0.28)	6.62 (0.29)	0.240	
BMI at survey (kg/m2)	15.60 (1.83)	15.78 (1.77)	0.533	16.91 (2.64)	18.06 (3.11)	0.007	

Table 4B: Population's characteristics subdivided by category of internalizing behaviours

	MEFAB			Rhea			
	Normal development (n=321)	Clinical development (n=57)	p-value	Normal development (n=365)	Clinical development (n=49)	p-value	
Maternal characteristics							
Age at delivery (years)	29.71 (3.97)	28.69 (3.89)	0.074	30.09 (4.61)	29.50 (5.23)	0.412	
Ancestry/Nationality (% Caucasian/Greek) _b	316 (98.75%)	57 (100%)	0.396	345 (94.52%)	48 (97.96%)	0.303	
Pre-pregnancy BMI (kg/m ₂) _a	23.74 (3.80)	23.17 (3.24)	0.289	24.93 (5.27)	24.93 (3.83)	0.997	
Smoking during pregnancy (% ever smokers)	75 (23.51%)	19 (33.33%)	0.115	58 (17.79%)	7 (15.56%)	0.771	
Alcohol during pregnancy (% ever drinkers)	11 (3.45%)	2 (3.51%)	0.982	88 (27.59%)	13 (33.95%)	0.648	
Parity			0.432			0.713	
No children	236 (73.52%)	45 (78.95%)		162 (45.00%)	23 (47.92%)		
One child	67 (20.87%)	11 (19.30%)		141 (39.17%)	16 (33.33%)		
Two or more children	18 (5.61%)	1 (1.75%)		57 (15.83%)	9 (18.75%)		
Level of education			0.451			0.102	
Low	54 (24.11%)	13 (33.33%)		28 (7.67%)	5 (10.20%)		
Middle	91 (40.62%)	13 (33.33%)		182 (49.86%)	31 (63.27%)		
High	79 (35.27%)	13 (33.33%)		155 (42.47%)	13 (26.53%)		
Weight in pregnancy (kg)							
First trimester	65.60 (11.10)	65.10 (10.02)	0.749	67.28 (13.67)	69.09 (12.93)	0.429	
Second trimester	69.50 (10.88)	69.27 (10.41)	0.880	-	-	-	
Third trimester	73.72 (10.81)	73.37 (10.83)	0.475	77.65 (13.88)	77.13 (12.53)	0.814	
At delivery	76.87 (11.29)	76.98 (11.36)	0.947	78.12 (12.80)	79.63 (14.56)	0.475	
Caesarean section (% yes)	27 (8.46%)	3 (5.26%)	0.411	180 (49.45%)	25 (51.02%)	0.837	
Gestational diabetes mellitus (% yes)	4 (1.25%)	0 (0.00%)	0.397	6 (1.68%)	2 (4.08%)	0.255	

Table 4B (continued)

	MEFAB			Rhea			
	Normal development (n=321)	Clinical development (n=57)	p-value	Normal development (n=365)	Clinical development (n=49)	p-value	
Children's characteristics							
Gestational age (weeks)	39.81 (1.66)	40.08 (1.33)	0.242	38.17 (1.56)	38.10 (1.84)	0.803	
Birth weight (g)	3289.25 (527.00)	3387.37 (481.69)	0.191	3204.42 (440.49)	3277.55 (539.48)	0.290	
Sex (% male)	175 (54.52%)	30 (52.63%)	0.792	190 (52.05%)	42 (85.71%)	< 0.001	
Breastfeeding (% ever breastfed)	108 (47.37%)	17 (42.50%)	0.569	303 (85.59%)	41 (87.23%)	0.762	
Day-care attendance (% yes)	189 (82.17%)	32 (80.00%)	0.742	72 (19.73%)	12 (25.00%)	0.393	
Age at survey (years)	7.27 (0.25)	7.34 (0.30)	0.129	6.56 (0.28)	6.64 (0.30)	0.061	
BMI at survey (kg/m2)	15.56 (1.74)	16.03 (2.20)	0.106	16.91 (2.48)	17.98 (4.00)	0.010	

Table 4C: Population's characteristics subdivided by category of externalizing behaviours

	MEFAB			Rhea			
	Normal development (n=325)	Clinical development (n=53)	p-value	Normal development (n=357)	Clinical development (n=57)	p-value	
Maternal characteristics							
Age at delivery (years)	29.78 (3.91)	28.19 (4.11)	0.007	30.19 (4.71)	28.98 (4.35)	0.071	
Ancestry/Nationality (% Caucasian/Greek) _b	320 (98.77%)	53 (100%)	0.416	340 (95.24%)	53 (92.98%)	0.471	
Pre-pregnancy BMI (kg/m2)a	23.50 (3.50)	24.56 (4.80)	0.054	24.95 (5.11)	24.77 (5.19)	0.798	
Smoking during pregnancy (% ever smokers)	75 (23.22%)	19 (35.85%)	0.049	53 (16.61%)	12 (23.08%)	0.256	
Alcohol during pregnancy (% ever drinkers)	12 (3.72%)	1 (1.89%)	0.500	83 (26.27%)	18 (40.00%)	0.055	
Parity			0.512			0.396	
No children	241 (74.15%)	40 (75.47%)		158 (45.01%)	27 (47.37%)		
One child	66 (20.31%)	12 (22.64%)		139 (39.60%)	18 (31.58%)		
Two or more children	18 (5.54%)	1 (1.89%)		54 (15.38%)	12 (21.05%)		
Level of education			0.058			0.327	
Low	54 (23.18%)	13 (43.33%)		28 (7.84%)	5 (8.77%)		
Middle	95 (40.77%)	9 (30.00%)		179 (50.14%)	34 (59.65%)		
High	84 (36.05%)	8 (26.67%)		150 (42.02%)	18 (31.58%)		
Weight in pregnancy (kg)							
First trimester	65.04 (10.36)	68.55 (13.68)	0.030	67.13 (13.32)	69.86 (15.12)	0.210	
Second trimester	69.03 (10.30)	72.16 (13.23)	0.050	-	-	-	
Third trimester	73.34 (10.44)	75.71 (12.76)	0.143	77.37 (13.68)	78.91 (13.88)	0.461	
At delivery	76.47 (10.78)	79.45 (13.82)	0.075	77.91 (12.93)	80.71 (13.26)	0.154	
Caesarean section (% yes)	26 (8.05%)	4 (7.55%)	0.900	178 (50.00%)	27 (47.37%)	0.712	
Gestational diabetes mellitus (% yes)	4 (1.23%)	0 (0.00%)	0.417	6 (1.70%)	2 (3.64%)	0.337	

Table 4C (continued)

	MEFAB			Rhea			
	Normal development (n=325)	Clinical development (n=53)	p-value	Normal development (n=357)	Clinical development (n=57)	p-value	
Children's characteristics							
Gestational age (weeks)	39.83 (1.62)	39.96 (1.58)	0.593	38.12 (1.58)	38.40 (1.70)	0.211	
Birth weight (g)	3300.88 (504.59)	3323.68 (616.90)	0.768	3214.32 (449.56)	3205.98 (480.78)	0.898	
Sex (% male)	176 (54.15%)	29 (54.72%)	0.939	193 (54.06%)	39 (68.42%)	0.043	
Breastfeeding (% ever breastfed)	124 (52.54%)	19 (59.38%)	0.467	298 (85.88%)	46 (85.19%)	0.892	
Day-care attendance (% yes)	200 (83.33%)	21 (70.00%)	0.074	66 (18.54%)	18 (31.58%)	0.023	
Age at survey (years)	7.27 (0.26)	7.32 (0.30)	0.337	6.56 (0.28)	6.62 (0.32)	0.135	
BMI at survey (kg/m2)	15.62 (1.86)	15.67 (1.56)	0.889	17.07 (2.79)	16.83 (2.18)	0.525	