


Supplementary Fig. 1



Supplementary Fig. 2a

1: FL-/non- 80/2,663 (3.0%)							
2 vs. 1 0.97 (0.63–1.48) <i>p</i> = 0.886	2: FL-/light 30/890 (3.4%)						
3 vs. 1 1.76 (1.20–2.58) <i>p</i> = 0.005	3 vs. 2 1.82 (1.13–2.92) <i>p</i> = 0.013	3: FL-/moderate 42/641 (5.2%)					
4 vs. 1 2.02 (1.38–2.96) <i>p</i> < 0.001	4 vs. 2 2.08 (1.30–3.34) <i>P</i> = 0.002	4 vs. 3 1.14 (0.74–1.77) <i>p</i> = 0.536	4: FL-/ heavy 42/641 (6.6%)				
5 vs. 1 1.94 (1.44–2.60) <i>p</i> < 0.001	5 vs. 2 2.00 (1.33–2.99) <i>p</i> < 0.001	5 vs. 3 1.10 (0.76–1.59) <i>p</i> = 0.608	5 vs. 4 0.96 (0.67–1.37) <i>p</i> = 0.815	5: FL+/non- 195/1,313 (14.9%)			
6 vs. 1 2.44 (1.63–3.64) <i>p</i> < 0.001	6 vs. 2 2.52 (1.55–4.08) <i>p</i> < 0.001	6 vs. 3 1.38 (0.88–2.18) <i>p</i> = 0.158	6 vs. 4 1.21 (0.77–1.88) <i>p</i> = 0.408	6 vs. 5 1.26 (0.90–1.76) <i>p</i> = 0.189	6: FL+/light 43/265 (16.2%)		
7 vs. 1 1.65 (1.04–2.60) <i>p</i> = 0.014	7 vs. 2 1.70 (0.99–2.89) <i>p</i> = 0.053	7 vs. 3 0.94 (0.57–1.54) <i>p</i> = 0.794	7 vs. 4 0.82 (0.50–1.34) <i>p</i> = 0.416	7 vs. 5 0.85 (0.56–1.28) <i>p</i> = 0.431	7 vs. 6 0.68 (0.42–1.10) <i>p</i> = 0.108	7: FL+/moderate 27/239 (11.3%)	
8 vs. 1 2.92 (1.88–4.53) <i>p</i> < 0.001	8 vs. 2 3.01 (1.79–5.05) <i>p</i> < 0.001	8 vs. 3 1.66 (1.02–2.69) <i>p</i> = 0.044	8 vs. 4 1.44 (0.90–2.33) <i>p</i> = 0.136	8 vs. 5 1.51 (1.03–2.20) <i>p</i> = 0.043	8 vs. 6 1.20 (0.75–1.90) <i>p</i> = 0.449	8 vs. 7 1.77 (1.06–2.96) <i>p</i> = 0.030	8: FL+/heavy 32/193 (16.6%)

Supplementary Fig. 2b

1: FL-/non- 11/1,331 (0.8%)							
2 vs. 1 0.68 (0.15–3.09) <i>p</i> = 0.604	2: FL-/light 2/299 (0.7%)						
3 vs. 1 2.08 (0.65–6.66) <i>p</i> = 0.246	3 vs. 2 3.05 (0.55–16.80) <i>p</i> = 0.013	3: FL-/moderate 4/269 (1.5%)					
4 vs. 1 2.66 (0.88–8.09) <i>p</i> = 0.104	4 vs. 2 3.91 (0.74–20.68) <i>p</i> = 0.089	4 vs. 3 1.28 (0.34–4.90) <i>p</i> = 0.716	4: FL-/ heavy 5/180 (2.8%)				
5 vs. 1 2.74 (1.26–5.95) <i>p</i> = 0.008	5 vs. 2 4.02 (0.93–17.36) <i>p</i> < 0.001	5 vs. 3 1.32 (0.44–3.96) <i>p</i> = 0.612	5 vs. 4 1.02 (0.37–2.84) <i>p</i> = 0.956	5: FL+/non- 36/590 (6.1%)			
6 vs. 1 2.30 (0.58-9.14) <i>p</i> = 0.266	6 vs. 2 3.38 (0.53–21.46) <i>p</i> = 0.192	6 vs. 3 1.11 (0.23–5.38) <i>p</i> = 0.899	6 vs. 4 0.86 (0.19–3.97) <i>p</i> = 0.851	6 vs. 5 0.84 (0.25-2.80) <i>p</i> = 0.773	6: FL+/light 4/66 (6.1%)		
7 vs. 1 3.57 (0.55–13.49) <i>p</i> = 0.014	7 vs. 2 5.24 (0.85–32.34) <i>p</i> = 0.074	7 vs. 3 1.72 (0.37–7.94) <i>p</i> = 0.495	7 vs. 4 1.34 (0.31–5.87) <i>p</i> = 0.701	7 vs. 5 1.30 (0.39-4.33) <i>p</i> = 0.601	7 vs. 6 1.55 (0.30-7.96) <i>p</i> = 0.601	7: FL+/moderate 3/70 (4.3%)	
8 vs. 1 9.38 (3.49-25.20) <i>p</i> < 0.001	8 vs. 2 13.75 (2.84–66.78) <i>p</i> < 0.001	8 vs. 3 4.51 (1.31–15.55) <i>p</i> = 0.012	8 vs. 4 3.52 (1.11–11.18) <i>p</i> = 0.028	8 vs. 5 3.42 (1.51–7.74) <i>p</i> = 0.007	8 vs. 6 4.07 (1.04-15.98) <i>p</i> = 0.031	8 vs. 7 2.63 (0.69-9.98) <i>p</i> = 0.133	8: FL+/heavy 9/84 (10.7%)