

POLYSUBSTANCE USE PATTERNS AMONG JUSTICE-INVOLVED

Supplementary Table S1. Detailed drug use characteristics of polysubstance use involving opioids in a justice-involved sample (N=6,569)

	Primarily Alcohol	Primarily Heroin	Less PSU	Tranquilizer PSU	Primarily Buprenorphine	Stimulant-Opioid
<i>Opiates</i>						
Morphine	14.72	16.68	11.84	24.21	14.23	25.87
Dialudid (Hydromorphone)	10.19	11.55	9.53	18.50	10.33	17.09
Demerol (Meperidine)	2.59	2.00	1.69	5.51	1.75	6.70
Percocet, OxyContin, Oxycodone	52.10	49.72	52.46	66.64	45.03	59.58
Codeine	12.14	7.78	9.89	15.14	8.58	20.21
Tylenol 2, 3, 4	5.71	2.50	4.34	6.75	5.07	11.72
Lortab	47.90	25.10	42.48	48.69	30.99	44.80
Ultram (Tramadol)	5.34	3.69	4.39	9.25	7.99	9.24
Fentanyl	6.47	18.04	6.65	17.94	9.36	22.75
Opana (Oxymorphone)	9.87	15.32	10.95	19.44	13.65	17.44
Roxies, IR-30s (Roxicodone)	16.18	16.53	15.54	26.48	17.23	22.01
<i>Amphetamines</i>						
Methamphetamine, speed, crank	43.20	45.23	49.49	50.65	52.63	45.84
Amphetamine, Adderall	9.39	6.66	7.76	13.18	10.53	14.78
MDMA, Ecstasy	5.83	4.49	4.75	8.13	2.14	11.03
Ritalin, Concerta (Methyphenidate)	3.72	1.68	2.08	4.58	3.70	5.77
<i>Tranquilizers</i>						
Benzodiazepines	32.69	31.36	26.96	97.57	28.27	54.73
Muscle Relaxers	4.37	3.21	3.86	13.55	2.92	10.28

Note: PSU= polysubstance use; *all variables are significant at the p<.001 level