Supplementary file 1: Availability and functionality of items among hospitals and health centers offering antenatal care services in West Gojjam Zone, Northwest Ethiopia.

| No | | Facility Type | | Total | |
|----|---|---------------|---------------|--------|--|
| | Items per dimension | Hospital | Health center | (n=15) | |
| | | (n=5) | (n=10) | | |
| 1 | Availability of infrastructure (7) | | | | |
| | ■ Water within the compound | 5 | 5 | 10 | |
| | Electricity from any source (e.g. electricity grid, generator, solar, or other) | 5 | 5 | 10 | |
| | Ambulance/any vehicle for emergence (available free of charges) | 4 | 4 | 8 | |
| | Functioning landline telephone or a mobile phone supported by the facility | 5 | 6 | 11 | |
| | Functioning computer | 4 | 6 | 10 | |
| | Internet access within the facility | 1 | | 1 | |
| | Separate room for ANC consultations with auditory and visual privacy | 5 | 8 | 13 | |
| | Group average | | | 9 | |
| 2 | Essential equipment(10) | | | | |
| | Blood pressure apparatus | 5 | 8 | 13 | |
| | Stethoscope | 5 | 9 | 13 | |
| | ■ Thermometer | 4 | 7 | 11 | |
| | Adult scale(Functional) | 8 | 5 | 12 | |
| | ■ Fetoscope | 5 | 10 | 15 | |
| | ■ Gloves(non-sterile) | 5 | 10 | 15 | |
| | Gloves sterile | 5 | 9 | 14 | |
| | ■ Vacuum aspiration equipment (MVA) set | 5 | 3 | 8 | |
| | Suction apparatus | 5 | 7 | 12 | |
| | MUAC Tape mother | 3 | 6 | 9 | |
| | Group average | | | 12 | |
| 3 | Availability of essential drugs and vaccines (14) | | | | |

| | Tetanus toxoid | 5 | 10 | | 15 |
|---|---|-----------|-------------|-----------|----|
| | Iron/ Folic acid | 4 | 9 | | 13 |
| | • IV fluids(of any type) | 5 | 7 | | 12 |
| | Magnesium sulfate (injection) | 3 | | | 3 |
| | Calcium gluconate | 2 | | | 2 |
| | Antiretroviral drugs | 5 | 4 | | 9 |
| | Insecticide treated bed nets | | 2 | | 2 |
| | Anti-malaria drugs (Quartum, Quinine, and other) | 4 | 7 | | 11 |
| | Anti-helminthes (mebendazole or others) | 5 | 9 | | 14 |
| | Cotrimoxazole | 5 | 8 | | 13 |
| | Parenteral antibiotics | 5 | 3 | | 8 |
| | • Methyldopa or propranolol or any other antihypertensive | 5 | 3 | | 8 |
| | Diazepam (injection) | 4 | 5 | | 9 |
| | Parenteral oxytocic | 5 | 10 | | 15 |
| | Group average | | | | 10 |
| 4 | Diagnostic Capacities (8) | | | | |
| | ■ Urine pregnancy test (HCG) | 4 | 5 | | 9 |
| | Hemoglobin test | 4 | 6 | | 10 |
| | Blood and Rh grouping | 5 | 8 9 7 | | 13 |
| | .Malaria diagnostic capacity | 5 | | | 14 |
| | Proteinuria test | 5 | | | 12 |
| | RPR for Syphilis | 4 | 8 | | 12 |
| | HIV test | 5 | 8 | 8 | |
| | Urinalysis for bacteriuria | 5 | 8 | 8 | |
| | Group average | | | | 12 |
| 5 | Staffing and guidelines/job aids Standard | Available | Standard | Available | |

| I | Staffing | | | | | |
|-----|---|----|----------|---------------|----|-------|
| | Generalist(non-specialist) medical doctors | 14 | 5 | 1 | | 5 |
| | Gynecologist and obstetrician | 2 | | | | |
| | Health officer | | | 2 | 10 | 10/10 |
| | Nurses of all categories | 97 | 1 | 5 | 10 | 11 |
| | Midwives | 13 | 4 | 3 | 8 | 12 |
| | Laboratory technicians/technologists | 10 | 5 | 2 | 10 | 15 |
| | Pharmacist or pharmacy technician | 10 | 4 | 3 | 9 | 13 |
| II. | ANC checklists and/job aids | | Hospital | Health center | | |
| | | | 4 | 7 | | 11 |
| | Group average | | | | | 11 |
| | Total structural Score (Average) | | | | | 11 |

Note: MUAC=mid upper arm circumference; ANC=antenatal care; HCG=Human chorion gonadotropin hormone; MVA=manual vacuum aspiration;