

Web Table 3

Mortality rates of infants in the three arms by place of birth (Post-hoc analysis)*

	Home births N=6230		Facility births N=13139	
	<i>SR vs. control; adjusted OR (95% CI)</i>	<i>AWW vs. control; adjusted OR (95% CI)</i>	<i>SR vs. control; adjusted OR (95% CI)</i>	<i>AWW vs. control; adjusted OR (95% CI)</i>
Neonatal mortality rate (per 1000 live births)	0.81 (0.51, 1.26)	0.78 (0.51, 1.18)	0.72 (0.96)	(0.55, 0.89 (0.66, 1.19)
Early neonatal mortality rate (per 1000 live births)	0.76 (0.45, 1.29)	0.82 (0.51, 1.31)	0.64 (0.86)	(0.48, 0.91 (0.66, 1.25)
Young infant mortality rate (per 1000 live births)	0.88 (0.57, 1.34)	0.89 (0.60, 1.34)	0.66 (0.88)	(0.50, 0.85 (0.63, 1.13)
Infant mortality rate (per 1000 live births)	0.72 (0.49, 1.04)	0.84 (0.60, 1.18)	0.65 (0.82)	(0.51, 0.80 (0.62, 1.04)
Stillbirth rate (per 1000 births)	1.01 (0.60, 1.72)	1.22 (0.73, 2.03)	0.71 1.11)	(0.46, 0.98 (0.70, 1.38)
Perinatal mortality rate (per 1000 births)	0.86 (0.58, 1.29)	0.98 (0.68, 1.41)	0.67 (0.86)	(0.52, 0.94 (0.73, 1.20)

**Adjusted for religion, caste, resident status, and education at the individual level, and distance to district hospital (<25 km), access to PHC or CHC, presence of private clinics, provision of Janani Suraksha Yojana (JSY) and ASHA in the village; cluster adjusted for villages