Supplemental material

BMJ Publishing Group Limited (BMJ) disclaims all liability and responsibility arising from any reliance placed on this supplemental material which has been supplied by the author(s)

BMJ Open

Table S1. Percentage of people with regards to the two health literacy measures (HLS-EU-Q16 and NVS) by age class, educational level, and financial resources.

CI= Confidence Interval.

Variables		HL level Raw percentage (95% CI)			
		low for both HLS and NVS (concordant)	low for HLS and adequate for NVS (discordant)	sufficient for HLS and low for NVS (discordant)	sufficient for HLS and adequate for NVS (concordant)
Age	≤45	12.2% (4.6–24.8%)	46.9% (32.5–61.7%)	8.2% (2.3–19.6%)	32.7% (19.0–47.5%)
	46–55	18.9% (9.4–32%)	45.3% (31.6–59.6%)	5.7% (1.2–15.7%)	30.2% (18.3–44.3%)
	56–65	32.9% (22.3–44.9%)	35.6% (24.7–47.7%)	15.1% (7.8–25.4%)	16.4% (8.8–27.0%)
	>65	54.1% (36.9–70.5%)	24.3% (11.8–41.2%)	13.5% (4.5–28.8%)	8.1% (1.7–21.9%)
Educational level	Less than high school diploma	48.7% (32.4–65.2%)	20.5% (9.3–36.5%)	17.9% (7.5–33.5%)	12.8% (4.3–27.4%)
	High school degree	33.8% (23.4–45.4%)	46.8% (35.3–58.5%)	9.1% (3.7–17.8%)	10.4% (4.6–19.4%)
	Bachelor's degree and higher	15.6% (9–24.5%)	39.6% (29.7–50.1%)	9.4% (4.4–17.1%)	35.4% (25.9–45.8%)
Financial resources at disposal from own or family income enough to get to the end of the month	Not enough	70.0% (34.8–93.3%)	20.0% (2.5–55.6%)	10.0% (0.3–44.5%)	0% (0–30.8%)
	Barely enough	32.1% (20.3–40%)	30.4% (18.8–44.1%)	16.1% (7.6–28.3)	21.4% (11.6–34.4%)
	Enough	25.0% (17.2–34.3%)	46.3% (36.7–56.2%)	7.4% (3.3–14.1%)	21.3% (14–30.2%)
	More than enough	18.9% (8–35.2%)	35.1% (20.2–52.5%)	13.5% (4.5–28.8%)	32.4% (18–49.8%)