

Supplementary Information

Title: Rosettes integrity protects *Plasmodium vivax* of being phagocytized

Letusa Albrecht^{1,2,*}, Stefanie C.P. Lopes^{3, 4}, Ana Beatriz Iung Enembreck da Silva¹, Vanessa Barbosa^{3, 4}, Rodrigo P. Almeida¹, André M. Siqueira⁵, Juliana Almeida Leite², Najara C. Bittencourt², Hellen Geremias dos Santos¹, Catarina Bourgard², Luiz Fernando Cardoso Garcia¹, Ana Carolina A. V. Kayano^{1,2}, Irene S. Soares⁶, Bruce Russell⁷, Laurent Rénia⁸, Marcus V. G. Lacerda^{3,4} and Fabio T.M. Costa^{2*}

¹Laboratório de Pesquisa em Apicomplexa, Instituto Carlos Chagas, Fiocruz Paraná, Curitiba, PR, Brazil.

²Laboratório de Doenças Tropicais, Departamento de Genética, Evolução, Microbiologia e Imunologia, Instituto de Biologia, Universidade Estadual de Campinas (UNICAMP), Campinas, SP, Brazil.

³Fundação de Medicina Tropical Dr. Heitor Vieira Dourado, Gerência de Malária, Manaus, AM, Brazil.

⁴Instituto Leônidas & Maria Deane, Fiocruz Amazônia, Manaus, AM, Brazil.

⁵Instituto Nacional de Infectologia Evandro Chagas, Fiocruz Rio de Janeiro, RJ, Brazil.

⁶Department of Clinical and Toxicological Analyses, School of Pharmaceutical Sciences, University of São Paulo, São Paulo, SP, Brazil.

⁷Department of Microbiology and Immunology, University of Otago, Dunedin, New Zealand.

⁸Singapore Immunology Network, Agency for Science, Technology and Research, Singapore, Singapore.

*LA: letusa.albrecht@fiocruz.br or letusaa@gmail.com

SL: stefaniecplopes@gmail.com

ABIES: iungbeatriz@gmail.com

VB: vanessa.barbosars@hotmail.com

RPA: rod.pma@gmail.com

AMS: amsiqueira@gmail.com

JAL: ju.leite84@gmail.com

NCB: najaracb@gmail.com

HGS: hellen.santos@fiocruz.br

CB: catbourgard@gmail.com

LFCG: fgtc@outlook.com

ACAVK: carolavk@gmail.com

ISS: isoares@usp.br

BR: b.russell@otago.ac.nz

LR: renia_laurent@immunol.a-star.edu.sg


ML: marcuslacerda.br@gmail.com

*FTMC: fabiotmc72@gmail.com


*Corresponding authors.

Supplementary Information


Supplementary Figure S1 - *P. vivax* rosetting frequency. Rosetting rates in 81 *P. vivax* isolates in the presence of autologous plasma. **(A)** Frequency distribution of rosettes among the isolates. **(B)** Boxplot showing median and interquartile ranges of rosetting rates.




Supplementary Figure S2 - Platelet and haematocrit levels of patients infected with *P. vivax*. (A) No statistical correlation was observed when rosetting rates were compared with platelet (Pearson correlation coefficient $r = 0.09, p = 0.60, n = 38$) or (B) haematocrit levels (Pearson correlation coefficient $r = -0.06, p = 0.70, n = 38$) of patients infected with *P. vivax*.



Supplementary Figure S3. (A) The binding of IgM and (B) IgG to red blood cells (Spearman's correlation coefficient $\rho = 0.16, p = 0.38, n = 32$, and $\rho = 0.10, p = 0.58, n = 35$, respectively).



Supplementary Figure S4 - Correlation between cytokine levels and parasitemia. **(A)** Correlation between IL-6 and IL-10 plasmatic levels (Spearman's test, $\rho = 0.54$, $p < 0.05$, $n = 30$). **(B)** Correlation between log IL-6 and parasitemia (Spearman's test, $\rho = 0.08$, $p = 0.64$, $n = 33$). **(C)** Correlation between log IL-10 and parasitemia (Spearman's test, $\rho = 0.08$, $p = 0.65$, $n = 30$). **(D)** Parasitemia in patients with detectable or not detectable IFN- γ (Student's t-test, $p = 0.36$ and $n = 37$).



Supplementary Figure S5 - Representative images of *P. vivax* rosettes. Parasites were stained with acridine orange and visualized in optical microscopy. **(A)** Non-rosetting *P. vivax* parasite bound to only one red blood cell (RBC), not characterizing a rosette. **(B-C)** More than two non-infected RBCs binding to an infected RBC, forming a rosette.

