

#1

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Monday, April 13, 2020 4:41:14 PM
Last Modified: Monday, April 13, 2020 4:45:39 PM
Time Spent: 00:04:25
Email: vineet.aiims@gmail.com
IP Address: 122.176.240.70

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

India

Q2 About your infusion centre:

The infusion centre is dedicated to patients with IBD

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows:

**Staffed purely by general nurses to deliver infusions,
 Has an attending physician at least 50% of operating hours**

Q4 About the location of your infusion centre (tick all that apply):

Our infusion centre is attached to my practice / unit / hospital

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week

<10

Q6 What percentage of these infusions are "home infusions"

0%

Q7 In the infusion unit, which of the following are performed (tick all that apply)

**Disease activity / adverse event assessment,
 Routine blood tests,
 Therapeutic drug levels.**

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy

No: all infusions are 120 minutes

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy

Yes: post infusion monitoring is reduced

Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre:

No: it remains attached to my centre / practice / hospital

<p>Q11 Has your infusion centre experienced a change its capacity:</p>	<p>Yes, the capacity for infusions has reduced</p>
<p>Q12 Have you changed the case mix attending the infusion centre (tick all that apply):</p>	<p>No: it remains limited to IBD patients only</p>
<p>Q13 Have you changed the staffing of the infusion centre:</p>	<p>No</p>
<p>Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms:</p>	<p>NO</p>
<p>Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus:</p>	<p>YES</p>
<p>Q16 How many patients have a positive screen and require their infusion to be rescheduled: nil</p>	
<p>Q17 If someone has a fever or “influenza like illness” on screening how long are you delaying their infusions for 1 week or till the RT pcr comes negatives and there is no fever</p>	
<p>Q18 What other modifications have you implemented (tick all that apply):</p>	<p>Increased cleaning in between infusions, Reduced number of patients attending to allow social distancing , Increased the duration between infusions in response to coronavirus (ie from 8 to 10 weeks)</p>
<p>Q19 What modifications to patient assessment have you made (tick all that apply)</p>	<p>Routine bloods tests are not taken, Drug levels are not taken</p>
<p>Q20 Have you modified the infusion protocols (tick all that apply)</p>	<p>No – the protocols remain the same</p>
<p>Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus?</p>	<p>11-20%</p>
<p>Q22 If patients have delayed / cancelled their infusions – have any had disease flare</p>	<p>No: all have remained well</p>

Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus

Nil

Q24 What sources of information support are there for your patients

We have always had a telephone help line / email address

Q25 Please list any other modifications you have made to your infusion centre in the text box below

Respondent skipped this question

#2

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Monday, April 13, 2020 4:47:44 PM
Last Modified: Monday, April 13, 2020 4:54:54 PM
Time Spent: 00:07:10
Email: gassull.ma@gmail.com
IP Address: 88.5.1.182

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

Spain

Q2 About your infusion centre: **The infusion centre accepts patients from different specialities**

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows: **Staffed purely by general nurses to deliver infusions**

Q4 About the location of your infusion centre (tick all that apply): **Our infusion centre is attached to my practice / unit / hospital**

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week **10-50**

Q6 What percentage of these infusions are "home infusions" **0%**

Q7 In the infusion unit, which of the following are performed (tick all that apply) **Routine blood tests,
Therapeutic drug levels.**

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy **No: all infusions are 120 minutes**

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy **No all patients are monitored for standard time after an infusion**

Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre: **No: it remains attached to my centre / practice / hospital**

Q11 Has your infusion centre experienced a change its capacity:	Yes, the capacity for infusions has reduced
Q12 Have you changed the case mix attending the infusion centre (tick all that apply):	No: it has always received patients from different specialities
Q13 Have you changed the staffing of the infusion centre:	No
Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms:	YES
Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus:	YES
Q16 How many patients have a positive screen and require their infusion to be rescheduled: Zero so far	
Q17 If someone has a fever or “influenza like illness” on screening how long are you delaying their infusions for two weeks	
Q18 What other modifications have you implemented (tick all that apply):	Increased spacing between infusion chairs, Increased cleaning in between infusions, Increased in hours of operation to maintain capacity
Q19 What modifications to patient assessment have you made (tick all that apply)	Drug levels are not taken
Q20 Have you modified the infusion protocols (tick all that apply)	No – the protocols remain the same
Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus?	6-10%
Q22 If patients have delayed / cancelled their infusions – have any had disease flare	No: all have remained well
Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus zero so far	

Q24 What sources of information support are there for your patients

We have always had a telephone help line / email address

,

We have produced a patient information sheet in response to coronavirus

Q25 Please list any other modifications you have made to your infusion centre in the text box below

Respondent skipped this question

#3

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Monday, April 13, 2020 5:08:06 PM
Last Modified: Monday, April 13, 2020 5:14:26 PM
Time Spent: 00:06:19
Email: jpanes@clinic.cat
IP Address: 88.10.103.241

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

Spain

Q2 About your infusion centre:

The infusion centre accepts patients from different specialities

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows:

Has IBD specialist nurse input, but infusions given by general nurses

Q4 About the location of your infusion centre (tick all that apply):

Our infusion centre is attached to my practice / unit / hospital

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week

10-50

Q6 What percentage of these infusions are "home infusions"

0%

Q7 In the infusion unit, which of the following are performed (tick all that apply)

**Disease activity / adverse event assessment,
 Routine blood tests,
 Therapeutic drug levels.**

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy

Yes: reduce infusion to 60 minutes

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy

Yes: post infusion monitoring is reduced

Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre:

No: it remains attached to my centre / practice / hospital

Q11 Has your infusion centre experienced a change its capacity:	No, the capacity of infusions has remained the same
Q12 Have you changed the case mix attending the infusion centre (tick all that apply):	No: it has always received patients from different specialities
Q13 Have you changed the staffing of the infusion centre:	No
Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms:	NO
Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus:	YES
Q16 How many patients have a positive screen and require their infusion to be rescheduled: 1%	
Q17 If someone has a fever or “influenza like illness” on screening how long are you delaying their infusions for 2 weeks	
Q18 What other modifications have you implemented (tick all that apply):	Increased cleaning in between infusions
Q19 What modifications to patient assessment have you made (tick all that apply)	Respondent skipped this question
Q20 Have you modified the infusion protocols (tick all that apply)	No – the protocols remain the same
Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus?	<5%
Q22 If patients have delayed / cancelled their infusions – have any had disease flare	Yes: they had infusion and responded
Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus 0%	
Q24 What sources of information support are there for your patients	We have always had a telephone help line / email address

Q25 Please list any other modifications you have made to your infusion centre in the text box below

Inform patients by e-mail that treatments should be continued

#4

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Monday, April 13, 2020 5:40:04 PM
Last Modified: Monday, April 13, 2020 5:43:11 PM
Time Spent: 00:03:07
Email: siewchienng@cuhk.edu.hk
IP Address: 168.70.35.163

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

Hong Kong

Q2 About your infusion centre:

The infusion centre accepts patients from different specialities

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows:

Has an attending physician at least 50% of operating hours

Q4 About the location of your infusion centre (tick all that apply):

Our infusion centre is attached to my practice / unit / hospital

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week

10-50

Q6 What percentage of these infusions are "home infusions"

0%

Q7 In the infusion unit, which of the following are performed (tick all that apply)

**Disease activity / adverse event assessment,
Routine blood tests**

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy

Yes: reduce infusion to 60 minutes

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy

Yes: post infusion monitoring is reduced

Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre:

No: it remains attached to my centre / practice / hospital

Q11 Has your infusion centre experienced a change its capacity:	No, the capacity of infusions has remained the same
Q12 Have you changed the case mix attending the infusion centre (tick all that apply):	No: it has always received patients from different specialities
Q13 Have you changed the staffing of the infusion centre:	No
Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms:	NO
Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus:	YES
Q16 How many patients have a positive screen and require their infusion to be rescheduled: 0	
Q17 If someone has a fever or “influenza like illness” on screening how long are you delaying their infusions for 2 weeks	
Q18 What other modifications have you implemented (tick all that apply):	Increased cleaning in between infusions, Reduced number of patients attending to allow social distancing , Increased in hours of operation to maintain capacity
Q19 What modifications to patient assessment have you made (tick all that apply)	Disease activity assessment / adverse events are not recorded
Q20 Have you modified the infusion protocols (tick all that apply)	No – the protocols remain the same
Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus?	<5%
Q22 If patients have delayed / cancelled their infusions – have any had disease flare	No: all have remained well
Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus 0	

Q24 What sources of information support are there for your patients

We have always had a telephone help line / email address

Q25 Please list any other modifications you have made to your infusion centre in the text box below

Respondent skipped this question

#5

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Monday, April 13, 2020 6:43:53 PM
Last Modified: Monday, April 13, 2020 6:47:46 PM
Time Spent: 00:03:53
Email: britta.siegmund@charite.de
IP Address: 62.153.23.186

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

Germany

Q2 About your infusion centre:

The infusion centre is dedicated to patients with IBD

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows:

Has IBD specialist nurse input, but infusions given by general nurses

,

Has an attending physician at least 50% of operating hours

Q4 About the location of your infusion centre (tick all that apply):

Our infusion centre is attached to my practice / unit / hospital

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week

50-100

Q6 What percentage of these infusions are "home infusions"

0%

Q7 In the infusion unit, which of the following are performed (tick all that apply)

**Disease activity / adverse event assessment,
 Routine blood tests,
 Therapeutic drug levels.**

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy

Yes: reduce infusion to 60 minutes

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy

No all patients are monitored for standard time after an infusion

<p>Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre:</p>	<p>No: it remains attached to my centre / practice / hospital</p>
<p>Q11 Has your infusion centre experienced a change its capacity:</p>	<p>No, the capacity of infusions has remained the same</p>
<p>Q12 Have you changed the case mix attending the infusion centre (tick all that apply):</p>	<p>No: it remains limited to IBD patients only</p>
<p>Q13 Have you changed the staffing of the infusion centre:</p>	<p>No</p>
<p>Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms:</p>	<p>YES</p>
<p>Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus:</p>	<p>YES</p>
<p>Q16 How many patients have a positive screen and require their infusion to be rescheduled: few</p>	
<p>Q17 If someone has a fever or “influenza like illness” on screening how long are you delaying their infusions for 14 days</p>	
<p>Q18 What other modifications have you implemented (tick all that apply):</p>	<p>Increased spacing between infusion chairs, Reduced number of patients attending to allow social distancing , Increased the duration between infusions in response to coronavirus (ie from 8 to 10 weeks) , Altered the threshold for IV iron infusions to reduce patient numbers</p>
<p>Q19 What modifications to patient assessment have you made (tick all that apply)</p>	<p>Respondent skipped this question</p>
<p>Q20 Have you modified the infusion protocols (tick all that apply)</p>	<p>No – the protocols remain the same</p>
<p>Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus?</p>	<p>20-50%</p>

Q22 If patients have delayed / cancelled their infusions – have any had disease flare **No: all have remained well**

Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus

1

Q24 What sources of information support are there for your patients

We have always had a telephone help line / email address

,

We have produced a patient information sheet in response to coronavirus

Q25 Please list any other modifications you have made to your infusion centre in the text box below

Respondent skipped this question

#6

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Monday, April 13, 2020 8:23:29 PM
Last Modified: Monday, April 13, 2020 8:33:10 PM
Time Spent: 00:09:40
Email: gjmantzaris@gmail.com
IP Address: 94.64.188.47

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

Greece

Q2 About your infusion centre: **The infusion centre is dedicated to patients with IBD**

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows: **Staffed purely by general nurses to deliver infusions, Has an attending physician at least 50% of operating hours**

Q4 About the location of your infusion centre (tick all that apply): **Our infusion centre is attached to my practice / unit / hospital**

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week **50-100**

Q6 What percentage of these infusions are "home infusions" **0%**

Q7 In the infusion unit, which of the following are performed (tick all that apply) **Disease activity / adverse event assessment, Routine blood tests, Therapeutic drug levels.**

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy **Yes: reduce infusion to 60 minutes**

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy **Yes: post infusion monitoring is reduced**

Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre: **Yes: it has moved to a new location out of the medical centre in response to coronavirus**

Q11 Has your infusion centre experienced a change its capacity: **No, the capacity of infusions has remained the same**

Q12 Have you changed the case mix attending the infusion centre (tick all that apply): **No: it remains limited to IBD patients only**

Q13 Have you changed the staffing of the infusion centre: **No**

Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms: **YES**

Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus: **YES**

Q16 How many patients have a positive screen and require their infusion to be rescheduled:

None

Q17 If someone has a fever or "influenza like illness" on screening how long are you delaying their infusions for

Until I get a RT-PCR result negative for SARS-COV-2 plus 7 days after apyrexia

Q18 What other modifications have you implemented (tick all that apply):

- Increased spacing between infusion chairs,**
- Increased cleaning in between infusions,**
- Increased in hours of operation to maintain capacity,**
- Switching patients on infusions to subcutaneous alternatives**
- ,
- Altered the threshold for IV iron infusions to reduce patient numbers**
- ,
- OTHER::
- Administrative work is exclusively performed by Physicians and Nurses without any patient involvement

Q19 What modifications to patient assessment have you made (tick all that apply) **Routine bloods tests are not taken**

Q20 Have you modified the infusion protocols (tick all that apply)

We have reduced infusion duration for stable patients,
We have reduced infusion duration for all patients,
We have reduced monitoring post infusion for all patients
,
We have switched iv premedication to oral where possible

Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus?

<5%

Q22 If patients have delayed / cancelled their infusions – have any had disease flare

No: all have remained well

Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus

None

Q24 What sources of information support are there for your patients

We have set up a telephone help line / email address in response to coronavirus
,
We have produced a patient information sheet in response to coronavirus

Q25 Please list any other modifications you have made to your infusion centre in the text box below

Patients receive electronic prescriptions of additional medicines and for blood tests

#7

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Monday, April 13, 2020 8:28:58 PM
Last Modified: Monday, April 13, 2020 8:35:17 PM
Time Spent: 00:06:19
Email: ikoutroubakis@gmail.com
IP Address: 2.87.160.123

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

Greece

Q2 About your infusion centre: **The infusion centre is dedicated to patients with IBD**

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows: **Staffed purely by general nurses to deliver infusions**

Q4 About the location of your infusion centre (tick all that apply): **Our infusion centre is attached to my practice / unit / hospital**

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week **10-50**

Q6 What percentage of these infusions are "home infusions" **0%**

Q7 In the infusion unit, which of the following are performed (tick all that apply) **Disease activity / adverse event assessment, Routine blood tests**

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy **Yes: reduce infusion to 60 minutes**

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy **Yes: post infusion monitoring is reduced**

Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre: **No: it remains attached to my centre / practice / hospital**

Q11 Has your infusion centre experienced a change its capacity:	No, the capacity of infusions has remained the same
Q12 Have you changed the case mix attending the infusion centre (tick all that apply):	No: it remains limited to IBD patients only
Q13 Have you changed the staffing of the infusion centre:	No
Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms:	NO
Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus:	YES
Q16 How many patients have a positive screen and require their infusion to be rescheduled: 10%	
Q17 If someone has a fever or "influenza like illness" on screening how long are you delaying their infusions for 7 days	
Q18 What other modifications have you implemented (tick all that apply):	Increased cleaning in between infusions, Reduced number of patients attending to allow social distancing
Q19 What modifications to patient assessment have you made (tick all that apply)	Drug levels are not taken
Q20 Have you modified the infusion protocols (tick all that apply)	No – the protocols remain the same
Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus?	6-10%
Q22 If patients have delayed / cancelled their infusions – have any had disease flare	Yes: they had infusion and responded
Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus 0	

Q24 What sources of information support are there for your patients

We have always had a telephone help line / email address

Q25 Please list any other modifications you have made to your infusion centre in the text box below

Respondent skipped this question

#8

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Monday, April 13, 2020 9:14:46 PM
Last Modified: Monday, April 13, 2020 9:23:00 PM
Time Spent: 00:08:13
Email: irisdo@clalit.org.il
IP Address: 194.114.146.227

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

Israel

Q2 About your infusion centre: **The infusion centre is dedicated to patients with IBD**

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows: **Has IBD specialist nurse input, but infusions given by general nurses**
 ,
Has an attending physician at least 50% of operating hours

Q4 About the location of your infusion centre (tick all that apply): **Our infusion centre is attached to my practice / unit / hospital**

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week **50-100**

Q6 What percentage of these infusions are "home infusions" **1-10%**

Q7 In the infusion unit, which of the following are performed (tick all that apply) **Disease activity / adverse event assessment,**
Routine blood tests,
Therapeutic drug levels.

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy **Yes: reduce infusion to 60 minutes**

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy **Yes: we do not perform post infusion monitoring for stable patients**

Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre: **Yes: it moved to a new location in the medical centre**

Q11 Has your infusion centre experienced a change its capacity: **Yes, the capacity for infusion has increased as we have amalgamated with other services**

Q12 Have you changed the case mix attending the infusion centre (tick all that apply): **Yes: we share the infusion centre with other specialties**

Q13 Have you changed the staffing of the infusion centre: **Yes we now use general nurses / other specialty nurses/other GI nurses to deliver infusions**

Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms: **YES**

Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus: **YES**

Q16 How many patients have a positive screen and require their infusion to be rescheduled:

0

Q17 If someone has a fever or “influenza like illness” on screening how long are you delaying their infusions for consult with ID

Q18 What other modifications have you implemented (tick all that apply): **Increased spacing between infusion chairs, Increased cleaning in between infusions, Reduced number of patients attending to allow social distancing**,
OTHER:: Patients using masks, staff using PPE

Q19 What modifications to patient assessment have you made (tick all that apply) **Routine bloods tests are not taken, Drug levels are not taken**

Q20 Have you modified the infusion protocols (tick all that apply) **We have switched iv premedication to oral where possible**

Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus? **<5%**

Q22 If patients have delayed / cancelled their infusions – have any had disease flare **No: all have remained well**

Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus

So far unaware of any

Q24 What sources of information support are there for your patients

We have always had a telephone help line / email address

,

We have produced a patient information sheet in response to coronavirus

Q25 Please list any other modifications you have made to your infusion centre in the text box below

Moving the whole center from the old location that transformed to "corona", to another location in main hospital, within a week

#9

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Monday, April 13, 2020 9:21:47 PM
Last Modified: Monday, April 13, 2020 9:27:28 PM
Time Spent: 00:05:40
Email: wsandborn@ucsd.edu
IP Address: 169.228.165.140

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

United States

Q2 About your infusion centre:

The infusion centre accepts patients from different specialities

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows:

Staffed purely by general nurses to deliver infusions

Q4 About the location of your infusion centre (tick all that apply):

Our infusion centre is attached to my practice / unit / hospital

Our infusion centre is located in the community,

Our infusion centre is shared with other IBD centres

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week

100-200

Q6 What percentage of these infusions are "home infusions"

1-10%

Q7 In the infusion unit, which of the following are performed (tick all that apply)

Routine blood tests,

Therapeutic drug levels.

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy

No: all infusions are 120 minutes

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy

No all patients are monitored for standard time after an infusion

<p>Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre:</p>	<p>No: it remains attached to my centre / practice / hospital</p>
<p>Q11 Has your infusion centre experienced a change its capacity:</p>	<p>No, the capacity of infusions has remained the same</p>
<p>Q12 Have you changed the case mix attending the infusion centre (tick all that apply):</p>	<p>No: it has always received patients from different specialities</p>
<p>Q13 Have you changed the staffing of the infusion centre:</p>	<p>No</p>
<p>Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms:</p>	<p>YES</p>
<p>Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus:</p>	<p>YES</p>
<p>Q16 How many patients have a positive screen and require their infusion to be rescheduled: Unknown</p>	
<p>Q17 If someone has a fever or “influenza like illness” on screening how long are you delaying their infusions for 10-14 days</p>	
<p>Q18 What other modifications have you implemented (tick all that apply):</p>	<p>Increased spacing between infusion chairs, Reduced number of patients attending to allow social distancing</p>
<p>Q19 What modifications to patient assessment have you made (tick all that apply)</p>	<p>Respondent skipped this question</p>
<p>Q20 Have you modified the infusion protocols (tick all that apply)</p>	<p>No – the protocols remain the same</p>
<p>Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus?</p>	<p>20-50%</p>
<p>Q22 If patients have delayed / cancelled their infusions – have any had disease flare</p>	<p>No: all have remained well</p>

Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus

3

Q24 What sources of information support are there for your patients

We have always had a telephone help line / email address

Q25 Please list any other modifications you have made to your infusion centre in the text box below

Respondent skipped this question

#10

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Monday, April 13, 2020 10:46:42 PM
Last Modified: Monday, April 13, 2020 10:50:07 PM
Time Spent: 00:03:24
Email: richard.gearry@cdhb.govt.nz
IP Address: 121.74.122.47

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

New Zealand

Q2 About your infusion centre: **The infusion centre accepts patients from different specialities**

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows: **Staffed purely by general nurses to deliver infusions**

Q4 About the location of your infusion centre (tick all that apply): **Our infusion centre is attached to my practice / unit / hospital**
,
Our infusion centre is located in the community

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week **100-200**

Q6 What percentage of these infusions are "home infusions" **0%**

Q7 In the infusion unit, which of the following are performed (tick all that apply) **Routine blood tests,**
Therapeutic drug levels.

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy **Yes: reduce to 30 minutes**

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy **Yes: we do not perform post infusion monitoring for stable patients**

<p>Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre:</p>	<p>No: it remains in the same community setting</p>
<p>Q11 Has your infusion centre experienced a change its capacity:</p>	<p>Yes, the capacity for infusions has reduced</p>
<p>Q12 Have you changed the case mix attending the infusion centre (tick all that apply):</p>	<p>No: it has always received patients from different specialities</p>
<p>Q13 Have you changed the staffing of the infusion centre:</p>	<p>No</p>
<p>Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms:</p>	<p>YES</p>
<p>Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus:</p>	<p>YES</p>
<p>Q16 How many patients have a positive screen and require their infusion to be rescheduled: 0</p>	
<p>Q17 If someone has a fever or “influenza like illness” on screening how long are you delaying their infusions for 1 month</p>	
<p>Q18 What other modifications have you implemented (tick all that apply):</p>	<p>Increased spacing between infusion chairs, Increased cleaning in between infusions, Reduced number of patients attending to allow social distancing</p>
<p>Q19 What modifications to patient assessment have you made (tick all that apply)</p>	<p>Drug levels are not taken</p>
<p>Q20 Have you modified the infusion protocols (tick all that apply)</p>	<p>We have reduced infusion duration for stable patients</p>
<p>Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus?</p>	<p>6-10%</p>
<p>Q22 If patients have delayed / cancelled their infusions – have any had disease flare</p>	<p>No: all have remained well</p>

Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus

0

Q24 What sources of information support are there for your patients

We have always had a telephone help line / email address

,

We have produced a patient information sheet in response to coronavirus

Q25 Please list any other modifications you have made to your infusion centre in the text box below

Respondent skipped this question

#11

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Tuesday, April 14, 2020 4:42:22 AM
Last Modified: Tuesday, April 14, 2020 4:46:09 AM
Time Spent: 00:03:47
Email: corey.a.siegel@hitchcock.org
IP Address: 76.24.252.103

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

US

Q2 About your infusion centre: **The infusion centre accepts patients from different specialities**

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows: **Staffed purely by general nurses to deliver infusions**

Q4 About the location of your infusion centre (tick all that apply): **Our infusion centre is attached to my practice / unit / hospital**

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week **50-100**

Q6 What percentage of these infusions are "home infusions" **11-30%**

Q7 In the infusion unit, which of the following are performed (tick all that apply) **Routine blood tests**

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy **Yes: reduce infusion to 60 minutes**

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy **Yes: we do not perform post infusion monitoring for stable patients**

Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre: **No: it remains attached to my centre / practice / hospital**

Q11 Has your infusion centre experienced a change its capacity:	No, the capacity of infusions has remained the same
Q12 Have you changed the case mix attending the infusion centre (tick all that apply):	No: it has always received patients from different specialities
Q13 Have you changed the staffing of the infusion centre:	No
Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms:	YES
Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus:	YES
Q16 How many patients have a positive screen and require their infusion to be rescheduled: minimal	
Q17 If someone has a fever or “influenza like illness” on screening how long are you delaying their infusions for 14 days minimum	
Q18 What other modifications have you implemented (tick all that apply):	Increased spacing between infusion chairs, Increased cleaning in between infusions, Altered the threshold for IV iron infusions to reduce patient numbers
Q19 What modifications to patient assessment have you made (tick all that apply)	Respondent skipped this question
Q20 Have you modified the infusion protocols (tick all that apply)	No – the protocols remain the same
Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus?	<5%
Q22 If patients have delayed / cancelled their infusions – have any had disease flare	No: all have remained well
Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus <5	

Q24 What sources of information support are there for your patients

We have always had a telephone help line / email address

,

We have set up a telephone help line / email address in response to coronavirus

,

We have produced a patient information sheet in response to coronavirus

Q25 Please list any other modifications you have made to your infusion centre in the text box below

Respondent skipped this question

#12

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Tuesday, April 14, 2020 6:49:14 AM
Last Modified: Tuesday, April 14, 2020 7:00:22 AM
Time Spent: 00:11:08
Email: charles.bernstein@umanitoba.ca
IP Address: 142.161.197.53

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

canada

Q2 About your infusion centre: **The infusion centre is dedicated to patients with IBD**

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows: **Staffed purely by general nurses to deliver infusions**

Q4 About the location of your infusion centre (tick all that apply): **Our infusion centre is located in the community**

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week **10-50**

Q6 What percentage of these infusions are "home infusions" **0%**

Q7 In the infusion unit, which of the following are performed (tick all that apply) **Disease activity / adverse event assessment,
Routine blood tests,
Therapeutic drug levels.**

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy **Yes: reduce infusion to 60 minutes**

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy **Yes: post infusion monitoring is reduced**

Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre: **No: it remains in the same community setting**

Q11 Has your infusion centre experienced a change its capacity:	No, the capacity of infusions has remained the same
Q12 Have you changed the case mix attending the infusion centre (tick all that apply):	No: it has always received patients from different specialities
Q13 Have you changed the staffing of the infusion centre:	No
Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms:	YES
Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus:	YES
Q16 How many patients have a positive screen and require their infusion to be rescheduled: i do not know	
Q17 If someone has a fever or “influenza like illness” on screening how long are you delaying their infusions for until symptoms have abated	
Q18 What other modifications have you implemented (tick all that apply):	Increased spacing between infusion chairs, Increased cleaning in between infusions, Increased in hours of operation to maintain capacity
Q19 What modifications to patient assessment have you made (tick all that apply)	Respondent skipped this question
Q20 Have you modified the infusion protocols (tick all that apply)	No – the protocols remain the same
Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus?	<5%
Q22 If patients have delayed / cancelled their infusions – have any had disease flare	No: all have remained well
Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus <5	

Q24 What sources of information support are there for your patients

We have always had a telephone help line / email address

Q25 Please list any other modifications you have made to your infusion centre in the text box below

Respondent skipped this question

#13

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Tuesday, April 14, 2020 9:25:17 AM
Last Modified: Tuesday, April 14, 2020 9:29:14 AM
Time Spent: 00:03:56
Email: severine.vermeire@uzleuven.be
IP Address: 193.58.148.22

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

Belgium

Q2 About your infusion centre:

The infusion centre is dedicated to patients with IBD

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows:

**Staffed purely by general nurses to deliver infusions,
Has IBD specialist nurse input, but infusions given by
general nurses**

**Has an attending physician at least 50% of operating
hours**

Q4 About the location of your infusion centre (tick all that apply):

**Our infusion centre is attached to my practice / unit /
hospital**

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week

100-200

Q6 What percentage of these infusions are "home infusions"

0%

Q7 In the infusion unit, which of the following are performed (tick all that apply)

Disease activity / adverse event assessment,

Routine blood tests,

Therapeutic drug levels.

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy

Yes: reduce infusion to 60 minutes

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy

**Yes: we do not perform post infusion monitoring for
stable patients**

<p>Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre:</p>	<p>No: it remains attached to my centre / practice / hospital</p>
<p>Q11 Has your infusion centre experienced a change its capacity:</p>	<p>No, the capacity of infusions has remained the same</p>
<p>Q12 Have you changed the case mix attending the infusion centre (tick all that apply):</p>	<p>No: it remains limited to IBD patients only</p>
<p>Q13 Have you changed the staffing of the infusion centre:</p>	<p>No</p>
<p>Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms:</p>	<p>NO</p>
<p>Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus:</p>	<p>YES</p>
<p>Q16 How many patients have a positive screen and require their infusion to be rescheduled: <5%</p>	
<p>Q17 If someone has a fever or “influenza like illness” on screening how long are you delaying their infusions for 2 weeks</p>	
<p>Q18 What other modifications have you implemented (tick all that apply):</p>	<p>Increased spacing between infusion chairs, Increased cleaning in between infusions, Altered the threshold for IV iron infusions to reduce patient numbers</p>
<p>Q19 What modifications to patient assessment have you made (tick all that apply)</p>	<p>Respondent skipped this question</p>
<p>Q20 Have you modified the infusion protocols (tick all that apply)</p>	<p>No – the protocols remain the same</p>
<p>Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus?</p>	<p><5%</p>
<p>Q22 If patients have delayed / cancelled their infusions – have any had disease flare</p>	<p>No: all have remained well</p>

Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus

<1%

Q24 What sources of information support are there for your patients

We have always had a telephone help line / email address

,

We have set up a telephone help line / email address in response to coronavirus

,

We have produced a patient information sheet in response to coronavirus

Q25 Please list any other modifications you have made to your infusion centre in the text box below

no other

#14

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Tuesday, April 14, 2020 11:42:01 AM
Last Modified: Tuesday, April 14, 2020 11:45:51 AM
Time Spent: 00:03:49
Email: james.lindsay8@nhs.net
IP Address: 161.23.14.43

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

UK

Q2 About your infusion centre: **The infusion centre is dedicated to patients with IBD**

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows: **Staffed purely by IBD specialist nurses**

Q4 About the location of your infusion centre (tick all that apply): **Our infusion centre is attached to my practice / unit / hospital**

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week **50-100**

Q6 What percentage of these infusions are "home infusions" **0%**

Q7 In the infusion unit, which of the following are performed (tick all that apply) **Disease activity / adverse event assessment,
Routine blood tests,
Therapeutic drug levels.**

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy **Yes: reduce to 30 minutes**

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy **Yes: post infusion monitoring is reduced**

Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre: **Yes: it has moved to a new location out of the medical centre in response to coronavirus**

<p>Q11 Has your infusion centre experienced a change its capacity:</p>	<p>Yes, the capacity for infusion has increased as we have amalgamated with other services</p>
<p>Q12 Have you changed the case mix attending the infusion centre (tick all that apply):</p>	<p>Yes: we now share the infusion centre with other IBD units ,</p> <p>Yes: we share the infusion centre with other specialties</p>
<p>Q13 Have you changed the staffing of the infusion centre:</p>	<p>Yes we now use general nurses / other specialty nurses/other GI nurses to deliver infusions</p>
<p>Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms:</p>	<p>YES</p>
<p>Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus:</p>	<p>YES</p>
<p>Q16 How many patients have a positive screen and require their infusion to be rescheduled: 0</p>	
<p>Q17 If someone has a fever or “influenza like illness” on screening how long are you delaying their infusions for 2 weeks after temperature have settled (or negative COVID swab)</p>	
<p>Q18 What other modifications have you implemented (tick all that apply):</p>	<p>Increased spacing between infusion chairs, Increased cleaning in between infusions, Altered the threshold for IV iron infusions to reduce patient numbers</p>
<p>Q19 What modifications to patient assessment have you made (tick all that apply)</p>	<p>Respondent skipped this question</p>
<p>Q20 Have you modified the infusion protocols (tick all that apply)</p>	<p>Respondent skipped this question</p>
<p>Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus?</p>	<p><5%</p>
<p>Q22 If patients have delayed / cancelled their infusions – have any had disease flare</p>	<p>No: all have remained well</p>

Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus

1

Q24 What sources of information support are there for your patients

We have always had a telephone help line / email address

,

We have produced a patient information sheet in response to coronavirus

Q25 Please list any other modifications you have made to your infusion centre in the text box below

Respondent skipped this question

#15

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Tuesday, April 14, 2020 5:01:01 PM
Last Modified: Tuesday, April 14, 2020 5:07:39 PM
Time Spent: 00:06:38
Email: matthieu.allez@aphp.fr
IP Address: 164.2.255.244

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

France

Q2 About your infusion centre: **The infusion centre is dedicated to patients with IBD**

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows: **Has IBD specialist nurse input, but infusions given by general nurses**
 ,
Has an attending physician at least 50% of operating hours

Q4 About the location of your infusion centre (tick all that apply): **Our infusion centre is attached to my practice / unit / hospital**

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week **50-100**

Q6 What percentage of these infusions are "home infusions" **0%**

Q7 In the infusion unit, which of the following are performed (tick all that apply) **Disease activity / adverse event assessment,**
Routine blood tests,
Therapeutic drug levels.

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy **Yes: reduce infusion to 60 minutes**

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy **Yes: we do not perform post infusion monitoring for stable patients**

<p>Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre:</p>	<p>No: it remains attached to my centre / practice / hospital</p>
<p>Q11 Has your infusion centre experienced a change its capacity:</p>	<p>No, the capacity of infusions has remained the same</p>
<p>Q12 Have you changed the case mix attending the infusion centre (tick all that apply):</p>	<p>No: it remains limited to IBD patients only</p>
<p>Q13 Have you changed the staffing of the infusion centre:</p>	<p>No</p>
<p>Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms:</p>	<p>NO</p>
<p>Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus:</p>	<p>YES</p>
<p>Q16 How many patients have a positive screen and require their infusion to be rescheduled: 2</p>	<p>2</p>
<p>Q17 If someone has a fever or “influenza like illness” on screening how long are you delaying their infusions for 2 weeks after the start of symptoms and at least 2 days symptom-free</p>	<p>2 weeks after the start of symptoms and at least 2 days symptom-free</p>
<p>Q18 What other modifications have you implemented (tick all that apply):</p>	<p>Increased spacing between infusion chairs, Reduced number of patients attending to allow social distancing</p>
<p>Q19 What modifications to patient assessment have you made (tick all that apply)</p>	<p>Respondent skipped this question</p>
<p>Q20 Have you modified the infusion protocols (tick all that apply)</p>	<p>No – the protocols remain the same</p>
<p>Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus?</p>	<p>11-20%</p>
<p>Q22 If patients have delayed / cancelled their infusions – have any had disease flare</p>	<p>No: all have remained well</p>

Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus

0

Q24 What sources of information support are there for your patients

We have always had a telephone help line / email address

,

We have produced a patient information sheet in response to coronavirus

Q25 Please list any other modifications you have made to your infusion centre in the text box below

Respondent skipped this question

#16

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Tuesday, April 14, 2020 5:34:22 PM
Last Modified: Tuesday, April 14, 2020 5:38:59 PM
Time Spent: 00:04:36
Email: uma.mahadevan@ucsf.edu
IP Address: 128.218.43.170

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

United States

Q2 About your infusion centre:

The infusion centre accepts patients from different specialities

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows:

**Staffed purely by general nurses to deliver infusions,
Has an attending physician at least 50% of operating hours**

Q4 About the location of your infusion centre (tick all that apply):

Our infusion centre is attached to my practice / unit / hospital

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week

100-200

Q6 What percentage of these infusions are "home infusions"

>50%

Q7 In the infusion unit, which of the following are performed (tick all that apply)

**Routine blood tests,
Therapeutic drug levels.**

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy

Yes: reduce infusion to 60 minutes

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy

Yes: we do not perform post infusion monitoring for stable patients

Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre:

No: it remains attached to my centre / practice / hospital

Q11 Has your infusion centre experienced a change its capacity:	No, the capacity of infusions has remained the same
Q12 Have you changed the case mix attending the infusion centre (tick all that apply):	No: it has always received patients from different specialities
Q13 Have you changed the staffing of the infusion centre:	No
Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms:	YES
Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus:	YES
Q16 How many patients have a positive screen and require their infusion to be rescheduled: <5%	
Q17 If someone has a fever or “influenza like illness” on screening how long are you delaying their infusions for Tested for Sars-Co-V2. If negative and no fever, they come back	
Q18 What other modifications have you implemented (tick all that apply):	Increased spacing between infusion chairs, Increased cleaning in between infusions, Increased the number of patients receiving home infusions
Q19 What modifications to patient assessment have you made (tick all that apply)	Respondent skipped this question
Q20 Have you modified the infusion protocols (tick all that apply)	No – the protocols remain the same
Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus?	<5%
Q22 If patients have delayed / cancelled their infusions – have any had disease flare	No: all have remained well
Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus 0	

Q24 What sources of information support are there for your patients

We have always had a telephone help line / email address

,

We have produced a patient information sheet in response to coronavirus

Q25 Please list any other modifications you have made to your infusion centre in the text box below

Respondent skipped this question

#17

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Tuesday, April 14, 2020 7:47:53 PM
Last Modified: Tuesday, April 14, 2020 7:54:09 PM
Time Spent: 00:06:15
Email: moum.bjorn@gmail.com
IP Address: 81.167.171.161

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

norway

Q2 About your infusion centre: **The infusion centre accepts patients from different specialities**

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows: **Staffed purely by IBD specialist nurses**

Q4 About the location of your infusion centre (tick all that apply): **Our infusion centre is attached to my practice / unit / hospital**

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week **100-200**

Q6 What percentage of these infusions are "home infusions" **0%**

Q7 In the infusion unit, which of the following are performed (tick all that apply) **Disease activity / adverse event assessment,
Routine blood tests,
Therapeutic drug levels.**

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy **Yes: reduce infusion to 60 minutes**

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy **Yes: we do not perform post infusion monitoring for stable patients**

Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre: **No: it remains attached to my centre / practice / hospital**

<p>Q11 Has your infusion centre experienced a change its capacity:</p>	<p>No, the capacity of infusions has remained the same</p>
<p>Q12 Have you changed the case mix attending the infusion centre (tick all that apply):</p>	<p>No: it has always received patients from different specialities</p>
<p>Q13 Have you changed the staffing of the infusion centre:</p>	<p>No</p>
<p>Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms:</p>	<p>NO</p>
<p>Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus:</p>	<p>YES</p>
<p>Q16 How many patients have a positive screen and require their infusion to be rescheduled: 2 of 25 per day</p>	
<p>Q17 If someone has a fever or “influenza like illness” on screening how long are you delaying their infusions for 2 weeks</p>	
<p>Q18 What other modifications have you implemented (tick all that apply):</p>	<p>Increased spacing between infusion chairs, Increased cleaning in between infusions, Reduced number of patients attending to allow social distancing , Altered the threshold for IV iron infusions to reduce patient numbers</p>
<p>Q19 What modifications to patient assessment have you made (tick all that apply)</p>	<p>Respondent skipped this question</p>
<p>Q20 Have you modified the infusion protocols (tick all that apply)</p>	<p>We have reduced infusion duration for stable patients, We have reduced monitoring post infusion for stable patients</p>
<p>Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus?</p>	<p>6-10%</p>
<p>Q22 If patients have delayed / cancelled their infusions – have any had disease flare</p>	<p>No: all have remained well</p>

Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus

2

Q24 What sources of information support are there for your patients

We have always had a telephone help line / email address

Q25 Please list any other modifications you have made to your infusion centre in the text box below

Respondent skipped this question

#18

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Wednesday, April 15, 2020 2:16:11 PM
Last Modified: Wednesday, April 15, 2020 2:19:38 PM
Time Spent: 00:03:26
Email: joycemwy@gmail.com
IP Address: 14.136.195.244

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

Hong Kong

Q2 About your infusion centre:

The infusion centre accepts patients from different specialities

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows:

**Staffed purely by general nurses to deliver infusions,
Has an attending physician at least 50% of operating hours**

Q4 About the location of your infusion centre (tick all that apply):

Our infusion centre is attached to my practice / unit / hospital

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week

10-50

Q6 What percentage of these infusions are "home infusions"

0%

Q7 In the infusion unit, which of the following are performed (tick all that apply)

**Disease activity / adverse event assessment,
Routine blood tests**

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy

No: all infusions are 120 minutes

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy

No all patients are monitored for standard time after an infusion

Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre:

No: it remains attached to my centre / practice / hospital

Q11 Has your infusion centre experienced a change its capacity:	No, the capacity of infusions has remained the same
Q12 Have you changed the case mix attending the infusion centre (tick all that apply):	No: it has always received patients from different specialities
Q13 Have you changed the staffing of the infusion centre:	No
Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms:	YES
Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus:	YES
Q16 How many patients have a positive screen and require their infusion to be rescheduled: 0	
Q17 If someone has a fever or “influenza like illness” on screening how long are you delaying their infusions for 14 days	
Q18 What other modifications have you implemented (tick all that apply):	OTHER:: None
Q19 What modifications to patient assessment have you made (tick all that apply)	Respondent skipped this question
Q20 Have you modified the infusion protocols (tick all that apply)	No – the protocols remain the same
Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus?	0%
Q22 If patients have delayed / cancelled their infusions – have any had disease flare	No: all have remained well
Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus	Respondent skipped this question
Q24 What sources of information support are there for your patients	We have always had a telephone help line / email address

Q25 Please list any other modifications you have made to your infusion centre in the text box below

none

#19

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Wednesday, April 15, 2020 4:26:44 PM
Last Modified: Wednesday, April 15, 2020 4:34:48 PM
Time Spent: 00:08:04
Email: milan.lukas@email.cz
IP Address: 85.163.87.98

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

Czech Republic

Q2 About your infusion centre: **The infusion centre is dedicated to patients with IBD**

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows: **Staffed purely by IBD specialist nurses**

Q4 About the location of your infusion centre (tick all that apply): **Our infusion centre is attached to my practice / unit / hospital**

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week **100-200**

Q6 What percentage of these infusions are "home infusions" **0%**

Q7 In the infusion unit, which of the following are performed (tick all that apply) **Disease activity / adverse event assessment, Routine blood tests, Therapeutic drug levels.**

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy **Yes: reduce infusion to 60 minutes**

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy **Yes: we do not perform post infusion monitoring for stable patients**

Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre: **No: it remains attached to my centre / practice / hospital**

Q11 Has your infusion centre experienced a change its capacity:	No, the capacity of infusions has remained the same
Q12 Have you changed the case mix attending the infusion centre (tick all that apply):	No: it remains limited to IBD patients only
Q13 Have you changed the staffing of the infusion centre:	No
Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms:	YES
Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus:	YES
Q16 How many patients have a positive screen and require their infusion to be rescheduled: 3	
Q17 If someone has a fever or “influenza like illness” on screening how long are you delaying their infusions for 14 days at the least	
Q18 What other modifications have you implemented (tick all that apply):	Increased spacing between infusion chairs, Increased cleaning in between infusions, Reduced number of patients attending to allow social distancing , Increased in hours of operation to maintain capacity, Increased the duration between infusions in response to coronavirus (ie from 8 to 10 weeks)
Q19 What modifications to patient assessment have you made (tick all that apply)	Routine bloods tests are not taken
Q20 Have you modified the infusion protocols (tick all that apply)	No – the protocols remain the same
Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus?	11-20%
Q22 If patients have delayed / cancelled their infusions – have any had disease flare	Yes: they had infusion and responded

Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus

3 patients

Q24 What sources of information support are there for
your patients

**We have always had a telephone help line / email
address**

Q25 Please list any other modifications you have made to your infusion centre in the text box below

none

#20

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Wednesday, April 15, 2020 4:37:33 PM
Last Modified: Wednesday, April 15, 2020 4:43:37 PM
Time Spent: 00:06:04
Email: david.sachar@mssm.edu
IP Address: 72.225.150.220

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

United States

Q2 About your infusion centre: **The infusion centre accepts patients from different specialities**

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows: **Staffed purely by general nurses to deliver infusions**

Q4 About the location of your infusion centre (tick all that apply): **Our infusion centre is attached to my practice / unit / hospital**

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week **10-50**

Q6 What percentage of these infusions are "home infusions" **0%**

Q7 In the infusion unit, which of the following are performed (tick all that apply) **Disease activity / adverse event assessment, Routine blood tests, Therapeutic drug levels.**

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy **No: all infusions are 120 minutes**

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy **No all patients are monitored for standard time after an infusion**

Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre: **No: it remains attached to my centre / practice / hospital**

<p>Q11 Has your infusion centre experienced a change its capacity:</p>	<p>No, the capacity of infusions has remained the same</p>
<p>Q12 Have you changed the case mix attending the infusion centre (tick all that apply):</p>	<p>No: it has always received patients from different specialities</p>
<p>Q13 Have you changed the staffing of the infusion centre:</p>	<p>Yes we now use general nurses / other specialty nurses/other GI nurses to deliver infusions</p>
<p>Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms:</p>	<p>YES</p>
<p>Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus:</p>	<p>YES</p>
<p>Q16 How many patients have a positive screen and require their infusion to be rescheduled: 10%</p>	
<p>Q17 If someone has a fever or “influenza like illness” on screening how long are you delaying their infusions for Until symptoms are gone for two weeks</p>	
<p>Q18 What other modifications have you implemented (tick all that apply):</p>	<p>Increased spacing between infusion chairs, Increased cleaning in between infusions, Reduced number of patients attending to allow social distancing , Switching patients on infusions to subcutaneous alternatives</p>
<p>Q19 What modifications to patient assessment have you made (tick all that apply)</p>	<p>Respondent skipped this question</p>
<p>Q20 Have you modified the infusion protocols (tick all that apply)</p>	<p>No – the protocols remain the same</p>
<p>Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus?</p>	<p>20-50%</p>
<p>Q22 If patients have delayed / cancelled their infusions – have any had disease flare</p>	<p>Yes: they had infusion and responded</p>

Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus

20%

Q24 What sources of information support are there for your patients

We have always had a telephone help line / email address

,

We have set up a telephone help line / email address in response to coronavirus

,

We have produced a patient information sheet in response to coronavirus

Q25 Please list any other modifications you have made to your infusion centre in the text box below

Respondent skipped this question

#21

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Wednesday, April 15, 2020 4:55:19 PM
Last Modified: Wednesday, April 15, 2020 5:01:55 PM
Time Spent: 00:06:36
Email: curt.tysk@gmail.com
IP Address: 46.230.212.250

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

Sweden

Q2 About your infusion centre: **The infusion centre is dedicated to patients with IBD**

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows: **Staffed purely by IBD specialist nurses**

Q4 About the location of your infusion centre (tick all that apply): **Our infusion centre is attached to my practice / unit / hospital**

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week **10-50**

Q6 What percentage of these infusions are "home infusions" **0%**

Q7 In the infusion unit, which of the following are performed (tick all that apply) **Disease activity / adverse event assessment, Routine blood tests, Therapeutic drug levels.**

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy **Yes: reduce infusion to 60 minutes**

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy **Yes: post infusion monitoring is reduced**

Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre: **No: it remains attached to my centre / practice / hospital**

<p>Q11 Has your infusion centre experienced a change its capacity:</p>	<p>Yes, the capacity for infusions has reduced</p>
<p>Q12 Have you changed the case mix attending the infusion centre (tick all that apply):</p>	<p>No: it remains limited to IBD patients only</p>
<p>Q13 Have you changed the staffing of the infusion centre:</p>	<p>No</p>
<p>Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms:</p>	<p>YES</p>
<p>Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus:</p>	<p>YES</p>
<p>Q16 How many patients have a positive screen and require their infusion to be rescheduled: ?</p>	<p>?</p>
<p>Q17 If someone has a fever or “influenza like illness” on screening how long are you delaying their infusions for 1-2 weeks and follow-up in between</p>	<p>1-2 weeks and follow-up in between</p>
<p>Q18 What other modifications have you implemented (tick all that apply):</p>	<p>Increased spacing between infusion chairs, Increased cleaning in between infusions, Reduced number of patients attending to allow social distancing</p>
<p>Q19 What modifications to patient assessment have you made (tick all that apply)</p>	<p>Respondent skipped this question</p>
<p>Q20 Have you modified the infusion protocols (tick all that apply)</p>	<p>No – the protocols remain the same</p>
<p>Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus?</p>	<p><5%</p>
<p>Q22 If patients have delayed / cancelled their infusions – have any had disease flare</p>	<p>No: all have remained well</p>
<p>Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus 0</p>	<p>0</p>

Q24 What sources of information support are there for
your patients

**We have always had a telephone help line / email
address**

Q25 Please list any other modifications you have made to your infusion centre in the text box below

-

#22

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Wednesday, April 15, 2020 5:07:35 PM
Last Modified: Wednesday, April 15, 2020 5:09:49 PM
Time Spent: 00:02:14
Email: aananthakrishnan@mgh.harvard.edu
IP Address: 98.229.122.132

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

USA

Q2 About your infusion centre: **The infusion centre accepts patients from different specialities**

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows: **Staffed purely by general nurses to deliver infusions**

Q4 About the location of your infusion centre (tick all that apply): **Our infusion centre is attached to my practice / unit / hospital**

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week **50-100**

Q6 What percentage of these infusions are "home infusions" **11-30%**

Q7 In the infusion unit, which of the following are performed (tick all that apply) **Routine blood tests,
Therapeutic drug levels.**

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy **Yes: reduce infusion to 60 minutes**

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy **Yes: we do not perform post infusion monitoring for stable patients**

Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre: **No: it remains attached to my centre / practice / hospital**

Q11 Has your infusion centre experienced a change its capacity:	Yes, the capacity for infusions has reduced
Q12 Have you changed the case mix attending the infusion centre (tick all that apply):	No: it has always received patients from different specialities
Q13 Have you changed the staffing of the infusion centre:	No
Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms:	YES
Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus:	YES
Q16 How many patients have a positive screen and require their infusion to be rescheduled:	
5	
Q17 If someone has a fever or “influenza like illness” on screening how long are you delaying their infusions for	
2 weeks	
Q18 What other modifications have you implemented (tick all that apply):	Increased the number of patients receiving home infusions , Altered the threshold for IV iron infusions to reduce patient numbers
Q19 What modifications to patient assessment have you made (tick all that apply)	Respondent skipped this question
Q20 Have you modified the infusion protocols (tick all that apply)	No – the protocols remain the same
Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus?	11-20%
Q22 If patients have delayed / cancelled their infusions – have any had disease flare	No: all have remained well
Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus	
2	

Q24 What sources of information support are there for your patients

We have always had a telephone help line / email address

,

We have produced a patient information sheet in response to coronavirus

Q25 Please list any other modifications you have made to your infusion centre in the text box below

Respondent skipped this question

#23

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Wednesday, April 15, 2020 7:44:33 PM
Last Modified: Wednesday, April 15, 2020 7:54:51 PM
Time Spent: 00:10:17
Email: flavio@steinwurz.net
IP Address: 179.208.174.23

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

Brazil

Q2 About your infusion centre:

The infusion centre accepts patients from different specialities

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows:

**Staffed purely by general nurses to deliver infusions,
Has an attending physician at least 50% of operating hours**

Q4 About the location of your infusion centre (tick all that apply):

Our infusion centre is attached to my practice / unit / hospital

Our infusion centre is shared with other IBD centres

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week

10-50

Q6 What percentage of these infusions are "home infusions"

1-10%

Q7 In the infusion unit, which of the following are performed (tick all that apply)

**Disease activity / adverse event assessment,
Routine blood tests**

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy

No: all infusions are 120 minutes

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy

Yes: we do not perform post infusion monitoring for stable patients

Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre: **Yes: it has moved to a new location out of the medical centre in response to coronavirus**

Q11 Has your infusion centre experienced a change its capacity: **Yes, the capacity for infusions has reduced**

Q12 Have you changed the case mix attending the infusion centre (tick all that apply): **No: it has always received patients from different specialities**

Q13 Have you changed the staffing of the infusion centre: **No**

Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms: **YES**

Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus: **YES**

Q16 How many patients have a positive screen and require their infusion to be rescheduled:

No one yet.

Q17 If someone has a fever or “influenza like illness” on screening how long are you delaying their infusions for

7-14 days

Q18 What other modifications have you implemented (tick all that apply): **Increased spacing between infusion chairs, Increased cleaning in between infusions, Reduced number of patients attending to allow social distancing, , Switching patients on infusions to subcutaneous alternatives, , Altered the threshold for IV iron infusions to reduce patient numbers**

Q19 What modifications to patient assessment have you made (tick all that apply) **Disease activity assessment / adverse events are not recorded**

Q20 Have you modified the infusion protocols (tick all that apply)

We have reduced monitoring post infusion for stable patients

,

We have switched iv premedication to oral where possible

Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus?

6-10%

Q22 If patients have delayed / cancelled their infusions – have any had disease flare

Yes: they had infusion and responded

Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus

1

Q24 What sources of information support are there for your patients

We have always had a telephone help line / email address

Q25 Please list any other modifications you have made to your infusion centre in the text box below

All already mentioned.

#24

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Wednesday, April 15, 2020 9:32:27 PM
Last Modified: Wednesday, April 15, 2020 9:50:19 PM
Time Spent: 00:17:51
Email: anne.griffiths@sickkids.ca
IP Address: 174.119.204.192

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

Canada

Q2 About your infusion centre: **The infusion centre accepts patients from different specialities**

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows: **Has IBD specialist nurse input, but infusions given by general nurses**

Q4 About the location of your infusion centre (tick all that apply): **Our infusion centre is attached to my practice / unit / hospital**,
Our infusion centre is located in the community

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week **50-100**

Q6 What percentage of these infusions are "home infusions" **0%**

Q7 In the infusion unit, which of the following are performed (tick all that apply) **Disease activity / adverse event assessment,**
Routine blood tests,
Therapeutic drug levels.

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy **No: all infusions are 120 minutes**

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy **No all patients are monitored for standard time after an infusion**

<p>Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre:</p>	<p>No: it remains in the same community setting</p>
<p>Q11 Has your infusion centre experienced a change its capacity:</p>	<p>No, the capacity of infusions has remained the same</p>
<p>Q12 Have you changed the case mix attending the infusion centre (tick all that apply):</p>	<p>No: it has always received patients from different specialities</p>
<p>Q13 Have you changed the staffing of the infusion centre:</p>	<p>No</p>
<p>Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms:</p>	<p>YES</p>
<p>Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus:</p>	<p>YES</p>
<p>Q16 How many patients have a positive screen and require their infusion to be rescheduled: 0</p>	
<p>Q17 If someone has a fever or “influenza like illness” on screening how long are you delaying their infusions for 14 days from start of symptoms</p>	
<p>Q18 What other modifications have you implemented (tick all that apply):</p>	<p>Increased spacing between infusion chairs, Increased cleaning in between infusions, Reduced number of patients attending to allow social distancing , Increased in hours of operation to maintain capacity</p>
<p>Q19 What modifications to patient assessment have you made (tick all that apply)</p>	<p>Respondent skipped this question</p>
<p>Q20 Have you modified the infusion protocols (tick all that apply)</p>	<p>We have reduced monitoring post infusion for stable patients</p>
<p>Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus?</p>	<p><5%</p>

Q22 If patients have delayed / cancelled their infusions – have any had disease flare **Yes: they had infusion and responded**

Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus

none

Q24 What sources of information support are there for your patients

We have always had a telephone help line / email address

,

We have produced a patient information sheet in response to coronavirus

Q25 Please list any other modifications you have made to your infusion centre in the text box below

Private infusions allowed for patients on steroids (>20 mg daily or comparable per kg dose for younger patients) Crohn's and Colitis Canada has had a rigorous weekly webinar (well attended) giving patients advice about COVID Organized by Gil Kaplan!

#25

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Thursday, April 16, 2020 3:06:39 AM
Last Modified: Thursday, April 16, 2020 3:10:51 AM
Time Spent: 00:04:12
Email: loftus.edward@mayo.edu
IP Address: 129.176.151.28

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

USA

Q2 About your infusion centre: **The infusion centre accepts patients from different specialities**

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows: **Staffed purely by general nurses to deliver infusions**

Q4 About the location of your infusion centre (tick all that apply): **Our infusion centre is attached to my practice / unit / hospital**

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week **50-100**

Q6 What percentage of these infusions are "home infusions" **11-30%**

Q7 In the infusion unit, which of the following are performed (tick all that apply) **Routine blood tests,
Therapeutic drug levels.**

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy **Yes: reduce infusion to 60 minutes**

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy **Yes: post infusion monitoring is reduced**

Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre: **No: it remains attached to my centre / practice / hospital**

Q11 Has your infusion centre experienced a change its capacity:	No, the capacity of infusions has remained the same
Q12 Have you changed the case mix attending the infusion centre (tick all that apply):	No: it has always received patients from different specialities
Q13 Have you changed the staffing of the infusion centre:	No
Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms:	YES
Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus:	YES
Q16 How many patients have a positive screen and require their infusion to be rescheduled: don't have exact numbers, but very few	
Q17 If someone has a fever or "influenza like illness" on screening how long are you delaying their infusions for at least a couple of weeks	
Q18 What other modifications have you implemented (tick all that apply):	Increased spacing between infusion chairs, Increased cleaning in between infusions, Reduced number of patients attending to allow social distancing
Q19 What modifications to patient assessment have you made (tick all that apply)	Respondent skipped this question
Q20 Have you modified the infusion protocols (tick all that apply)	No – the protocols remain the same
Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus?	6-10%
Q22 If patients have delayed / cancelled their infusions – have any had disease flare	Yes: they had infusion and responded
Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus very few if any	

Q24 What sources of information support are there for your patients

We have always had a telephone help line / email address

,

We have produced a patient information sheet in response to coronavirus

Q25 Please list any other modifications you have made to your infusion centre in the text box below

Respondent skipped this question

#26

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Wednesday, April 15, 2020 6:05:03 PM
Last Modified: Thursday, April 16, 2020 11:36:20 AM
Time Spent: 17:31:17
Email: colmomorain@gmail.com
IP Address: 46.7.101.226

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

Ireland

Q2 About your infusion centre: **The infusion centre accepts patients from different specialities**

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows: **Has IBD specialist nurse input, but infusions given by general nurses**

Q4 About the location of your infusion centre (tick all that apply): **Our infusion centre is attached to my practice / unit / hospital**

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week **10-50**

Q6 What percentage of these infusions are "home infusions" **0%**

Q7 In the infusion unit, which of the following are performed (tick all that apply) **Disease activity / adverse event assessment, Routine blood tests, Therapeutic drug levels.**

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy **Yes: reduce infusion to 60 minutes**

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy **Yes: post infusion monitoring is reduced**

Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre: **No: it remains in the same community setting**

<p>Q11 Has your infusion centre experienced a change its capacity:</p>	<p>Yes, the capacity for infusions has reduced</p>
<p>Q12 Have you changed the case mix attending the infusion centre (tick all that apply):</p>	<p>No: it has always received patients from different specialities</p>
<p>Q13 Have you changed the staffing of the infusion centre:</p>	<p>No</p>
<p>Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms:</p>	<p>YES</p>
<p>Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus:</p>	<p>YES</p>
<p>Q16 How many patients have a positive screen and require their infusion to be rescheduled: none</p>	
<p>Q17 If someone has a fever or “influenza like illness” on screening how long are you delaying their infusions for one week after symptoms resolve</p>	
<p>Q18 What other modifications have you implemented (tick all that apply):</p>	<p>Increased spacing between infusion chairs, Increased cleaning in between infusions, Reduced number of patients attending to allow social distancing , Switching patients on infusions to subcutaneous alternatives , Increased the duration between infusions in response to coronavirus (ie from 8 to 10 weeks) , Altered the threshold for IV iron infusions to reduce patient numbers</p>
<p>Q19 What modifications to patient assessment have you made (tick all that apply)</p>	<p>Respondent skipped this question</p>
<p>Q20 Have you modified the infusion protocols (tick all that apply)</p>	<p>Respondent skipped this question</p>

Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus? **6-10%**

Q22 If patients have delayed / cancelled their infusions – have any had disease flare **Yes: they had infusion and responded**

Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus
None

Q24 What sources of information support are there for your patients **We have always had a telephone help line / email address**

Q25 Please list any other modifications you have made to your infusion centre in the text box below
All modifications have been included in the questions above

#27

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Thursday, April 16, 2020 1:26:35 PM
Last Modified: Thursday, April 16, 2020 1:26:56 PM
Time Spent: 00:00:21
Email: axel.dignass@fdk.info
IP Address: 87.144.241.8

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

Germany

Q2 About your infusion centre: **The infusion centre is dedicated to patients with IBD**

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows: **Has IBD specialist nurse input, but infusions given by general nurses**
,
Has an attending physician at least 50% of operating hours

Q4 About the location of your infusion centre (tick all that apply): **Our infusion centre is attached to my practice / unit / hospital**

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week **50-100**

Q6 What percentage of these infusions are "home infusions" **0%**

Q7 In the infusion unit, which of the following are performed (tick all that apply) **Disease activity / adverse event assessment,**
Routine blood tests,
Therapeutic drug levels.

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy **Yes: reduce infusion to 60 minutes**

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy **Yes: we do not perform post infusion monitoring for stable patients**

<p>Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre:</p>	<p>No: it remains attached to my centre / practice / hospital</p>
<p>Q11 Has your infusion centre experienced a change its capacity:</p>	<p>No, the capacity of infusions has remained the same</p>
<p>Q12 Have you changed the case mix attending the infusion centre (tick all that apply):</p>	<p>No: it remains limited to IBD patients only</p>
<p>Q13 Have you changed the staffing of the infusion centre:</p>	<p>No</p>
<p>Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms:</p>	<p>YES</p>
<p>Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus:</p>	<p>YES</p>
<p>Q16 How many patients have a positive screen and require their infusion to be rescheduled: <10%</p>	
<p>Q17 If someone has a fever or “influenza like illness” on screening how long are you delaying their infusions for two negative Sars-CoV2 tests within 48 hours or if very stable max 14 days</p>	
<p>Q18 What other modifications have you implemented (tick all that apply):</p>	<p>Increased spacing between infusion chairs, Increased cleaning in between infusions, Increased in hours of operation to maintain capacity</p>
<p>Q19 What modifications to patient assessment have you made (tick all that apply)</p>	<p>Drug levels are not taken</p>
<p>Q20 Have you modified the infusion protocols (tick all that apply)</p>	<p>We have reduced infusion duration for stable patients, We have reduced monitoring post infusion for stable patients , We have switched iv premedication to oral where possible</p>
<p>Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus?</p>	<p>6-10%</p>

Q22 If patients have delayed / cancelled their infusions – have any had disease flare **Yes: they had infusion and responded**

Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus

0

Q24 What sources of information support are there for your patients

We have always had a telephone help line / email address

,

We have produced a patient information sheet in response to coronavirus

Q25 Please list any other modifications you have made to your infusion centre in the text box below

Respondent skipped this question

#28

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Thursday, April 16, 2020 2:44:35 PM
Last Modified: Thursday, April 16, 2020 3:09:10 PM
Time Spent: 00:24:35
Email: zhihuan@vip.163.com
IP Address: 45.135.186.30

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

China

Q2 About your infusion centre: **The infusion centre is dedicated to patients with IBD**

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows: **Has IBD specialist nurse input, but infusions given by general nurses**

Q4 About the location of your infusion centre (tick all that apply): **Our infusion centre is attached to my practice / unit / hospital**

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week **10-50**

Q6 What percentage of these infusions are “home infusions” **0%**

Q7 In the infusion unit, which of the following are performed (tick all that apply) **Disease activity / adverse event assessment, Routine blood tests, Therapeutic drug levels.**

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy **No: all infusions are 120 minutes**

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy **No all patients are monitored for standard time after an infusion**

Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre: **No: it remains attached to my centre / practice / hospital**

Q11 Has your infusion centre experienced a change its capacity:	Yes, the capacity for infusions has reduced
Q12 Have you changed the case mix attending the infusion centre (tick all that apply):	No: it remains limited to IBD patients only
Q13 Have you changed the staffing of the infusion centre:	No
Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms:	YES
Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus:	YES
Q16 How many patients have a positive screen and require their infusion to be rescheduled: No one	
Q17 If someone has a fever or "influenza like illness" on screening how long are you delaying their infusions for At least one week after symptoms are relieved	
Q18 What other modifications have you implemented (tick all that apply):	Increased cleaning in between infusions, Reduced number of patients attending to allow social distancing , Switching patients on infusions to subcutaneous alternatives , Increased the duration between infusions in response to coronavirus (ie from 8 to 10 weeks) , Reduced the number of patients receiving home infusions
Q19 What modifications to patient assessment have you made (tick all that apply)	Drug levels are not taken
Q20 Have you modified the infusion protocols (tick all that apply)	No – the protocols remain the same
Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus?	20-50%

Q22 If patients have delayed / cancelled their infusions – have any had disease flare **Yes: they had infusion and responded**

Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus

No one

Q24 What sources of information support are there for your patients **We have always had a telephone help line / email address**

Q25 Please list any other modifications you have made to your infusion centre in the text box below

None

#29

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Thursday, April 16, 2020 3:04:02 PM
Last Modified: Thursday, April 16, 2020 3:11:43 PM
Time Spent: 00:07:41
Email: pia.munkholm@regionh.dk
IP Address: 128.0.73.7

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

denmark

Q2 About your infusion centre:

The infusion centre is dedicated to patients with IBD

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows:

Staffed purely by IBD specialist nurses,
Staffed purely by general nurses to deliver infusions,
Has an attending physician at least 50% of operating hours

Q4 About the location of your infusion centre (tick all that apply):

Our infusion centre is attached to my practice / unit / hospital

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week

50-100

Q6 What percentage of these infusions are "home infusions"

0%

Q7 In the infusion unit, which of the following are performed (tick all that apply)

Disease activity / adverse event assessment,
Routine blood tests

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy

Yes: reduce infusion to 60 minutes

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy

Yes: we do not perform post infusion monitoring for stable patients

<p>Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre:</p>	<p>No: it remains attached to my centre / practice / hospital</p>
<p>Q11 Has your infusion centre experienced a change its capacity:</p>	<p>No, the capacity of infusions has remained the same</p>
<p>Q12 Have you changed the case mix attending the infusion centre (tick all that apply):</p>	<p>No: it remains limited to IBD patients only</p>
<p>Q13 Have you changed the staffing of the infusion centre:</p>	<p>No</p>
<p>Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms:</p>	<p>YES</p>
<p>Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus:</p>	<p>YES</p>
<p>Q16 How many patients have a positive screen and require their infusion to be rescheduled: 2</p>	
<p>Q17 If someone has a fever or “influenza like illness” on screening how long are you delaying their infusions for 2 weeks</p>	
<p>Q18 What other modifications have you implemented (tick all that apply):</p>	<p>Increased spacing between infusion chairs, Increased cleaning in between infusions, Reduced number of patients attending to allow social distancing , Increased in hours of operation to maintain capacity, Switching patients on infusions to subcutaneous alternatives , Altered the threshold for IV iron infusions to reduce patient numbers</p>
<p>Q19 What modifications to patient assessment have you made (tick all that apply)</p>	<p>Respondent skipped this question</p>
<p>Q20 Have you modified the infusion protocols (tick all that apply)</p>	<p>No – the protocols remain the same</p>

Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus? <5%

Q22 If patients have delayed / cancelled their infusions – have any had disease flare **No: all have remained well**

Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus
2

Q24 What sources of information support are there for your patients

We have always had a telephone help line / email address

,

We have set up a telephone help line / email address in response to coronavirus

Q25 Please list any other modifications you have made to your infusion centre in the text box below

telemedicin Constant-Care APP has now been added tick boxes about Sars Cov2 and Covid19

#30

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Thursday, April 16, 2020 5:24:30 PM
Last Modified: Thursday, April 16, 2020 5:33:06 PM
Time Spent: 00:08:35
Email: fernandomagro65@gmail.com
IP Address: 193.136.35.43

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

Portugal

Q2 About your infusion centre:

The infusion centre accepts patients from different specialities

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows:

Staffed purely by general nurses to deliver infusions

Q4 About the location of your infusion centre (tick all that apply):

Our infusion centre is attached to my practice / unit / hospital

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week

100-200

Q6 What percentage of these infusions are "home infusions"

0%

Q7 In the infusion unit, which of the following are performed (tick all that apply)

**Disease activity / adverse event assessment,
 Routine blood tests,
 Therapeutic drug levels.**

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy

No: all infusions are 120 minutes

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy

Yes: post infusion monitoring is reduced

Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre:

No: it remains attached to my centre / practice / hospital

<p>Q11 Has your infusion centre experienced a change its capacity:</p>	<p>Yes, the capacity for infusions has reduced</p>
<p>Q12 Have you changed the case mix attending the infusion centre (tick all that apply):</p>	<p>No: it has always received patients from different specialities</p>
<p>Q13 Have you changed the staffing of the infusion centre:</p>	<p>No</p>
<p>Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms:</p>	<p>YES</p>
<p>Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus:</p>	<p>YES</p>
<p>Q16 How many patients have a positive screen and require their infusion to be rescheduled: 1%</p>	
<p>Q17 If someone has a fever or “influenza like illness” on screening how long are you delaying their infusions for 15</p>	
<p>Q18 What other modifications have you implemented (tick all that apply):</p>	<p>Increased spacing between infusion chairs, Increased cleaning in between infusions, Reduced number of patients attending to allow social distancing , Increased in hours of operation to maintain capacity, Altered the threshold for IV iron infusions to reduce patient numbers</p>
<p>Q19 What modifications to patient assessment have you made (tick all that apply)</p>	<p>Disease activity assessment / adverse events are not recorded</p>
<p>Q20 Have you modified the infusion protocols (tick all that apply)</p>	<p>We have reduced monitoring post infusion for stable patients</p>
<p>Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus?</p>	<p><5%</p>
<p>Q22 If patients have delayed / cancelled their infusions – have any had disease flare</p>	<p>No: all have remained well</p>

Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus

1%

Q24 What sources of information support are there for your patients

We have always had a telephone help line / email address

Q25 Please list any other modifications you have made to your infusion centre in the text box below

Respondent skipped this question

#31

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Thursday, April 16, 2020 8:47:28 PM
Last Modified: Thursday, April 16, 2020 8:51:46 PM
Time Spent: 00:04:17
Email: mark.silverberg@sinaihealthsystem.ca
IP Address: 99.240.78.239

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

Canada

Q2 About your infusion centre: **The infusion centre accepts patients from different specialities**

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows: **Staffed purely by general nurses to deliver infusions, Has an attending physician at least 50% of operating hours**

Q4 About the location of your infusion centre (tick all that apply): **Our infusion centre is attached to my practice / unit / hospital , Our infusion centre is located in the community, Our infusion centre is shared with other IBD centres**

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week **10-50**

Q6 What percentage of these infusions are "home infusions" **0%**

Q7 In the infusion unit, which of the following are performed (tick all that apply) **Disease activity / adverse event assessment, Routine blood tests, Therapeutic drug levels.**

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy **Yes: reduce infusion to 60 minutes**

<p>Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy</p>	<p>Yes: we do not perform post infusion monitoring for stable patients</p>
<p>Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre:</p>	<p>No: it remains attached to my centre / practice / hospital</p>
<p>Q11 Has your infusion centre experienced a change its capacity:</p>	<p>Yes, the capacity for infusions has reduced</p>
<p>Q12 Have you changed the case mix attending the infusion centre (tick all that apply):</p>	<p>No: it has always received patients from different specialities</p>
<p>Q13 Have you changed the staffing of the infusion centre:</p>	<p>No</p>
<p>Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms:</p>	<p>YES</p>
<p>Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus:</p>	<p>YES</p>
<p>Q16 How many patients have a positive screen and require their infusion to be rescheduled: Many rescheduled but not documented with positive test. Based on symptoms only.</p>	
<p>Q17 If someone has a fever or “influenza like illness” on screening how long are you delaying their infusions for Until symptoms resolved for 72 hours</p>	
<p>Q18 What other modifications have you implemented (tick all that apply):</p>	<p>Increased spacing between infusion chairs, Increased cleaning in between infusions, Reduced number of patients attending to allow social distancing</p>
<p>Q19 What modifications to patient assessment have you made (tick all that apply)</p>	<p>Respondent skipped this question</p>
<p>Q20 Have you modified the infusion protocols (tick all that apply)</p>	<p>No – the protocols remain the same</p>
<p>Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus?</p>	<p><5%</p>

Q22 If patients have delayed / cancelled their infusions – have any had disease flare **No: all have remained well**

Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus

1

Q24 What sources of information support are there for your patients **Respondent skipped this question**

Q25 Please list any other modifications you have made to your infusion centre in the text box below **Respondent skipped this question**

#32

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Friday, April 17, 2020 3:39:13 AM
Last Modified: Friday, April 17, 2020 3:45:45 AM
Time Spent: 00:06:31
Email: mabreu1@med.miami.edu
IP Address: 162.232.101.158

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

United States

Q2 About your infusion centre: **The infusion centre is dedicated to patients with IBD**

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows: **Staffed purely by IBD specialist nurses, Has an attending physician at least 50% of operating hours**

Q4 About the location of your infusion centre (tick all that apply): **Our infusion centre is attached to my practice / unit / hospital**

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week **100-200**

Q6 What percentage of these infusions are "home infusions" **31% to 50%**

Q7 In the infusion unit, which of the following are performed (tick all that apply) **Disease activity / adverse event assessment, Routine blood tests, Therapeutic drug levels.**

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy **Yes: reduce infusion to 60 minutes**

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy **Yes: we do not perform post infusion monitoring for stable patients**

<p>Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre:</p>	<p>No: it remains attached to my centre / practice / hospital</p>
<p>Q11 Has your infusion centre experienced a change its capacity:</p>	<p>No, the capacity of infusions has remained the same</p>
<p>Q12 Have you changed the case mix attending the infusion centre (tick all that apply):</p>	<p>No: it remains limited to IBD patients only</p>
<p>Q13 Have you changed the staffing of the infusion centre:</p>	<p>No</p>
<p>Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms:</p>	<p>YES</p>
<p>Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus:</p>	<p>YES</p>
<p>Q16 How many patients have a positive screen and require their infusion to be rescheduled: 0 so far</p>	
<p>Q17 If someone has a fever or “influenza like illness” on screening how long are you delaying their infusions for 2 weeks</p>	
<p>Q18 What other modifications have you implemented (tick all that apply):</p>	<p>Increased spacing between infusion chairs, Increased cleaning in between infusions, Reduced number of patients attending to allow social distancing , OTHER:: we are using the exam rooms because most drs doing telehealth</p>
<p>Q19 What modifications to patient assessment have you made (tick all that apply)</p>	<p>Respondent skipped this question</p>
<p>Q20 Have you modified the infusion protocols (tick all that apply)</p>	<p>We have reduced infusion duration for stable patients</p>
<p>Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus?</p>	<p>11-20%</p>

Q22 If patients have delayed / cancelled their infusions – have any had disease flare **No: all have remained well**

Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus

1

Q24 What sources of information support are there for your patients **We have always had a telephone help line / email address**

Q25 Please list any other modifications you have made to your infusion centre in the text box below

no family/friends allowed to accompany pts

#33

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Friday, April 17, 2020 11:30:58 AM
Last Modified: Friday, April 17, 2020 11:36:39 AM
Time Spent: 00:05:41
Email: ailsa.hart@nhs.net
IP Address: 2.99.228.184

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

uk

Q2 About your infusion centre: **The infusion centre is dedicated to patients with IBD**

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows: **Has IBD specialist nurse input, but infusions given by general nurses**

Q4 About the location of your infusion centre (tick all that apply): **Our infusion centre is attached to my practice / unit / hospital**

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week **100-200**

Q6 What percentage of these infusions are “home infusions” **1-10%**

Q7 In the infusion unit, which of the following are performed (tick all that apply) **Disease activity / adverse event assessment,
Routine blood tests,
Therapeutic drug levels.**

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy **Yes: reduce infusion to 60 minutes**

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy **Yes: post infusion monitoring is reduced**

Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre: **Yes: it has moved to a new location out of the medical centre in response to coronavirus**

Q11 Has your infusion centre experienced a change its capacity:	No, the capacity of infusions has remained the same
Q12 Have you changed the case mix attending the infusion centre (tick all that apply):	No: it remains limited to IBD patients only
Q13 Have you changed the staffing of the infusion centre:	Yes we now use general nurses / other specialty nurses/other GI nurses to deliver infusions
Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms:	YES
Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus:	YES
Q16 How many patients have a positive screen and require their infusion to be rescheduled:	
0	
Q17 If someone has a fever or “influenza like illness” on screening how long are you delaying their infusions for	
14 days	
Q18 What other modifications have you implemented (tick all that apply):	Increased spacing between infusion chairs, Increased cleaning in between infusions, Reduced number of patients attending to allow social distancing , Altered the threshold for IV iron infusions to reduce patient numbers
Q19 What modifications to patient assessment have you made (tick all that apply)	Respondent skipped this question
Q20 Have you modified the infusion protocols (tick all that apply)	Respondent skipped this question
Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus?	6-10%
Q22 If patients have delayed / cancelled their infusions – have any had disease flare	Yes: they had infusion and responded

Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus

Respondent skipped this question

Q24 What sources of information support are there for your patients

We have always had a telephone help line / email address

,

We have produced a patient information sheet in response to coronavirus

Q25 Please list any other modifications you have made to your infusion centre in the text box below

Respondent skipped this question

#34

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Friday, April 17, 2020 4:48:49 PM
Last Modified: Friday, April 17, 2020 4:53:07 PM
Time Spent: 00:04:18
Email: turnerd@szmc.org.il
IP Address: 188.64.207.142

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

Israel

Q2 About your infusion centre:

The infusion centre accepts patients from different specialities

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows:

**Staffed purely by general nurses to deliver infusions,
Has an attending physician at least 50% of operating hours**

Q4 About the location of your infusion centre (tick all that apply):

Our infusion centre is attached to my practice / unit / hospital

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week

10-50

Q6 What percentage of these infusions are "home infusions"

0%

Q7 In the infusion unit, which of the following are performed (tick all that apply)

**Disease activity / adverse event assessment,
Routine blood tests,
Therapeutic drug levels.**

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy

Yes: reduce to 30 minutes

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy

Yes: post infusion monitoring is reduced

<p>Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre:</p>	<p>No: it remains attached to my centre / practice / hospital</p>
<p>Q11 Has your infusion centre experienced a change its capacity:</p>	<p>No, the capacity of infusions has remained the same</p>
<p>Q12 Have you changed the case mix attending the infusion centre (tick all that apply):</p>	<p>No: it has always received patients from different specialities</p>
<p>Q13 Have you changed the staffing of the infusion centre:</p>	<p>No</p>
<p>Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms:</p>	<p>NO</p>
<p>Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus:</p>	<p>YES</p>
<p>Q16 How many patients have a positive screen and require their infusion to be rescheduled: 3</p>	
<p>Q17 If someone has a fever or “influenza like illness” on screening how long are you delaying their infusions for Until fever subsided</p>	
<p>Q18 What other modifications have you implemented (tick all that apply):</p>	<p>Increased spacing between infusion chairs</p>
<p>Q19 What modifications to patient assessment have you made (tick all that apply)</p>	<p>Respondent skipped this question</p>
<p>Q20 Have you modified the infusion protocols (tick all that apply)</p>	<p>No – the protocols remain the same</p>
<p>Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus?</p>	<p><5%</p>
<p>Q22 If patients have delayed / cancelled their infusions – have any had disease flare</p>	<p>Yes: they had infusion and responded</p>
<p>Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus 2</p>	

Q24 What sources of information support are there for your patients

We have always had a telephone help line / email address

,

We have produced a patient information sheet in response to coronavirus

Q25 Please list any other modifications you have made to your infusion centre in the text box below

Respondent skipped this question

#35

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Sunday, April 19, 2020 8:45:34 PM
Last Modified: Sunday, April 19, 2020 8:49:29 PM
Time Spent: 00:03:54
Email: bruce.sands@mssm.edu
IP Address: 67.83.153.37

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

United States

Q2 About your infusion centre: **The infusion centre accepts patients from different specialities**

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows: **Staffed purely by general nurses to deliver infusions**

Q4 About the location of your infusion centre (tick all that apply): **Our infusion centre is attached to my practice / unit / hospital**

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week **50-100**

Q6 What percentage of these infusions are "home infusions" **11-30%**

Q7 In the infusion unit, which of the following are performed (tick all that apply) **Routine blood tests,
Therapeutic drug levels.**

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy **Yes: reduce infusion to 60 minutes**

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy **No all patients are monitored for standard time after an infusion**

Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONAVIRUS PANDEMIC10) Have you moved the location of your infusion centre: **No: it remains attached to my centre / practice / hospital**

Q11 Has your infusion centre experienced a change its capacity:	Yes, the capacity for infusions has reduced
Q12 Have you changed the case mix attending the infusion centre (tick all that apply):	No: it has always received patients from different specialities
Q13 Have you changed the staffing of the infusion centre:	No
Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms:	YES
Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus:	YES
Q16 How many patients have a positive screen and require their infusion to be rescheduled:	
0	
Q17 If someone has a fever or “influenza like illness” on screening how long are you delaying their infusions for	
2 weeks	
Q18 What other modifications have you implemented (tick all that apply):	Increased spacing between infusion chairs, Increased cleaning in between infusions, Reduced number of patients attending to allow social distancing , Increased in hours of operation to maintain capacity, Increased the number of patients receiving home infusions , Altered the threshold for IV iron infusions to reduce patient numbers
Q19 What modifications to patient assessment have you made (tick all that apply)	Respondent skipped this question
Q20 Have you modified the infusion protocols (tick all that apply)	No – the protocols remain the same
Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus?	11-20%

Q22 If patients have delayed / cancelled their infusions – have any had disease flare **No: all have remained well**

Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus

Unknown

Q24 What sources of information support are there for your patients

We have always had a telephone help line / email address

,

We have produced a patient information sheet in response to coronavirus

Q25 Please list any other modifications you have made to your infusion centre in the text box below

Respondent skipped this question

#36

COMPLETE

Collector: Email Invitation 1 (Email)
Started: Monday, April 20, 2020 10:16:38 AM
Last Modified: Monday, April 20, 2020 12:04:50 PM
Time Spent: 01:48:11
Email: jonas.halfvarsson@regionorebrolan.se
IP Address: 194.103.185.10

Page 1: IOIBD Survey following Webinar-4 dd 10 April 2020

Q1 A. BACKGROUND QUESTIONS (before the coronavirus pandemic)1. In which country do you practice:

Sweden

Q2 About your infusion centre: **The infusion centre is dedicated to patients with IBD**

Q3 About staffing of your infusion centre (tick all that apply)Our infusion centre is organised as follows: **Staffed purely by IBD specialist nurses,
Has an attending physician at least 50% of operating hours**

Q4 About the location of your infusion centre (tick all that apply): **Our infusion centre is attached to my practice / unit / hospital**

Q5 5) How many infusions for IBD patients does your IBD centre prescribe each week **10-50**

Q6 What percentage of these infusions are "home infusions" **0%**

Q7 In the infusion unit, which of the following are performed (tick all that apply) **Disease activity / adverse event assessment,
Routine blood tests,
Therapeutic drug levels.**

Q8 Do you reduce the duration of infliximab infusions monitoring for patients who are stable on maintenance therapy **Yes: reduce to 30 minutes**

Q9 Do you reduce the post infusion monitoring for patient on stable maintenance therapy **Yes: we do not perform post infusion monitoring for stable patients**

Q10 MODIFICATIONS INTRODUCED IN RESPONSE TO CORONOVIRUS PANDEMIC10) Have you moved the location of your infusion centre:

No: it remains attached to my centre / practice / hospital

Q11 Has your infusion centre experienced a change its capacity:

Yes, the capacity for infusions has reduced

Q12 Have you changed the case mix attending the infusion centre (tick all that apply):

No: it remains limited to IBD patients only

Q13 Have you changed the staffing of the infusion centre:

No

Q14 Are patients called in advance of an infusion to screen them for coronavirus symptoms:

NO

Q15 Are patients screened on arrival at the infusion centre for fever / symptoms of coronavirus:

YES

Q16 How many patients have a positive screen and require their infusion to be rescheduled:

Patients are instructed to self-screen themselves and call us in advance. Therefore, the great majority of patients who have their infusion rescheduled are picked-up via the self-screen process. We do not keep records on number of patients that have been reschedule. However, based on an estimated guess, only a handful number of patients have been rescheduled via screening at arrival.

Q17 If someone has a fever or “influenza like illness” on screening how long are you delaying their infusions for

Depends on the clinical picture, including results from possible SARS-CoV-2 PCR test, patients will be follow-up over phone from anything between 2-3 days to 14 days (potentially including re-testing). Some may also be re-scheduled for an infusion and requested to call us if symptoms have not resolved by 48h before the postponed infusion slot

Q18 What other modifications have you implemented (tick all that apply):

Increased spacing between infusion chairs,
Reduced number of patients attending to allow social distancing
 ,
Altered the threshold for IV iron infusions to reduce patient numbers
 ,
 OTHER::
 Reducing the proportion of patients, who are started on iv maintenance therapies

Q19 What modifications to patient assessment have you made (tick all that apply)

Respondent skipped this question

Q20 Have you modified the infusion protocols (tick all that apply)

We have switched iv premedication to oral where possible

Q21 How many patients have cancelled / delayed their infusion due to concern about attending and the risk of coronavirus?

6-10%

Q22 If patients have delayed / cancelled their infusions – have any had disease flare

Yes: they had infusion and responded

Q23 How many patients that receive biologic infusions for IBD at your centre have tested positive for coronavirus

We have had shortage of tests in Sweden, and not been able to test patients who have had symptoms indicating COVID-19. Therefore, only one patient has tested positive

Q24 What sources of information support are there for your patients

We have always had a telephone help line / email address

Q25 Please list any other modifications you have made to your infusion centre in the text box below

Direct patients to websites whenever possible (instead of printed material)
