Supplementary Online Content

McCabe SE, Arterberry BJ, Dickinson K, et al. Assessment of changes in alcohol and marijuana abstinence, co-use, and use disorders among US young adults from 2002 to 2018. *JAMA Pediatr*. Published online October 12, 2020. doi:10.1001/jamapediatrics.2020.3352

eTable 1. Trends in Demographic Characteristics Among US Young Adults Aged 18-22 Years Old: 2002-2018

eTable 2. Cumulative Percentage of Prescription and Illicit Drug Use as a Function of Alcohol or Marijuana Involvement in US Young Adults: 2015-2018

This supplementary material has been provided by the authors to give readers additional information about their work.

	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	Annualized
Weighted	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	(%)	Trend %
Unweighted	11,334	11,701	11,879	11,796	11,313	11,562	12,117	12,050	12,212	12,254	11,649	11,244	8,074	8,760	8,209	8,238	8,380	
Sample (n)																		
Sex																		
Male	50.9	50.4	50.7	51.0	51.9	51.4	50.7	51.4	51.9	50.6	50.6	51.2	51.5	50.8	51.4	51.3	51.2	
Female	49.2	49.6	49.3	49.0	48.1	48.7	49.3	48.6	48.1	49.5	49.4	48.8	48.5	49.2	48.6	48.7	48.8	<-0.01 (-0.01,0.05)
Race/																		
Ethnicity																		
Asian	3.9	4.4	4.4	4.4	4.7	4.3	4.4	4.0	4.1	4.9	5.1	5.4	5.6	5.6	6.0	6.0	6.5	0.14 (0.10,0.18)
Black	13.7	14.3	13.5	13.9	13.6	14.1	14.9	14.6	14.4	14.4	14.3	14.3	14.6	14.5	14.2	14.2	13.8	0.03 (-0.04,0.08)
Hispanic	17.3	17.1	17.5	17.3	17.2	17.4	17.9	18.2	19.3	21.5	20.9	21.6	21.8	21.8	22.2	22.6	22.4	0.43 (0.35,0.51)
White	62.5	62.0	62.4	62.1	62.3	61.7	60.5	60.6	59.6	55.9	56.0	55.2	54.6	54.4	53.9	53.8	53.3	-0.70 (-0.79,-0.60)
Multiracial	1.4	1.2	1.2	1.2	1.1	1.6	1.4	1.5	1.6	2.2	2.5	2.3	2.4	2.6	2.4	2.7	2.3	0.11 (0.09,0.12)
Other	1.2	1	1	1.1	1.1	0.9	0.9	1.1	1	1.1	1.2	1.2	1	1.1	1.3	0.7	1.0	<-0.01 (-0.01,0.01)
Education																		
In college	44.5	45.7	45.9	46.3	46.6	47.7	48.0	49.6	50.2	50.3	51.0	48.5	49.5	45.7	47.1	46.3	45.0	0.08 (-0.02,0.18)
Non-college	44.9	44.2	44.7	44.0	43.3	42.1	42.3	40.5	39.1	39.4	38.9	41.1	40.0	43.3	42.0	42.7	43.6	-0.16 (-0.24,-0.07)
Other	10.6	10.1	9.4	9.7	10.1	10.2	9.7	9.9	10.8	10.3	10.1	10.4	10.6	11.0	10.9	11.0	11.5	0.08 (0.04,0.12)

eTable 1. Trends in demographic characteristics among US young adults aged 18-22 years old: 2002-2018

Source: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Center for Behavioral Health Statistics and Quality. 2019. National Survey on Drug Use and Health 2002-2018 (NSDUH-2002-2018-DS0001). Retrieved from https://datafiles.samhsa.gov/. Accessed January 6, 2020.

	Unweighted Sample Size	Sub-population of prescription drug use	Sub-population of prescription drug misuse	Sub-population of prescription drug use disorder	Sub-population of illicit drug use	Sub-population of illicit drug use disorder
	(n)	(Cumulative %)	(Cumulative %)	(Cumulative %)	(Cumulative %)	(Cumulative %)
Alcohol and Marijuana: College						
Abstinence of both	3,739	15.3	3.7	6.6	3.8	4.7
Non-disordered alcohol use	5,388	29.4	14.2	5.2	13.1	5.9
Non-disordered marijuana use	209	1.6	1.1	0.4	1.2	1.0
Non-disordered co-use	3,378	30.3	40.0	19.5	42.1	23.5
Alcohol use disorder	1,231	12.9	21.0	27.4	20.0	29.4
Marijuana use disorder	497	6.5	11.5	12.6	11.8	11.6
Disordered co-use	268	3.9	8.5	28.3	8.0	23.9
Alcohol and Marijuana: Non-College						
Abstinence of both	3,988	16.3	5.2	6.4	5.0	4.4
Non-disordered alcohol use	5,269	30.3	14.5	9.2	13.5	8.3
Non-disordered marijuana use	375	2.0	2.4	3.7	2.4	2.9
Non-disordered co-use	3,397	28.9	38.2	24.0	41.1	28.5
Alcohol use disorder	1,233	12.2	20.1	23.0	18.6	22.8
Marijuana use disorder	6,52	6.2	11.1	14.6	11.3	15.1
Disordered co-use	324	4.0	8.5	19.2	8.1	18.0
Alcohol and Marijuana: Overall						
Abstinence of both	7,727	17.5	4.9	7.3	4.9	5.1
Non-disordered alcohol use	10,657	29.1	14.1	7.4	13.2	7.5
Non-disordered marijuana use	584	2.0	1.8	2.5	1.9	2.3
Non-disordered co-use	6,775	29.0	38.9	22.7	41.3	26.7
Alcohol use disorder	2,464	12.1	20.1	23.9	18.9	24.4
Marijuana use disorder	1,149	6.4	11.6	12.7	11.7	13.3
Disordered co-use	592	4.0	8.7	23.6	8.2	20.7

eTable 2. Cumulative percentage of prescription and illicit drug use as a function of alcohol or marijuana involvement in US young adults: 2015-2018

Source: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Center for Behavioral Health Statistics and Quality. 2019. National Survey on Drug Use and Health 2002-2018 (NSDUH-2002-2018-DS0001). Retrieved from https://datafiles.samhsa.gov/. Accessed January 6, 2020.

Notes: Prescription drug refers to prescription opioids, prescription stimulants, and/or prescription sedatives/tranquilizers/anxiolytics. Other illicit drug use refers to heroin, cocaine, hallucinogen, inhalant, and methamphetamine. Cumulative percentage is weighted.