

**Supplementary Table S1. Baseline Demographic Characteristics – Unadjusted**

Vaccine Cohort Characteristic	aTIV N=234,313 A	TIV-HD N=1,269,855 B	QIVe-SD N=212,287 C	TIVe-SD N=106,491 D	SMD <sup>1</sup>		
					A x B	A x C	A x D
<b>Mean age</b>	75.1	75.0	74.0	74.5	-0.02	<b>-0.19</b>	<b>-0.10</b>
SD	6.3	6.3	6.7	6.6			
Median	74	74	73	74			
<b>Age group (%)</b>							
65-74 years	50.2%	50.7%	56.7%	53.4%	0.01	<b>0.13</b>	0.07
75-84 years	34.1%	33.9%	29.1%	31.2%	0.00	<b>-0.11</b>	-0.06
≥85 years	15.8%	15.3%	14.3%	15.3%	-0.01	-0.04	-0.01
<b>Female (%)</b>	60.0%	59.9%	59.8%	60.5%	0.00	0.00	0.01
<b>Geographic region (%)</b>							
Northeast	15.8%	17.1%	15.5%	12.3%	0.04	-0.01	<b>-0.10</b>
Midwest	11.8%	18.9%	17.8%	9.9%	<b>0.20</b>	<b>0.17</b>	-0.06
South	53.4%	43.2%	39.7%	43.3%	<b>-0.20</b>	<b>-0.28</b>	<b>-0.20</b>
West	19.1%	20.8%	27.1%	34.4%	0.04	<b>0.19</b>	<b>0.35</b>
<b>Payer type (%)</b>							
Cash	0.5%	0.3%	0.8%	0.8%	-0.02	0.05	0.05
Medicaid	0.0%	0.1%	0.2%	0.1%	0.01	0.04	0.03
Medicare Part D	33.5%	28.8%	15.4%	15.6%	<b>-0.10</b>	<b>-0.43</b>	<b>-0.43</b>
Medicare	44.6%	36.4%	34.3%	37.7%	<b>-0.17</b>	<b>-0.21</b>	<b>-0.14</b>
Third party	21.3%	34.1%	48.6%	44.7%	<b>0.29</b>	<b>0.60</b>	<b>0.51</b>
Other/Unknown	0.1%	0.3%	0.6%	1.1%	0.03	0.08	0.12

<sup>1</sup> SMD (absolute) ≥0.1, bolded in the table, indicates significance  
SMD = standardized mean difference

Supplementary Table S2. Baseline Clinical Characteristics – Unadjusted

Vaccine Cohort Characteristic	aTIV N=234,313 A	TIV-HD N=1,269,855 B	QIVe-SD N=212,287 C	TIVe-SD N=106,491 D	SMD <sup>1</sup>		
					A x B	A x C	A x D
<b>Month of flu vaccination (%)</b>							
August	8.3%	5.6%	3.8%	1.9%	<b>-0.11</b>	<b>-0.19</b>	<b>-0.29</b>
September	27.2%	31.6%	26.8%	22.0%	<b>0.10</b>	-0.01	<b>-0.12</b>
October	40.4%	41.2%	41.3%	43.1%	0.02	0.02	0.05
November	13.9%	14.0%	16.6%	18.9%	0.00	0.07	<b>0.14</b>
December	5.3%	4.4%	6.3%	7.1%	-0.04	0.05	0.08
January	4.8%	3.1%	5.3%	6.9%	-0.09	0.02	0.09
<b>CCI score (%)</b>							
0	57.2%	55.1%	49.6%	45.3%	-0.04	<b>-0.15</b>	<b>-0.24</b>
1	20.7%	21.4%	22.3%	22.9%	0.02	0.04	0.05
2	11.8%	12.3%	13.8%	15.0%	0.01	0.06	0.09
3+	10.3%	11.3%	14.2%	16.9%	0.03	<b>0.12</b>	<b>0.19</b>
<b>Mean CCI score</b>	<b>0.8</b>	<b>0.9</b>	<b>1.1</b>	<b>1.2</b>	<b>0.05</b>	<b>0.17</b>	<b>0.27</b>
SD	1.3	1.3	1.5	1.5			
Median	0	0	1	1			
<b>Pre-index comorbidities (%)</b>							
Asthma	3.5%	3.8%	4.3%	4.7%	0.01	0.04	0.06
Blood disorders	0.3%	0.3%	0.3%	0.3%	0.00	0.00	0.01
Chronic lung disease	8.3%	8.8%	10.2%	11.4%	0.02	0.07	0.11
Diabetes	19.8%	21.5%	26.1%	29.5%	0.04	<b>0.15</b>	<b>0.23</b>
Heart disease	11.9%	12.5%	14.4%	16.2%	0.02	0.07	<b>0.12</b>
Kidney disorders	8.2%	8.7%	10.0%	11.9%	0.02	0.07	<b>0.13</b>
Liver disorders	2.1%	2.1%	2.8%	3.1%	0.00	0.04	0.06
Neurological or neurodevelopmental conditions	4.7%	4.9%	5.2%	5.3%	0.01	0.02	0.03
Weakened immune system <sup>2</sup>	9.6%	9.9%	9.9%	9.8%	0.01	0.01	0.00
IBD	0.6%	0.6%	0.6%	0.6%	0.00	0.00	0.00

Characteristic	Vaccine Cohort	aTIV N=234,313	TIV-HD N=1,269,855	QIVe-SD N=212,287	TIVe-SD N=106,491	SMD <sup>1</sup>		
	A	B	C	D	A x B	A x C	A x D	
<b>Indicators of frail health status (%)</b>								
Home oxygen use	3.9%	4.1%	4.7%	5.1%	0.01	0.04	0.06	
Wheelchair use	2.1%	2.3%	2.8%	2.8%	0.01	0.05	0.05	
Walker use	3.2%	3.3%	3.6%	3.7%	0.01	0.02	0.03	
Dementia	1.3%	1.3%	1.3%	1.5%	0.00	0.00	0.02	
Urinary catheter use	0.4%	0.4%	0.4%	0.4%	0.00	0.00	0.00	
Falls	0.9%	0.9%	0.8%	0.9%	0.00	0.00	0.01	
Fractures	0.6%	0.6%	0.6%	0.6%	0.00	0.00	0.01	
<b>Pre-index hospitalization (%)</b>	7.7%	7.9%	8.2%	8.6%	0.01	0.02	0.03	
<b>Mean pre-index outpatient pharmacy costs</b>	\$2,400	\$2,425	\$2,380	\$2,540	0.02	-0.01	0.07	
SD	\$6,037	\$6,037	\$6,094	\$5,229				
Median	\$861	\$885	\$807	\$990				
<b>Mean inpatient costs</b>	\$810	\$826	\$933	\$1,064	0.01	0.02	0.03	
SD	\$9,183	\$7,795	\$10,924	\$9,239				
Median	\$0	\$0	\$0	\$0				
<b>Mean outpatient medical costs</b>	\$1,738	\$1,692	\$1,686	\$1,734	0.00	-0.03	-0.03	
SD	\$6,309	\$6,620	\$6,571	\$6,282				
Median	\$400	\$396	\$380	\$378				
<b>Mean TOTAL pre-index costs<sup>3</sup></b>	\$4,949	\$4,943	\$4,999	\$5,338	0.00	-0.03	0.04	
SD	\$13,376	\$12,274	\$14,748	\$13,109				
Median	\$2,039	\$2,043	\$1,909	\$2,140				

1 SMD (absolute)  $\geq 0.1$ , bolded in the table, indicates significance

2 Including: HIV/AIDS; metastatic cancer and acute leukemia; lung or upper digestive or other severe cancer; lymphatic, head, neck, brain, or major cancer; breast, prostate, colorectal, or other cancer; and disorders of immunity

CCI = Charlson Comorbidity Index Score; IBD = Inflammatory bowel diseases (ulcerative colitis and Crohn's disease); SMD = Standardized mean difference

3 TOTAL = outpatient pharmacy + inpatient + outpatient medical