

**Table. Univariate comparisons of Responders vs. Non-Responders at the time of discharge (N=420)**

Variable		Responders n=211	Non-Responders n=209	t/ $\chi^2$	p
<b>Socio-demographic</b>					
Sex (male%)		112 (53%)	138 (66%)	7.306	0.01
Age at assessment		29.55 (10.89)	29.58 (10.68)	-0.03	0.98
Marital Status	Single	126 (60%)	132 (63%)	2.31	0.511
	Married	77 (36%)	66 (32%)		
	Separated/Divorced	6 (3%)	10 (5%)		
	Widowed	2 (1%)	1 (0.5%)		
Age at onset of OCD		20.26 (8.73)	18.31 (8.26)	2.34	0.02
Duration of Illness		9.11 (6.97)	11.30 (8.01)	-3.00	0.003
<b>YBOCS Severity</b>					
YBOCS (Obsession) Baseline		15.13 (2.43)	15.44 (2.39)	-1.33	0.19
YBOCS (Compulsion) Baseline		14.46 (2.81)	14.88 (2.65)	-1.56	0.12
YBOCS (Total) Baseline		29.62 (4.56)	30.27 (4.44)	-1.49	0.14
Avoidance Baseline		2.17 (0.98)	2.21 (1.06)	-0.4	0.69
CGI-S at Baseline		5.45 (0.67)	5.67 (0.74)	-3.18	0.002
Poor Insight		18 (9%)	51 (24%)	19.26 4	<0.001

<b>YBOCS Checklist Items</b>				
Contamination Obsessions	120 (57%)	139 (67%)	4.124	0.04
Somatic Obsessions	32 (15%)	31 (15%)	0.009	0.92
Aggressive Obsessions	74 (35%)	70 (33%)	0.116	0.73
Sexual Obsessions	58 (27%)	59 (28%)	0.029	0.87
Religious Obsessions	65 (31%)	58 (28%)	0.473	0.49
Symmetrical Obsessions	60 (28%)	67 (32%)	0.653	0.42
Hoarding Obsessions	16 (8%)	26 (12%)	2.752	0.1
Pathological Doubts	96 (45%)	104 (50%)	0.765	0.38
Miscellaneous Obsessions	68 (32%)	71 (34%)	0.144	0.7
Washing Compulsions	122 (58%)	139 (67%)	3.368	0.07
Arranging Compulsions	53 (25%)	54 (26%)	0.029	0.87
Checking Compulsions	112 (53%)	110 (53%)	0.008	0.93
Repeating Compulsions	88 (42%)	109 (52%)	4.601	0.03
Counting Compulsions	26 (12%)	25 (12%)	0.013	0.91
Hoarding Compulsions	12 (6%)	25 (12%)	5.146	0.02
Cognitive Compulsions	93 (44%)	93 (44%)	0.008	0.93
Miscellaneous Compulsions	117 (55%)	129 (62%)	1.702	0.19
Proxy Compulsions	91 (43%)	95 (45%)	0.230	0.63
<b>Comorbidities</b>				
Major Depression Current	99 (47%)	75 (36%)	5.268	0.02
Major Depression Lifetime	25 (16%)	27 (15%)	0.073	0.79
Dysthymia	10 (5%)	21 (10%)	4.328	0.05
Mania/Hypomania (Lifetime)	14 (7%)	19 (9%)	0.875	0.35

Psychosis (Lifetime)		10 (5%)	25 (12%)	7.170	0.01
Generalized Anxiety Disorder		16 (8%)	11 (5%)	0.939	0.33
Social Anxiety Disorder		16 (8%)	8 (4%)	2.748	0.2
Panic Disorder		5 (2%)	3 (1%)	0.490	0.48
Agoraphobia		2 (1%)	2 (1%)	0.000	0.99
Tourette's/Tic Disorder		7 (3%)	10 (5%)	0.582	0.45
Other OC-Related Disorders	BDD	11 (5%)	6 (3%)	4.502	0.34
	ORS	0 (0%)	1 (0%)		
	SPD	2 (1%)	0 (0%)		
	TTM	2 (1%)	2 (1%)		
Any Axis-I Comorbidity		159 (75.4%)	153 (73.2%)	0.254	0.614
Any Personality Disorder		53 (25.1%)	67 (32.1%)	2.477	0.116
<b>Prior Treatments Received</b>					
No. of failed adequate SRI Trials		2.46(1.08)	2.72 (1.46)	- 2.063	0.04
SSRI Resistant (Failed 2 Adequate SSRIs)		179 (85%)	168 (80%)	1.449	0.23
Failed Adequate Trial of Clomipramine		82 (39%)	93 (44%)	1.372	0.24
No. of failed Augmentation Trials		1.08(0.95)	1.33 (1.09)	- 2.538	0.01
Failed 2 Augmentation Trials (at least 1 Antipsychotic)		60 (28%)	73 (35%)	2.045	0.15
Failed Adequate CBT in the Past		65 (31%)	66 (32%)	0.029	0.86

BDD – Body Dysmorphic Disorder; ORS – Olfactory Reference Syndrome; SPD – Skin Picking Disorder; TTM - Trichotillomania