

CONSORT-EHEALTH (V 1.6.1) - Submission/Publication Form

The CONSORT-EHEALTH checklist is intended for authors of randomized trials evaluating web-based and Internet-based applications/interventions, including mobile interventions, electronic games (incl multiplayer games), social media, certain telehealth applications, and other interactive and/or networked electronic applications. Some of the items (e.g. all subitems under item 5 - description of the intervention) may also be applicable for other study designs.

The goal of the CONSORT EHEALTH checklist and guideline is to be

- a) a guide for reporting for authors of RCTs,
- b) to form a basis for appraisal of an ehealth trial (in terms of validity)

CONSORT-EHEALTH items/subitems are MANDATORY reporting items for studies published in the Journal of Medical Internet Research and other journals / scientific societies endorsing the checklist.

Items numbered 1., 2., 3., 4a., 4b etc are original CONSORT or CONSORT-NPT (non-pharmacologic treatment) items.

Items with Roman numerals (i., ii, iii, iv etc.) are CONSORT-EHEALTH extensions/clarifications.

As the CONSORT-EHEALTH checklist is still considered in a formative stage, we would ask that you also RATE ON A SCALE OF 1-5 how important/useful you feel each item is FOR THE PURPOSE OF THE CHECKLIST and reporting guideline (optional).


Mandatory reporting items are marked with a red *.

In the textboxes, either copy & paste the relevant sections from your manuscript into this form - please include any quotes from your manuscript in QUOTATION MARKS, or answer directly by providing additional information not in the manuscript, or elaborating on why the item was not relevant for this study.

YOUR ANSWERS WILL BE PUBLISHED AS A SUPPLEMENTARY FILE TO YOUR PUBLICATION IN JMIR AND ARE CONSIDERED PART OF YOUR PUBLICATION (IF ACCEPTED).

Please fill in these questions diligently. Information will not be copyedited, so please use proper spelling and grammar, use correct capitalization, and avoid abbreviations.

DO NOT FORGET TO SAVE AS PDF _AND_ CLICK THE SUBMIT BUTTON SO YOUR ANSWERS ARE IN OUR DATABASE !!!

 Citation Suggestion (if you append the pdf as Appendix we suggest to cite this paper in the

caption):

Eysenbach G, CONSORT-EHEALTH Group

CONSORT-EHEALTH: Improving and Standardizing Evaluation Reports of Web-based and Mobile Health Interventions

J Med Internet Res 2011;13(4):e126

URL: <http://www.jmir.org/2011/4/e126/>

doi: 10.2196/jmir.1923

PMID: 22209829

* Required

Your name *

First Last

Mark Schure

Primary Affiliation (short), City, Country *

University of Toronto, Toronto, Canada

Montana State University, Bozeman, United States

Your e-mail address *

abc@gmail.com

mark.schure@montana.edu



Title of your manuscript *

Provide the (draft) title of your manuscript.

Twelve-Month Follow-Up to a Fully Automated Internet-Based Cognitive Behavior Therapy Intervention for Rural Adults With Depression Symptoms: Randomized Controlled Trial

Name of your App/Software/Intervention *

If there is a short and a long/alternate name, write the short name first and add the long name in brackets.

Thrive

Evaluated Version (if any)

e.g. "V1", "Release 2017-03-01", "Version 2.0.27913"

not applicable

Language(s) *

What language is the intervention/app in? If multiple languages are available, separate by comma (e.g. "English, French")

English



URL of your Intervention Website or App

e.g. a direct link to the mobile app on app in appstore (itunes, Google Play), or URL of the website. If the intervention is a DVD or hardware, you can also link to an Amazon page.

Your answer

URL of an image/screenshot (optional)

Your answer

Accessibility *

Can an enduser access the intervention presently?

- access is free and open
- access only for special usergroups, not open
- access is open to everyone, but requires payment/subscription/in-app purchases
- app/intervention no longer accessible
- Other: access free for research participants

Primary Medical Indication/Disease/Condition *

e.g. "Stress", "Diabetes", or define the target group in brackets after the condition, e.g. "Autism (Parents of children with)", "Alzheimers (Informal Caregivers of)"

Depression



Primary Outcomes measured in trial *

comma-separated list of primary outcomes reported in the trial

Depression symptoms

Secondary/other outcomes

Are there any other outcomes the intervention is expected to affect?

Anxiety symptoms, social functioning, resilience

Recommended "Dose" *

What do the instructions for users say on how often the app should be used?

- Approximately Daily
- Approximately Weekly
- Approximately Monthly
- Approximately Yearly
- "as needed"
- Other:



Approx. Percentage of Users (starters) still using the app as recommended after 3 months *

unknown / not evaluated

0-10%

11-20%

21-30%

31-40%

41-50%

51-60%

61-70%

71%-80%

81-90%

91-100%

Other:



Overall, was the app/intervention effective? *

- yes: all primary outcomes were significantly better in intervention group vs control
- partly: SOME primary outcomes were significantly better in intervention group vs control
- no statistically significant difference between control and intervention
- potentially harmful: control was significantly better than intervention in one or more outcomes
- inconclusive: more research is needed
- Other:

Article Preparation Status/Stage *

At which stage in your article preparation are you currently (at the time you fill in this form)

- not submitted yet - in early draft status
- not submitted yet - in late draft status, just before submission
- submitted to a journal but not reviewed yet
- submitted to a journal and after receiving initial reviewer comments
- submitted to a journal and accepted, but not published yet
- published
- Other:



Journal *

If you already know where you will submit this paper (or if it is already submitted), please provide the journal name (if it is not JMIR, provide the journal name under "other")

- not submitted yet / unclear where I will submit this
- Journal of Medical Internet Research (JMIR)
- JMIR mHealth and UHealth
- JMIR Serious Games
- JMIR Mental Health
- JMIR Public Health
- JMIR Formative Research
- Other JMIR sister journal
- Other:

Is this a full powered effectiveness trial or a pilot/feasibility trial? *

- Pilot/feasibility
- Fully powered

Manuscript tracking number *

If this is a JMIR submission, please provide the manuscript tracking number under "other" (The ms tracking number can be found in the submission acknowledgement email, or when you login as author in JMIR. If the paper is already published in JMIR, then the ms tracking number is the four-digit number at the end of the DOI, to be found at the bottom of each published article in JMIR)

- no ms number (yet) / not (yet) submitted to / published in JMIR
- Other: 21336

TITLE AND ABSTRACT

1a) TITLE: Identification as a randomized trial in the title

1a) Does your paper address CONSORT item 1a? *

I.e does the title contain the phrase "Randomized Controlled Trial"? (if not, explain the reason under "other")

yes

Other:

1a-i) Identify the mode of delivery in the title

Identify the mode of delivery. Preferably use "web-based" and/or "mobile" and/or "electronic game" in the title. Avoid ambiguous terms like "online", "virtual", "interactive". Use "Internet-based" only if Intervention includes non-web-based Internet components (e.g. email), use "computer-based" or "electronic" only if offline products are used. Use "virtual" only in the context of "virtual reality" (3-D worlds). Use "online" only in the context of "online support groups". Complement or substitute product names with broader terms for the class of products (such as "mobile" or "smart phone" instead of "iphone"), especially if the application runs on different platforms.

subitem not at all important 1 2 3 4 5 essential

Clear selection



Does your paper address subitem 1a-i? *

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Fully Automated Internet-Based Cognitive Behavior Therapy Intervention"

1a-ii) Non-web-based components or important co-interventions in title

Mention non-web-based components or important co-interventions in title, if any (e.g., "with telephone support").

| | | | | | | |
|------------------------------|----------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | essential |

Clear selection

Does your paper address subitem 1a-ii?

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable



1a-iii) Primary condition or target group in the title

Mention primary condition or target group in the title, if any (e.g., "for children with Type I Diabetes")
Example: A Web-based and Mobile Intervention with Telephone Support for Children with Type I Diabetes: Randomized Controlled Trial

| | 1 | 2 | 3 | 4 | 5 | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------|---------------------------------|
| subitem not at all important | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | essential |
| | | | | | | Clear selection |

Does your paper address subitem 1a-iii? *

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Rural Adults With Depression Symptoms"

1b) ABSTRACT: Structured summary of trial design, methods, results, and conclusions

NPT extension: Description of experimental treatment, comparator, care providers, centers, and blinding status.



1b-i) Key features/functionalities/components of the intervention and comparator in the METHODS section of the ABSTRACT

Mention key features/functionalities/components of the intervention and comparator in the abstract. If possible, also mention theories and principles used for designing the site. Keep in mind the needs of systematic reviewers and indexers by including important synonyms. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

| | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------|-----------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | essential |

[Clear selection](#)

Does your paper address subitem 1b-i? *

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"We analyzed data from 181 adults who used the Thrive intervention. Using self-reports, participants were evaluated at baseline, 8 weeks, 6 months, and 12 months for the primary outcome of depression symptom severity (Patient Health Questionnaire-9, ie, PHQ-9 scores) and secondary outcome measures, including the Generalized Anxiety Disorder Scale-7 (GAD-7) scores, Work and Social Adjustment Scale (WSAS) scores, Conner-Davidson Resilience Scale-10 (CD-RISC-10) scores, and suicidal ideation (ninth item of PHQ-9) scores. Thrive program adherence was measured using the numbers of program logins, page views, and lessons completed."



1b-ii) Level of human involvement in the METHODS section of the ABSTRACT

Clarify the level of human involvement in the abstract, e.g., use phrases like “fully automated” vs. “therapist/nurse/care provider/physician-assisted” (mention number and expertise of providers involved, if any). (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1 2 3 4 5

subitem not at all important essential

Clear selection

Does your paper address subitem 1b-ii?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The primary aim of this study was to evaluate the longitudinal (12 months) effectiveness of a fully automated, self-guided iCBT intervention called Thrive, designed to enhance engagement for a rural community population of adults with depression symptoms."



1b-iii) Open vs. closed, web-based (self-assessment) vs. face-to-face assessments in the METHODS section of the ABSTRACT

Mention how participants were recruited (online vs. offline), e.g., from an open access website or from a clinic or a closed online user group (closed usergroup trial), and clarify if this was a purely web-based trial, or there were face-to-face components (as part of the intervention or for assessment). Clearly say if outcomes were self-assessed through questionnaires (as common in web-based trials). Note: In traditional offline trials, an open trial (open-label trial) is a type of clinical trial in which both the researchers and participants know which treatment is being administered. To avoid confusion, use "blinded" or "unblinded" to indicated the level of blinding instead of "open", as "open" in web-based trials usually refers to "open access" (i.e. participants can self-enrol). (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

| | | | | | | |
|---------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------|-----------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | essential |
| Clear selection | | | | | | |

Does your paper address subitem 1b-iii?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Using self-reports, participants were evaluated at baseline, 8 weeks, 6 months, and 12 months," all conducted online.

1b-iv) RESULTS section in abstract must contain use data

Report number of participants enrolled/assessed in each group, the use/uptake of the intervention (e.g., attrition/adherence metrics, use over time, number of logins etc.), in addition to primary/secondary outcomes. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

| | | | | | | |
|---------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------|-----------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | essential |
| Clear selection | | | | | | |



Does your paper address subitem 1b-iv?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The assessment response rates for 8-week, 6-month, and 12-month outcomes were 58.6% (106/181), 50.3% (91/181) and 51.4% (93/181), respectively. By 8 weeks, significant improvements were observed for all outcome measures. These improvements were maintained at 12 months with mean reductions in severities of depression (mean -6.5; P<.001) and anxiety symptoms (mean-4.3; P<.001). Improvements were also observed in work and social functioning (mean -6.9; P<.001) and resilience (mean 4.3; P<.001). Marked decreases were observed on suicidal ideation (PHQ-9 ninth item score >1) at 6 months (16.5%) and 12 months (17.2%) compared to baseline (39.8%; P<.001). In regard to program adherence, the cumulative counts of page views and lessons completed were significantly related to lower PHQ-9, GAD-7, and WSAS scores and higher CD-RISC-10 scores (all P values <.001 with the exception of page views with WSAS for which P value was .02)."

1b-v) CONCLUSIONS/DISCUSSION in abstract for negative trials

Conclusions/Discussions in abstract for negative trials: Discuss the primary outcome - if the trial is negative (primary outcome not changed), and the intervention was not used, discuss whether negative results are attributable to lack of uptake and discuss reasons. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1 2 3 4 5

subitem not at all important essential

Clear selection



Does your paper address subitem 1b-v?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This was not a negative trial. "The Thrive intervention was effective at reducing depression and anxiety symptom severity and improving functioning and resilience among a population of adults from mostly rural communities in the United States. These gains were maintained at 1 year. Program adherence measured by the number of logins and lessons completed indicate that users who engage more with the program benefit more from the intervention."

INTRODUCTION

2a) In INTRODUCTION: Scientific background and explanation of rationale

2a-i) Problem and the type of system/solution

Describe the problem and the type of system/solution that is object of the study: intended as stand-alone intervention vs. incorporated in broader health care program? Intended for a particular patient population? Goals of the intervention, e.g., being more cost-effective to other interventions, replace or complement other solutions? (Note: Details about the intervention are provided in "Methods" under 5)

| | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------|-----------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | essential |

Clear selection



Does your paper address subitem 2a-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Compared to the clinician-delivered CBT, internet-based cognitive behavior therapy (iCBT) programs have potential for greater reach and scalability, greater standardization of content delivery, and reduced risk of stigmatization [4-6]. Even more, they have demonstrated equivalent effectiveness for reducing depression and anxiety symptoms [7]. Studies support the feasibility, acceptability, and effectiveness of self-guided (no supportive contacts by email, text, telephone, or face-to-face) iCBT interventions on depression and anxiety symptoms [4,6,8-10]. These findings are particularly promising for people living in rural and frontier communities, which nationally and internationally, have greater behavioral health care access challenges [11-13]. Compared with urban residents, rural and frontier residents have fewer qualified mental and behavioral health care providers and longer travel times to clinical services; moreover, they report greater concerns about privacy and higher levels of stigma [8,14-16]. Outside of the United States, other identified barriers to care in rural settings include long wait times for appointments, cost of care, transportation, lack of education, and stigma towards seeking mental health care [17,18]."

2a-ii) Scientific background, rationale: What is known about the (type of) system

Scientific background, rationale: What is known about the (type of) system that is the object of the study (be sure to discuss the use of similar systems for other conditions/diagnoses, if appropriate), motivation for the study, i.e. what are the reasons for and what is the context for this specific study, from which stakeholder viewpoint is the study performed, potential impact of findings [2]. Briefly justify the choice of the comparator.

| | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------|-----------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | essential |

Clear selection



Does your paper address subitem 2a-ii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Most published RCTs evaluating the efficacy of iCBT interventions have been implemented in non-US urban settings. Our research team evaluated an iCBT intervention, called Thrive, designed to help improve depression and anxiety symptoms for adults residing in the western rural communities in United States [8,9]."

2b) In INTRODUCTION: Specific objectives or hypotheses

Does your paper address CONSORT subitem 2b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Since there are few studies examining the long-term impact of self-guided iCBT interventions, the primary aim of this within-group analysis was to assess 6- and 12-month follow-up outcomes of trial participants who received immediate access to the Thrive intervention. Moreover, to date, there has been no consensus on the operationalization or impact of adherence on outcomes in iCBT interventions [21]. Thus, our secondary aim was to determine whether program adherence enhanced the effectiveness of the Thrive intervention."

METHODS

3a) Description of trial design (such as parallel, factorial) including allocation ratio

Does your paper address CONSORT subitem 3a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"A longitudinal study design was used to evaluate the effectiveness of the Thrive intervention with participants receiving immediate access to the iCBT program."

3b) Important changes to methods after trial commencement (such as eligibility criteria), with reasons

Does your paper address CONSORT subitem 3b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

There were no changes to study methods.

3b-i) Bug fixes, Downtimes, Content Changes

Bug fixes, Downtimes, Content Changes: ehealth systems are often dynamic systems. A description of changes to methods therefore also includes important changes made on the intervention or comparator during the trial (e.g., major bug fixes or changes in the functionality or content) (5-iii) and other "unexpected events" that may have influenced study design such as staff changes, system failures/downtimes, etc. [2].

1 2 3 4 5

subitem not at all important essential

Clear selection



Does your paper address subitem 3b-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

There were no changes to content and no bugs to the intervention

4a) Eligibility criteria for participants

Does your paper address CONSORT subitem 4a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Eligibility requirements for the study included age >18 years; Montana state residency; having regular access to broadband internet via a computer, tablet, or smartphone; and reporting at least mild depression symptoms (PHQ-9 score ≥ 5) at baseline."

4a-i) Computer / Internet literacy

Computer / Internet literacy is often an implicit "de facto" eligibility criterion - this should be explicitly clarified.

1 2 3 4 5

subitem not at all important essential

Clear selection



Does your paper address subitem 4a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We did not include information on Internet literacy. The Thrive program works simply by progressing forward or backward through module pages.

4a-ii) Open vs. closed, web-based vs. face-to-face assessments:

Open vs. closed, web-based vs. face-to-face assessments: Mention how participants were recruited (online vs. offline), e.g., from an open access website or from a clinic, and clarify if this was a purely web-based trial, or there were face-to-face components (as part of the intervention or for assessment), i.e., to what degree got the study team to know the participant. In online-only trials, clarify if participants were quasi-anonymous and whether having multiple identities was possible or whether technical or logistical measures (e.g., cookies, email confirmation, phone calls) were used to detect/prevent these.

1 2 3 4 5

subitem not at all important essential

Clear selection

Does your paper address subitem 4a-ii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Assessments were web-based. "All participants were assessed at baseline, 8 weeks, 6 months, and 12 months after study enrollment for each outcome measure. Each participant received email reminders when assessments were due, and 2 additional reminders within 7 days were issued for those who had not yet completed their assessment."



4a-iii) Information giving during recruitment

Information given during recruitment. Specify how participants were briefed for recruitment and in the informed consent procedures (e.g., publish the informed consent documentation as appendix, see also item X26), as this information may have an effect on user self-selection, user expectation and may also bias results.

| | | | | | | |
|---------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------|-----------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | essential |
| Clear selection | | | | | | |

Does your paper address subitem 4a-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Potential participants were directed to a study website where they were informed about study participation; self-screened for eligibility; and, if eligible, guided through the informed consent, randomization, and online assessment process [23]."

4b) Settings and locations where the data were collected

Does your paper address CONSORT subitem 4b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Potential participants were directed to a study website where they were informed about study participation; self-screened for eligibility; and, if eligible, guided through the informed consent, randomization, and online assessment process [23]."

4b-i) Report if outcomes were (self-)assessed through online questionnaires

Clearly report if outcomes were (self-)assessed through online questionnaires (as common in web-based trials) or otherwise.

| | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------|-----------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | essential |

Clear selection

Does your paper address subitem 4b-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Potential participants were directed to a study website where they were informed about study participation; self-screened for eligibility; and, if eligible, guided through the informed consent, randomization, and online assessment process [23]."

4b-ii) Report how institutional affiliations are displayed

Report how institutional affiliations are displayed to potential participants [on ehealth media], as affiliations with prestigious hospitals or universities may affect volunteer rates, use, and reactions with regards to an intervention.(Not a required item – describe only if this may bias results)

| | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------|-----------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | essential |

Clear selection



Does your paper address subitem 4b-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The Montana State University logo was displayed throughout the study website pages."

5) The interventions for each group with sufficient details to allow replication, including how and when they were actually administered

5-i) Mention names, credential, affiliations of the developers, sponsors, and owners

Mention names, credential, affiliations of the developers, sponsors, and owners [6] (if authors/evaluators are owners or developer of the software, this needs to be declared in a "Conflict of interest" section or mentioned elsewhere in the manuscript).

| | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------|-----------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | essential |

Clear selection



Does your paper address subitem 5-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Thrive, developed by Waypoint Health Innovations [22], is a self-guided iCBT intervention for depression and anxiety that distills best practices from CBT and delivers them through a rich, structured, and guided curriculum. Thrive uses video, interactive tools, and sophisticated algorithms that dynamically adjust the individual's course through the intervention. The intervention is comprised of 320 videos, averaging 80 seconds in length, to deliver content. Videos explain CBT concepts, demonstrate skills, provide feedback and recommendations, and portray actual case histories of individuals who used CBT skills to improve depression symptoms. The intervention also provides periodic PHQ-9 self-assessments and tailored feedback based on the scores. For this study, over a third of the demonstration and case history videos were replaced with new videos featuring rural characters, story lines, and settings. Other features of the Thrive program (ie, didactic and feedback videos, interactive tools, and algorithms) were not modified for this study. Thrive incorporates classic cognitive behavior therapy themes in modules (series of the didactic and feedback videos and interactive tools) on Constructive Thinking (cognitive restructuring), Pleasant Activities (behavioral activation), and Assertive Communication (social skills training). Each module has 10 lessons and suggested exercises for users to practice offline as homework pertinent to their own goals."

5-ii) Describe the history/development process

Describe the history/development process of the application and previous formative evaluations (e.g., focus groups, usability testing), as these will have an impact on adoption/use rates and help with interpreting results.

1 2 3 4 5

subitem not at all important essential

Clear selection

Does your paper address subitem 5-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Our paper does not address this.

5-iii) Revisions and updating

Revisions and updating. Clearly mention the date and/or version number of the application/intervention (and comparator, if applicable) evaluated, or describe whether the intervention underwent major changes during the evaluation process, or whether the development and/or content was "frozen" during the trial. Describe dynamic components such as news feeds or changing content which may have an impact on the replicability of the intervention (for unexpected events see item 3b).

1 2 3 4 5

subitem not at all important essential

Clear selection

Does your paper address subitem 5-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Our paper does not address this.



5-iv) Quality assurance methods

Provide information on quality assurance methods to ensure accuracy and quality of information provided [1], if applicable.

| | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------|-----------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | essential |

Clear selection

Does your paper address subitem 5-iv?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Of the 573 individuals assessed for eligibility, 463 individuals were deemed study eligible and enrolled in the study; yet 109 were later identified as fraudulent and removed from the study."

5-v) Ensure replicability by publishing the source code, and/or providing screenshots/screen-capture video, and/or providing flowcharts of the algorithms used

Ensure replicability by publishing the source code, and/or providing screenshots/screen-capture video, and/or providing flowcharts of the algorithms used. Replicability (i.e., other researchers should in principle be able to replicate the study) is a hallmark of scientific reporting.

| | | | | | | |
|------------------------------|----------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | essential |

Clear selection



Does your paper address subitem 5-v?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Our paper does not address this.

5-vi) Digital preservation

Digital preservation: Provide the URL of the application, but as the intervention is likely to change or disappear over the course of the years; also make sure the intervention is archived (Internet Archive, webcitation.org, and/or publishing the source code or screenshots/videos alongside the article). As pages behind login screens cannot be archived, consider creating demo pages which are accessible without login.

1 2 3 4 5

subitem not at all important essential

Clear selection

Does your paper address subitem 5-vi?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Our paper does not address this.



5-vii) Access

Access: Describe how participants accessed the application, in what setting/context, if they had to pay (or were paid) or not, whether they had to be a member of specific group. If known, describe how participants obtained "access to the platform and Internet" [1]. To ensure access for editors/reviewers/readers, consider to provide a "backdoor" login account or demo mode for reviewers/readers to explore the application (also important for archiving purposes, see vi).

| | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------|-----------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | essential |
| Clear selection | | | | | | |

Does your paper address subitem 5-vii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Our paper does not directly address this. Participants received an email invitation to join the Thrive program and upon enrollment, could directly access the program online.



5-viii) Mode of delivery, features/functionalities/components of the intervention and comparator, and the theoretical framework

Describe mode of delivery, features/functionalities/components of the intervention and comparator, and the theoretical framework [6] used to design them (instructional strategy [1], behaviour change techniques, persuasive features, etc., see e.g., [7, 8] for terminology). This includes an in-depth description of the content (including where it is coming from and who developed it) [1], "whether [and how] it is tailored to individual circumstances and allows users to track their progress and receive feedback" [6]. This also includes a description of communication delivery channels and – if computer-mediated communication is a component – whether communication was synchronous or asynchronous [6]. It also includes information on presentation strategies [1], including page design principles, average amount of text on pages, presence of hyperlinks to other resources, etc. [1].

| | | | | | | |
|---------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------|-----------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | essential |
| Clear selection | | | | | | |

Does your paper address subitem 5-viii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Thrive uses video, interactive tools, and sophisticated algorithms that dynamically adjust the individual's course through the intervention. The intervention is comprised of 320 videos, averaging 80 seconds in length, to deliver content. Videos explain CBT concepts, demonstrate skills, provide feedback and recommendations, and portray actual case histories of individuals who used CBT skills to improve depression symptoms. The intervention also provides periodic PHQ-9 self-assessments and tailored feedback based on the scores."



5-ix) Describe use parameters

Describe use parameters (e.g., intended “doses” and optimal timing for use). Clarify what instructions or recommendations were given to the user, e.g., regarding timing, frequency, heaviness of use, if any, or was the intervention used ad libitum.

| | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------|---------------------------------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | essential |
| | | | | | | Clear selection |

Does your paper address subitem 5-ix?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Our paper does not address this. The program advises users to keep using at a pace that works for them but sufficiently to achieve results.

5-x) Clarify the level of human involvement

Clarify the level of human involvement (care providers or health professionals, also technical assistance) in the e-intervention or as co-intervention (detail number and expertise of professionals involved, if any, as well as “type of assistance offered, the timing and frequency of the support, how it is initiated, and the medium by which the assistance is delivered”. It may be necessary to distinguish between the level of human involvement required for the trial, and the level of human involvement required for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

| | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------|---------------------------------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | essential |
| | | | | | | Clear selection |



Does your paper address subitem 5-x?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

There was no human involvement. "Thrive, developed by Waypoint Health Innovations [22], is a self-guided iCBT intervention for depression and anxiety that distills best practices from CBT and delivers them through a rich, structured, and guided curriculum."

5-xi) Report any prompts/reminders used

Report any prompts/reminders used: Clarify if there were prompts (letters, emails, phone calls, SMS) to use the application, what triggered them, frequency etc. It may be necessary to distinguish between the level of prompts/reminders required for the trial, and the level of prompts/reminders for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

| | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------|-----------------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | essential |
| | | | | | | Clear selection |

Does your paper address subitem 5-xi? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Each participant received email reminders when assessments were due, and 2 additional reminders within 7 days were issued for those who had not yet completed their assessment."



5-xii) Describe any co-interventions (incl. training/support)

Describe any co-interventions (incl. training/support): Clearly state any interventions that are provided in addition to the targeted eHealth intervention, as ehealth intervention may not be designed as stand-alone intervention. This includes training sessions and support [1]. It may be necessary to distinguish between the level of training required for the trial, and the level of training for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

| | | | | | | |
|------------------------------|----------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|------------------------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | essential |
| | | | | | | Clear selection |

Does your paper address subitem 5-xii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Thrive is a stand-alone program. There were no co-interventions for this study.

6a) Completely defined pre-specified primary and secondary outcome measures, including how and when they were assessed



Does your paper address CONSORT subitem 6a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"All outcome measures and other demographic and treatment measures were administered electronically via the study assessment portal. The primary outcome measure was depression symptom severity measured by the PHQ-9, (score range 0-27; higher scores indicate greater severity) [24]. Secondary outcome measures included anxiety symptom severity, daily functioning, resilience, and suicidal ideation. Anxiety symptom severity was measured with the Generalized Anxiety Disorder Scale-7 (GAD-7) (score range 0-21; higher scores indicate greater severity) [25]. Daily functioning was measured with the Work and Social Adjustment Scale (WSAS) (score range 0-40; higher scores indicate worse daily functioning) [26]. Resilience was measured with the 10-item Connor-Davidson Resilience Scale (CD-RISC-10) (score range 0-40; higher scores indicate greater resilience) [27]. Frequency of suicidal ideation was measured with the ninth item of the PHQ-9 (score range 0-3; higher scores indicate greater suicidal ideation)."

6a-i) Online questionnaires: describe if they were validated for online use and apply CHERRIES items to describe how the questionnaires were designed/deployed

If outcomes were obtained through online questionnaires, describe if they were validated for online use and apply CHERRIES items to describe how the questionnaires were designed/deployed [9].

| | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------|-----------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | essential |

Clear selection



Does your paper address subitem 6a-i?

Copy and paste relevant sections from manuscript text

We do not address this other than through citations of validated instruments.

6a-ii) Describe whether and how "use" (including intensity of use/dosage) was defined/measured/monitored

Describe whether and how "use" (including intensity of use/dosage) was defined/measured/monitored (logins, logfile analysis, etc.). Use/adoption metrics are important process outcomes that should be reported in any ehealth trial.

| | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------|-----------------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | essential |
| | | | | | | Clear selection |

Does your paper address subitem 6a-ii?

Copy and paste relevant sections from manuscript text

"Cumulative program adherence was measured with the following indicators: (1) number of logins, (2) number of page views, and (3) number of lessons completed within the program."



6a-iii) Describe whether, how, and when qualitative feedback from participants was obtained

Describe whether, how, and when qualitative feedback from participants was obtained (e.g., through emails, feedback forms, interviews, focus groups).

| | | | | | | |
|------------------------------|----------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------------------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | essential |
| | | | | | | Clear selection |

Does your paper address subitem 6a-iii?

Copy and paste relevant sections from manuscript text

We did not elicit qualitative feedback.

6b) Any changes to trial outcomes after the trial commenced, with reasons

Does your paper address CONSORT subitem 6b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

There were no changes to trial outcomes other than adding an assessment of the PHQ-9 ninth item (suicidal ideation).

7a) How sample size was determined

NPT: When applicable, details of whether and how the clustering by care providers or centers was addressed



7a-i) Describe whether and how expected attrition was taken into account when calculating the sample size

Describe whether and how expected attrition was taken into account when calculating the sample size.

| | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------|-----------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | essential |

Clear selection

Does your paper address subitem 7a-i?

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We refer readers to our first publication of the randomized controlled 8-week outcome trial.

7b) When applicable, explanation of any interim analyses and stopping guidelines

Does your paper address CONSORT subitem 7b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We tracked suicidal ideation scores to red-flag for a potential stopping of the trial.

8a) Method used to generate the random allocation sequence

NPT: When applicable, how care providers were allocated to each trial group

Does your paper address CONSORT subitem 8a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We refer readers to our first published randomized controlled trial. "Potential participants were directed to a study website where they were informed about study participation; self-screened for eligibility; and, if eligible, guided through the informed consent, randomization, and online assessment process [23]."

8b) Type of randomisation; details of any restriction (such as blocking and block size)

Does your paper address CONSORT subitem 8b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We do not address this.

9) Mechanism used to implement the random allocation sequence (such as sequentially numbered containers), describing any steps taken to conceal the sequence until interventions were assigned



Does your paper address CONSORT subitem 9? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Potential participants were directed to a study website where they were informed about study participation; self-screened for eligibility; and, if eligible, guided through the informed consent, randomization, and online assessment process [23].

"

10) Who generated the random allocation sequence, who enrolled participants, and who assigned participants to interventions**Does your paper address CONSORT subitem 10? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

All randomization and enrollment activities were programmed into the study website. "Potential participants were directed to a study website where they were informed about study participation; self-screened for eligibility; and, if eligible, guided through the informed consent, randomization, and online assessment process [23]. "

11a) If done, who was blinded after assignment to interventions (for example, participants, care providers, those assessing outcomes) and how

NPT: Whether or not administering co-interventions were blinded to group assignment



11a-i) Specify who was blinded, and who wasn't

Specify who was blinded, and who wasn't. Usually, in web-based trials it is not possible to blind the participants [1, 3] (this should be clearly acknowledged), but it may be possible to blind outcome assessors, those doing data analysis or those administering co-interventions (if any).

1 2 3 4 5

subitem not at all important essential

Clear selection

Does your paper address subitem 11a-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We do not address this.

11a-ii) Discuss e.g., whether participants knew which intervention was the "intervention of interest" and which one was the "comparator"

Informed consent procedures (4a-ii) can create biases and certain expectations - discuss e.g., whether participants knew which intervention was the "intervention of interest" and which one was the "comparator".

1 2 3 4 5

subitem not at all important essential

Clear selection



Does your paper address subitem 11a-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

As a waitlist control trial, participants were informed immediately upon enrollment as to which group they were allocated to.

11b) If relevant, description of the similarity of interventions

(this item is usually not relevant for ehealth trials as it refers to similarity of a placebo or sham intervention to a active medication/intervention)

Does your paper address CONSORT subitem 11b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable

12a) Statistical methods used to compare groups for primary and secondary outcomes

NPT: When applicable, details of whether and how the clustering by care providers or centers was addressed



Does your paper address CONSORT subitem 12a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The longitudinal change over time in each continuous outcome was assessed using a linear mixed model analysis of repeated measures. Separate models were created for each outcome measure (ie, PHQ-9, GAD-7, WSAS, and CD-RISC-10) to assess the fixed effect of time adjusting for baseline scores and receiving therapy for depression. Similar separate models were used to assess the relationship program logins, page views, and lessons completed on each outcome, adjusting for baseline scores, therapy for depression, and time."

12a-i) Imputation techniques to deal with attrition / missing values

Imputation techniques to deal with attrition / missing values: Not all participants will use the intervention/comparator as intended and attrition is typically high in ehealth trials. Specify how participants who did not use the application or dropped out from the trial were treated in the statistical analysis (a complete case analysis is strongly discouraged, and simple imputation techniques such as LOCF may also be problematic [4]).

| | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------|-----------------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | essential |
| | | | | | | Clear selection |

Does your paper address subitem 12a-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Maximum likelihood estimators allow efficient parameter estimation using only available data under an assumption of missing at random [28-30]."



12b) Methods for additional analyses, such as subgroup analyses and adjusted analyses

Does your paper address CONSORT subitem 12b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Sensitivity analyses were also conducted using only participants with complete data (ie, complete cases), and no significant differences were found between those who were lost to follow-up/noncompleters and those who completed the trial. Attrition/loss to follow-up was assessed to ensure the key covariates, and baseline measures did not differ from those that completed and those that did not complete the trial."

X26) REB/IRB Approval and Ethical Considerations [recommended as subheading under "Methods"] (not a CONSORT item)

X26-i) Comment on ethics committee approval

| | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------|-----------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | essential |

Clear selection



Does your paper address subitem X26-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The Montana State University Institutional Review Board (IRB) approved the protocol and all related materials (#MS033017-FC) prior to study initiation."

x26-ii) Outline informed consent procedures

Outline informed consent procedures e.g., if consent was obtained offline or online (how? Checkbox, etc.?), and what information was provided (see 4a-ii). See [6] for some items to be included in informed consent documents.

| | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------|-----------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | essential |

Clear selection

Does your paper address subitem X26-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Potential participants were directed to a study website where they were informed about study participation; self-screened for eligibility; and, if eligible, guided through the informed consent, randomization, and online assessment process [23]."



X26-iii) Safety and security procedures

Safety and security procedures, incl. privacy considerations, and any steps taken to reduce the likelihood or detection of harm (e.g., education and training, availability of a hotline)

| | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------|-----------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | essential |

Clear selection

Does your paper address subitem X26-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Participants were encouraged to seek or continue other available care throughout the study. During all assessments, participants who reported any frequency of suicidal ideation (PHQ-9 ninth item score >0) on the assessment portal were encouraged to seek help from multiple sources. They were also asked whether they could keep themselves safe from self-harm. Those responding they could not keep themselves safe would be told not to continue in the study and were provided a list of things to do to seek professional help. All participants were provided a resource list for seeking additional support (Multimedia Appendix 2). However, none of the participants responded they could not be safe during any assessment. Additionally, in the Thrive intervention, any self-assessed PHQ-9 scores >20 and a PHQ-9 score >10 on the third self-assessment recommended seeking a clinician's help. Participants were also provided contact information of the institution's IRB director and the study's principal investigator to report any adverse events."

RESULTS



13a) For each group, the numbers of participants who were randomly assigned, received intended treatment, and were analysed for the primary outcome

NPT: The number of care providers or centers performing the intervention in each group and the number of patients treated by each care provider in each center

Does your paper address CONSORT subitem 13a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"A total of 181 immediate intervention group participants (iCBT) were included in this longitudinal outcome assessment."

13b) For each group, losses and exclusions after randomisation, together with reasons

Does your paper address CONSORT subitem 13b? (NOTE: Preferably, this is shown in a CONSORT flow diagram) *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Of the 573 individuals assessed for eligibility, 463 individuals were deemed study eligible and enrolled in the study; yet 109 were later identified as fraudulent and removed from the study. The sample for the current study included 181 eligible study participants who had immediate access to the Thrive intervention. Multimedia Appendix 1 provides the CONSORT (Consolidated Standards of Reporting Trials) Flow Chart."



13b-i) Attrition diagram

Strongly recommended: An attrition diagram (e.g., proportion of participants still logging in or using the intervention/comparator in each group plotted over time, similar to a survival curve) or other figures or tables demonstrating usage/dose/engagement.

1 2 3 4 5

subitem not at all important essential

Clear selection

Does your paper address subitem 13b-i?

Copy and paste relevant sections from the manuscript or cite the figure number if applicable (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Multimedia Appendix 1 provides the CONSORT (Consolidated Standards of Reporting Trials) Flow Chart."

14a) Dates defining the periods of recruitment and follow-up

Does your paper address CONSORT subitem 14a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We do not address this. We refer readers to our first published paper that details this information.



14a-i) Indicate if critical “secular events” fell into the study period

Indicate if critical “secular events” fell into the study period, e.g., significant changes in Internet resources available or “changes in computer hardware or Internet delivery resources”

| | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | essential |

Does your paper address subitem 14a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

No critical secular events occurred during the trial.

14b) Why the trial ended or was stopped (early)**Does your paper address CONSORT subitem 14b? ***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable.

15) A table showing baseline demographic and clinical characteristics for each group

NPT: When applicable, a description of care providers (case volume, qualification, expertise, etc.) and centers (volume) in each group



Does your paper address CONSORT subitem 15? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"A total of 181 immediate intervention group participants (iCBT) were included in this longitudinal outcome assessment. As detailed in Table 1, participants were on average 42 years old (SD 12.8); and most were female (88.9%), White (93.9%), and nonveterans (96.1%). A majority was married or in a domestic relationship (56.9%), employed full-time (61.9%), had obtained at least a bachelor's degree (56.9%), and had private health insurance (77.3%). Nearly 15% of participants lived in urban, over 56% in rural, and nearly 29% in isolated communities. Nearly 57% of participants reported receiving clinical care for mental health."

15-i) Report demographics associated with digital divide issues

In ehealth trials it is particularly important to report demographics associated with digital divide issues, such as age, education, gender, social-economic status, computer/Internet/ehealth literacy of the participants, if known.

| | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------|-----------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | essential |

Clear selection



Does your paper address subitem 15-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"A total of 181 immediate intervention group participants (iCBT) were included in this longitudinal outcome assessment. As detailed in Table 1, participants were on average 42 years old (SD 12.8); and most were female (88.9%), White (93.9%), and nonveterans (96.1%). A majority was married or in a domestic relationship (56.9%), employed full-time (61.9%), had obtained at least a bachelor's degree (56.9%), and had private health insurance (77.3%). Nearly 15% of participants lived in urban, over 56% in rural, and nearly 29% in isolated communities. Nearly 57% of participants reported receiving clinical care for mental health."

16) For each group, number of participants (denominator) included in each analysis and whether the analysis was by original assigned groups

16-i) Report multiple "denominators" and provide definitions

Report multiple "denominators" and provide definitions: Report N's (and effect sizes) "across a range of study participation [and use] thresholds" [1], e.g., N exposed, N consented, N used more than x times, N used more than y weeks, N participants "used" the intervention/comparator at specific pre-defined time points of interest (in absolute and relative numbers per group). Always clearly define "use" of the intervention.

| | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------|-----------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | essential |

Clear selection



Does your paper address subitem 16-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"A total of 181 immediate intervention group participants (iCBT) were included in this longitudinal outcome assessment."

16-ii) Primary analysis should be intent-to-treat

Primary analysis should be intent-to-treat, secondary analyses could include comparing only "users", with the appropriate caveats that this is no longer a randomized sample (see 18-i).

| | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------|---------------------------------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | essential |
| | | | | | | Clear selection |

Does your paper address subitem 16-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We refer readers to our first published study that addresses this.

17a) For each primary and secondary outcome, results for each group, and the estimated effect size and its precision (such as 95% confidence interval)



Does your paper address CONSORT subitem 17a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"By 8 weeks, significant improvements were observed for all outcome measures. These improvements were maintained at 6 and 12 months. We observed 6-month mean reductions and respective effect sizes in the severity of depression (mean -6.3; d=1.27) and anxiety symptoms (mean -4.1; d=0.86). Improvements were also observed in work and social functioning (Mean -6.5; d=0.73) and resilience (mean 3.9; d=0.60). A total of 23% fewer participants endorsed suicidal ideation (PHQ-9 ninth item score >1) at 6 months (16.5%) and 12 months (17.2%) compared to baseline (39.8%). We observed 12-month mean reductions and respective effect sizes in the severity of depression (mean -6.5; d=1.23) and anxiety symptoms (mean -4.3; d=0.93). Improvements were also observed in work and social functioning (mean -6.9; d=0.76) and resilience (mean 4.3; d=0.62). Marked decreases were observed on suicidal ideation (PHQ-9 ninth item score >1) from baseline (39.8%) to 6 months (16.5%) and 12 months (17.2%). Longitudinal trends from baseline for all outcome measures were statistically significant (P<.001)."

17a-i) Presentation of process outcomes such as metrics of use and intensity of use

In addition to primary/secondary (clinical) outcomes, the presentation of process outcomes such as metrics of use and intensity of use (dose, exposure) and their operational definitions is critical. This does not only refer to metrics of attrition (13-b) (often a binary variable), but also to more continuous exposure metrics such as "average session length". These must be accompanied by a technical description how a metric like a "session" is defined (e.g., timeout after idle time) [1] (report under item 6a).

| | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------|-----------------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | essential |
| | | | | | | Clear selection |



Does your paper address subitem 17a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Table 3 presents the effects of program adherence. The number of lessons completed was significantly associated to lower PHQ-9 ($P<.001$), GAD-7 ($P<.001$), and WSAS scores ($P<.001$) and higher CD-RISC-10 scores ($P<.001$). The number of page views was significantly associated to lower PHQ-9 ($P<.001$), GAD-7 ($P<.001$), and WSAS scores ($P=.023$) and higher CD-RISC-10 scores ($P<.001$) The number of logins was significantly associated only with the PHQ-9 ($P=.021$). No adherence metrics were significantly associated with suicidal ideation."

17b) For binary outcomes, presentation of both absolute and relative effect sizes is recommended

Does your paper address CONSORT subitem 17b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable.

18) Results of any other analyses performed, including subgroup analyses and adjusted analyses, distinguishing pre-specified from exploratory



Does your paper address CONSORT subitem 18? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable

18-i) Subgroup analysis of comparing only users

A subgroup analysis of comparing only users is not uncommon in ehealth trials, but if done, it must be stressed that this is a self-selected sample and no longer an unbiased sample from a randomized trial (see 16-iii).

| | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------|---------------------------------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | essential |
| | | | | | | Clear selection |

Does your paper address subitem 18-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"A total of 181 immediate intervention group participants (iCBT) were included in this longitudinal outcome assessment."

19) All important harms or unintended effects in each group

(for specific guidance see CONSORT for harms)



Does your paper address CONSORT subitem 19? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"No adverse events were reported in this study."

19-i) Include privacy breaches, technical problems

Include privacy breaches, technical problems. This does not only include physical "harm" to participants, but also incidents such as perceived or real privacy breaches [1], technical problems, and other unexpected/unintended incidents. "Unintended effects" also includes unintended positive effects [2].

| | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------|-----------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | essential |

Clear selection

Does your paper address subitem 19-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

There were no privacy breaches.



19-ii) Include qualitative feedback from participants or observations from staff/researchers

Include qualitative feedback from participants or observations from staff/researchers, if available, on strengths and shortcomings of the application, especially if they point to unintended/unexpected effects or uses. This includes (if available) reasons for why people did or did not use the application as intended by the developers.

1 2 3 4 5

subitem not at all important essential

Clear selection

Does your paper address subitem 19-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We did not elicit qualitative feedback.

DISCUSSION

22) Interpretation consistent with results, balancing benefits and harms, and considering other relevant evidence

NPT: In addition, take into account the choice of the comparator, lack of or partial blinding, and unequal expertise of care providers or centers in each group



22-i) Restate study questions and summarize the answers suggested by the data, starting with primary outcomes and process outcomes (use)

Restate study questions and summarize the answers suggested by the data, starting with primary outcomes and process outcomes (use).

| | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------|------------------------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | essential |
| | | | | | | Clear selection |



Does your paper address subitem 22-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"This study evaluated the long-term (6- and 12-month) outcomes of a fully automated self-guided (no supportive contacts by email, text, telephone, or face-to-face) video-centric iCBT intervention called Thrive in a rural US community. We believe this is the first study to assess the long-term impacts of an iCBT program within an adult population in rural United States. These analyses focused on participants receiving immediate access to the Thrive intervention. Over the course of 8 weeks, over a third of participants with 8-week data achieved remission, and over half of those maintained remission at 6 months and 12 months. A very low relapse rate was one of the noteworthy observations of this study. In regard to long-term outcomes of primary and secondary measures, study findings demonstrated mean improvements in depression and anxiety symptoms, work and social functioning, and resilience from baseline to 8 weeks. These improvements were sustained at 6 and 12 months. Comparable sustained improvements were also observed with decreased percentages of participants reporting suicidal ideation.

In regard to our adherence analyses, the number of page views and number of lessons completed most consistently predicted greater sustained positive effects on all outcome measures. Both page views and lessons completed are reasonable markers to assess the program adherence with self-guided iCBT interventions like Thrive, as they indicate the extent to which the users progress through the program. In contrast, the number logins and progress through the program will expectedly vary because some users tend to spend more blocks of time in the program compared to others."



22-ii) Highlight unanswered new questions, suggest future research

Highlight unanswered new questions, suggest future research.

1 2 3 4 5

subitem not at all important essential

Clear selection

Does your paper address subitem 22-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"In our study, we analyzed data on the number of logins, page views, and lessons completed. Page views and lessons completed were the consistent significant predictors of our outcome measures with the exception of suicidal ideation. Cuijpers and colleagues' [33] meta-analysis of CBT depression studies assessed the number of sessions (comparable to lessons completed in Thrive) as an adherence measure to determine a dose-response effect. In contrast to our findings, they found no significant relationship with study effect sizes. Given the relative infancy of iCBT platforms, it is imperative that future studies critically think of relevant adherence metrics that fit the type of medium."

20) Trial limitations, addressing sources of potential bias, imprecision, and, if relevant, multiplicity of analyses



20-i) Typical limitations in ehealth trials

Typical limitations in ehealth trials: Participants in ehealth trials are rarely blinded. Ehealth trials often look at a multiplicity of outcomes, increasing risk for a Type I error. Discuss biases due to non-use of the intervention/usability issues, biases through informed consent procedures, unexpected events.

1 2 3 4 5

subitem not at all important essential

Clear selection

Does your paper address subitem 20-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Our findings need to be considered in light of several limitations. As commonly observed in iCBT studies, assessment completion rates were low with 50.3% and 51.4% of participants completing assessments at 6 and 12 months, respectively. Thus, our results may be skewed due to underlying responder biases. Within-group analyses are limited in that there is no control group with which to compare findings. Relying solely on self-assessments, a common practice in iCBT studies, is a potential weakness of the study; however, the use of validated, widely used instruments largely addressed this issue. The PHQ-9, GAD-7, and WSAS measures correlate well with clinician-administered instruments [24,25,36]; furthermore, they have been shown to be sensitive to treatment effects [26,37,38]. Additionally, self-assessments may underestimate the effect of iCBT compared to clinician-administered assessments [39]. As a community-based trial, our findings cannot be generalized to health care settings. In regard to adherence metrics, we limited our analyses to include the number of logins, page views, and lessons completed. Our study was not originally designed as a dose-response analysis; and therefore, our findings are limited to our post-hoc analyses of adherence."



21) Generalisability (external validity, applicability) of the trial findings

NPT: External validity of the trial findings according to the intervention, comparators, patients, and care providers or centers involved in the trial

21-i) Generalizability to other populations

Generalizability to other populations: In particular, discuss generalizability to a general Internet population, outside of a RCT setting, and general patient population, including applicability of the study results for other organizations

| | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------|---------------------------------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | essential |
| | | | | | | Clear selection |

Does your paper address subitem 21-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"As a community-based trial, our findings cannot be generalized to health care settings."



21-ii) Discuss if there were elements in the RCT that would be different in a routine application setting

Discuss if there were elements in the RCT that would be different in a routine application setting (e.g., prompts/reminders, more human involvement, training sessions or other co-interventions) and what impact the omission of these elements could have on use, adoption, or outcomes if the intervention is applied outside of a RCT setting.

subitem not at all important 1 2 3 4 5 essential

Clear selection

Does your paper address subitem 21-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We do not address this.

OTHER INFORMATION

23) Registration number and name of trial registry

Does your paper address CONSORT subitem 23? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The study is registered at ClinicalTrials.gov (NCT03244878)."

24) Where the full trial protocol can be accessed, if available

Does your paper address CONSORT subitem 24? *

Cite a Multimedia Appendix, other reference, or copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The study is registered at ClinicalTrials.gov (NCT03244878)."

25) Sources of funding and other support (such as supply of drugs), role of funders

Does your paper address CONSORT subitem 25? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Research reported in this publication was supported by the National Institute of General Medical Sciences of the National Institutes of Health under Award Numbers P20GM103474, U54GM115371 and 5P20GM104417."

X27) Conflicts of Interest (not a CONSORT item)

X27-i) State the relation of the study team towards the system being evaluated

In addition to the usual declaration of interests (financial or otherwise), also state the relation of the study team towards the system being evaluated, i.e., state if the authors/evaluators are distinct from or identical with the developers/sponsors of the intervention.

| | | | | | | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------|-----------|
| | 1 | 2 | 3 | 4 | 5 | |
| subitem not at all important | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input checked="" type="radio"/> | essential |
| Clear selection | | | | | | |

Does your paper address subitem X27-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"JG previously held a financial interest in Waypoint Health Innovations, which developed the Thrive intervention evaluated in this work. Waypoint Health Innovations pays him a royalty based on revenue from Thrive use. He no longer has a direct financial interest in Waypoint Health Innovations but does retain a small interest in Waypoint Health Innovations through Healthcare Technology Systems where he is CEO and a shareholder. He is also a consultant to Waypoint on projects outside of the grant supporting this study. The terms of JG's financial relationship with Waypoint Health Innovations have been reviewed by Montana State University, and his involvement with this research project has been approved in accordance with its conflict of interest policies."

About the CONSORT EHEALTH checklist



As a result of using this checklist, did you make changes in your manuscript? *

- yes, major changes
- yes, minor changes
- no

What were the most important changes you made as a result of using this checklist?

Adding details about the program.

How much time did you spend on going through the checklist INCLUDING making changes in your manuscript *

2 days

As a result of using this checklist, do you think your manuscript has improved? *

- yes
- no
- Other:



Would you like to become involved in the CONSORT EHEALTH group?

This would involve for example becoming involved in participating in a workshop and writing an "Explanation and Elaboration" document

- yes
- no
- Other:

Clear selection

Any other comments or questions on CONSORT EHEALTH

No

STOP - Save this form as PDF before you click submit

To generate a record that you filled in this form, we recommend to generate a PDF of this page (on a Mac, simply select "print" and then select "print as PDF") before you submit it.

When you submit your (revised) paper to JMIR, please upload the PDF as supplementary file.

Don't worry if some text in the textboxes is cut off, as we still have the complete information in our database. Thank you!

Final step: Click submit !

Click submit so we have your answers in our database!

Submit

Never submit passwords through Google Forms.

This content is neither created nor endorsed by Google. [Report Abuse](#) - [Terms of Service](#) - [Privacy Policy](#).



Google Forms