

Supplementary tables

Table S1: Unadjusted odds ratios for calculable Framingham score using random-effects multilevel logistic regression model

Unadjusted odds ratio						
Characteristics	Index group	Reference group	Odds Ratio	Lower limit	Upper limit	P-value
Age	45-49 years	40-44 years	1.49	1.434	1.547	<.0001
Age	50-54 years	40-44 years	2.24	2.162	2.329	<.0001
Age	55-59 years	40-44 years	2.78	2.681	2.887	<.0001
Age	60-64 years	40-44 years	3.50	3.371	3.640	<.0001
Age	65-69 years	40-44 years	4.44	4.266	4.626	<.0001
Age	70-75 years	40-44 years	5.05	4.850	5.262	<.0001
Sex	Male	Female	1.07	1.048	1.092	<.0001
Schizophrenia	Yes	No	1.25	1.173	1.327	<.0001
BMI level	18.5 - 24.9 (Normal)	18.4 or less (Underweight)	1.25	1.077	1.450	0.0043
BMI level	25 - 29.9 (overweight)	18.4 or less (Underweight)	1.77	1.522	2.047	<.0001
BMI level	30 - 34.9 (Obese Class I)	18.4 or less (Underweight)	2.03	1.749	2.361	<.0001
BMI level	35 - 39.9 (Obese Class II)	18.4 or less (Underweight)	2.09	1.784	2.437	<.0001
BMI level	40 or more (Obese Class III)	18.4 or less (Underweight)	1.99	1.695	2.342	<.0001
No. of encounters	6-9 visits	3-5 visits	1.60	1.558	1.653	<.0001
No. of encounters	>=10 visits	3-5 visits	2.39	2.320	2.455	<.0001
Region	Urban	Rural	1.06	1.026	1.105	0.0012
Income quintiles	1(=lowest)	5(=highest)	1.04	1.004	1.075	0.0326
Income quintiles	2	5(=highest)	1.05	1.020	1.089	0.0023
Income quintiles	3	5(=highest)	1.04	1.005	1.071	0.0261
Income quintiles	4	5(=highest)	1.00	0.974	1.034	0.8188
Provider age	29-39 years	60+ years	1.69	1.225	2.334	0.0020
Provider age	40-49 years	60+ years	1.36	0.972	1.914	0.0757
Provider age	50-59 years	60+ years	1.38	0.986	1.944	0.0655
Provider sex	Female	Male	1.61	1.296	2.012	<.0001

Table S2: Adjusted odds ratios for calculable Framingham score using random-effects multilevel logistic regression model

Adjusted odds ratio						
Characteristics	Index group	Reference group	Odds Ratio	Lower limit	Upper limit	P-value
Age group	45-49 years	40-44 years	1.52	1.41	1.63	<.0001
Age group	50-54 years	40-44 years	2.18	2.03	2.33	<.0001
Age group	55-59 years	40-44 years	2.61	2.44	2.80	<.0001
Age group	65-69 years	40-44 years	3.27	3.04	3.52	<.0001
Age group	70-75 years	40-44 years	3.51	3.26	3.78	<.0001
Sex	Male	Female	1.39	1.33	1.45	<.0001
Schizophrenia	Yes	No	0.90	0.79	1.01	0.0983
BMI level	18.5 - 24.9 (Normal)	18.4 or less (Underweight)	1.36	1.14	1.62	0.0012
BMI level	25 - 29.9 (overweight)	18.4 or less (Underweight)	1.73	1.45	2.07	<.0001
BMI level	30 - 34.9 (Obese Class I)	18.4 or less (Underweight)	1.92	1.60	2.29	<.0001
BMI level	35 - 39.9 (Obese Class II)	18.4 or less (Underweight)	2.01	1.67	2.42	<.0001
BMI level	40 or more (Obese Class III)	18.4 or less (Underweight)	2.00	1.66	2.43	<.0001
No. of encounters	6-9 visits	3-5 visits	1.25	1.19	1.31	<.0001
No. of encounters	>=10 visits	3-5 visits	1.53	1.46	1.60	<.0001
Region	Urban	Rural	1.08	1.02	1.16	0.0238
Income quintiles	1(=lowest)	5(=highest)	0.97	0.91	1.03	0.4269
Income quintiles	2	5(=highest)	1.02	0.96	1.08	0.5736
Income quintiles	3	5(=highest)	1.01	0.96	1.07	0.6744
Income quintiles	4	5(=highest)	1.01	0.96	1.06	0.8142
Provider age group	29-39 years	60+ years	1.34	0.88	2.04	0.2188
Provider age group	40-49 years	60+ years	1.22	0.79	1.88	0.4269
Provider age group	50-59 years	60+ years	1.49	0.98	2.26	0.0846
Provider sex	Female	Male	1.52	1.12	2.07	0.0128