

Supplementary Material

HPLC Fingerprint Analysis with the Antioxidant and Cytotoxic Activities of Selected Lichens Combined with the Chemometric Calculations

Anna Hawrył¹, Mirosław Hawrył^{1,*}, Agnieszka Hajnos-Stolarz², Jagoda Abramek³, Anna Bogucka-Kocka³ and Łukasz Komsta⁴

¹ Department of Inorganic Chemistry, Faculty of Pharmacy, Medical University of Lublin, Chodźki 4a St. 20-093 Lublin, Poland; anna.hawryl@umlub.pl (A.H.)

² Herbapol-Lublin S.A., Diamentowa 25 Street, 20-471 Lublin, Poland; ahajnos@gmail.com (A.H.-S.)

³ Department of Biology and Genetics, Medical University, Chodźki 4A Street, 20-093 Lublin, Poland; anna.bogucka-kocka@umlub.pl (A. B.-K.), jagoda.abramek@umlub.pl (J.A.)

⁴ Chair and Department of Drug Chemistry, Medical University, Jaczewskiego 4 Street, 20-090 Lublin, Poland; lukasz.komsta@umlub.pl (L.K.)

* Correspondence: mirek.hawryl@umlub.pl (M.H.)




Figure S1. The chromatogram of *Cladina mitis* (CM) methanolic extract, UA – usnic acid.




Figure S2. The chromatogram of *Cladina mitis* (CM1) methanolic extract, UA – usnic acid.




Figure S3. The chromatogram of *Cladina arbuscula* (CSYL) methanolic extract, UA – usnic acid.




Figure S4. The chromatogram of *Evernia prunastri* (EP) methanolic extract, UA – usnic acid.




Figure S5. The chromatogram of *Hypogymnia physodes* (HP) methanolic extract, UA – usnic acid.




Figure S6. The chromatogram of *Hypogymnia physodes* (HP1) methanolic extract, UA – usnic acid.




Figure S7. The chromatogram of *Xanthoria parietina* (XP) methanolic extract, UA – usnic acid.